N. 278.

Price 1/-

1892

A Catalogue of

NEW, RARE AND Beautiful Plants AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S. F.Z.S. F.R.H.S. M.A.I. F.R.B.S. & M.S.A. Socc Hort Berol Bruxell. St Petersburgh et Paris et Soc. Agric. et Bot Gandav. Socius.

NEW PLANT MERCHANT,

536, KING'S ROAD, CHELSEA,

(and Ashburnham Park.) LONDON, S.W.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S
ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS.
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LIECHTENSTEIN
HIS HIGHNESS PRINCE WITTGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF ST. ALBANS
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLL
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF LORNE.
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF BREADALBANE
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHESK
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF DYSART.
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL BATHURST
The Right Hon. the EARL OF CLARENDON
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon. the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURNE
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL NELSON
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF MORLEY
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAY
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT CLIFDEN
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT PORTMAN
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT STORMONT
The Right Hon. VISCOUNT EMLYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD ST. JOHN OF BLETSOE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD CAREW
The Right Hon. LORD WENLOCK
The Right Hon. LORD SEATON
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ANNALY
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD LAWRENCE
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD SACKVILLE
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon LORD NORTHBOURNE
The Right Hon. LORD MONKSWELL
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD HINDLIP
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEYLESMORE
The Right Hon. LORD IVEAGH.
The Right Hon. LORD MASHAM
M. LE DUC DE MASSA
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

NATAL, BRAZIL, JAVA, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

BEGONIA FLORIBUNDA ROSEA.

A very pretty new hybrid winter-flowering Begonia, of dwarf compact growth, its bright rosy-pink flowers being produced in the utmost profusion. Blooming as it does at a season of the year when flowers are scarce, this bright and attractive variety will be found of the greatest value for the decoration of greenhouses and conservatories; its compact habit, combined with its great floriferousness, making it a very desirable acquisition. The leaves, which are dark green, and of medium size, give to the plant a very neat and pleasing appearance. 5*s*.

BOWKERIA TRIPHYLLA.

A handsome ornamental flowering plant, with lanceolate corrugated leaves, arranged in threes on reddish stems. The flowers are white, nearly one inch long, inflated and bi-labiate, suggesting *Scrophularia*, to which the genus is allied; these are borne in subterminal cymes, usually nine flowers on each cyme. The plant is a native of Natal, where it flowers in December, so that it will doubtless prove a very useful winter-flowering plant for the greenhouse. 10*s*. 6*d*.

IXORA SALMONEA.

This extremely distinct and attractive variety bears large trusses of light buff flowers, marked with bright salmon, the individual blossoms being of good shape. From its excellent habit, and free-flowering qualities, this variety will be found of great service for exhibition and decorative purposes generally. 15*s*.

LÆLIA PRÆSTANS ALBA.

An extremely chaste and beautiful variety of the well-known *Lælia præstans*, from which it differs only in the colour of the flowers. The sepals and petals are of unusual breadth and substance, and instead of being rose-purple as in the type, are of snowy whiteness. The lip, including the two upper lobes, is also pure white, the only trace of colour being found on the lower lobe, on which is a well-defined blotch of rich crimson-purple, divided at the apex by a triangular white marking, the coloration being in admirable contrast to the virgin whiteness of the remainder of the flower. Price on application.

PRIMULA IMPERIALIS.

This distinct Primula has at length been introduced to our gardens. It is found on the summit of one of the loftiest mountains of Java, where it grows at an elevation of eight to nine thousand feet. Many efforts have been made in the past to introduce this grand species, both by means of seed, which persistently failed to grow, and by importing plants, which always arrived dead, notwithstanding they were conveyed home in glass cases. It is therefore with no little satisfaction that Mr. W. B. has now the pleasure of offering this remarkable species, plants having been successfully raised from seed received from Java in the early part of 1889. The flowers, which are golden-yellow and agreeably scented, are borne in four to six superposed whorls on an erect scape, the whole inflorescence having a very imposing and stately appearance. The leaves are of good size and substance, the surface being bullate, the margins denticulate. 10*s*. 6*d*.

TRADESCANTIA DECORA.

This pretty ornamental foliaged species has been imported from Rio Grande do Sul, and bears elongate lanceolate leaves with sheathing petioles, spirally arranged on upright stems. The foliage is dark olive-green, the leaf-blade on each side of the midrib having a striking median variegation of silvery-grey. 10*s*. 6*d*.

NIDULARIUM STRIATUM.

NIDULARIUM STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are freely furnished with small spinose teeth. 1, 1½ & 2 guineas.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive 5*s.*

ACALYPHA ILLUSTRATA. 2*s.* 6*d.* and 3*s.* 6*d.*
MACROPHYLLA. 2*s.* 6*d.* and 3*s.* 6*d.*
OBOVATA, 3*s.* 6*d.*
ACALYPHA TRIUMPHANS, 3*s.* 6*d.*
ACANTHUS MONTANUS, 3*s.* 6*d.*

ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10*s.* 6*d.*

ÆCHMEA AMAZONICA, 5*s.* and 7*s.* 6*d.*
DISCOLOR, *vide* Lamprococcus discolor
FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARIÆ REGINÆ, 10*s.* 6*d.*
PANICULIGERA, 10*s.* 6*d.*
ÆCHMEA VEITCHII, *vide* Chevalliera Veitchii
WEILBACHII, *vide* Lamprococcus Weilbachii
ÆSCHYNANTHUS GRANDIFLORUS, 3*s.* 6*d.*
LOBBIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing green, with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. 5*s.* and 7*s.* 6*d.*

AGLAONEMA MARANTÆFOLIA (oblongifolia), 5*s.*
PICTA GRACILIS, 5*s.*
ALLAMANDA CHELSONI, 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.*
MAGNIFICA, 10*s.* 6*d.*
NERIIFOLIA, 3*s.* 6*d.*
NOBILIS, 3*s.* 6*d.*
WILLIAMSII, 1 guinea
ALOCASIA CHANTRIERI, 1 guinea
EMINENS, 5*s.*
ALOCASIA GIGANTEA, 3*s.* 6*d.* and 5*s.*
GRANDIS, 5*s.*
HYBRIDA, 7*s.* 6*d.*
INTERMEDIA, 7*s.* 6*d.*
JENNINGSII, 2*s.* 6*d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
LOWII, 3*s.* 6*d.* and 5*s*
MACRORHIZA VARIEGATA, 3*s.* 6*d.* and 5*s.*
MARSHALLII, 2*s.* 6*d.*
METALLICA, 3*s.* 6*d.* and 5*s.*

ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is broadly cordate, rounded into a sharply pointed apex; the basal lobes very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. 7*s* 6*d.*

ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. The leaf-blades are saggitate, the margins deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, the under surface being greyish green, the entire leaf margined with chocolate-brown. 1 and 1½ guinea.

ALOCASIA (SCHISTOCASIA) PORTEI, 10*s.* 6*d.* & 15*s.*
PUCCIANA, 1 guinea
SANDERIANA, 15*s.* and 1 guinea
SEDENI, 5*s.*
THIBAUTIANA, 7*s.* 6*d.* and 10*s.* 6*d.*
ZEBRINA, 7*s.* 6*d.* and 10*s.* 6*d.*
ALPINIA MUTICA, 7*s.* 6*d.*
VITTATA, 3*s.* 6*d.* and 5*s.*
AMARYLLIS ACHIEVEMENT, 7*s.* 6*d.*
ACHILLES, 10*s.* 6*d.*
AGRAMANNI PULCHERRIMA, 15*s.*
AMAZON, 10*s.* 6*d.*
AMBASSADOR, 7*s.* 6*d.*
ARIADNE, 10*s.* 6*d.*
ASPASIA, 5*s.*
AULICA, 3*s.* 6*d.*
AMARYLLIS AULICA SUPERBA, 5*s.* and 7*s.* 6*d.*
BARON, 5*s.*
BRILLIANT, 7*s.* 6*d.*
CERBERUS, 10*s.* 6*d.*
COMMANDER, 7*s.* 6*d.*
COQUETTE, 5*s.*
CORSAIR, 10*s.* 6*d.*
COUNTESS, 10*s.* 6*d.*
CYRUS, 10*s.* 6*d.*
DIADEM, 15*s.*
DR. MASTERS, 10*s.* 6*d.*
ELECTRA, 10*s.* 6*d.*
EMMELINE, 7*s.* 6*d.*
EMPRESS OF INDIA, 7*s.* 6*d.*
EUROPA, 1 guinea
EUTERPE, 15*s.*

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3 and 5 guineas.

AMARYLLIS FIGARO, 7*s.* 6*d.*
FORMOSISSIMA (*Jacobæa Lily*), 6*d.*
GENERAL, 21*s.*
HENDERSONI, 10*s.* 6*d.* and 15*s.*
——COCCINEA, 10*s.* 6*d.* and 15*s.*
HEROINE, 10*s.* 6*d.*
IGNESCENS, 2*s.* 6*d.* and 3*s.* 6*d.*
IMPERIALIS, 21*s.*
JOHNSONII, 5*s.*
JUPITER, 7*s.* 6*d.*
LEOPOLDII, 10*s.* 6*d.*
MABEL, 10*s.* 6*d.*
METEOR, 10*s.* 6*d.*
NEPTUNE, 10*s.* 6*d.*
NIMROD, 5*s.*
OBERON, 21*s.*
ONDINE, 10*s.* 6*d.*
OPTIMA, 10*s.* 6*d.*
OSOAR, 10*s.* 6*d.*
PARDINA HYBRIDA, 7*s.* 6*d.* and 10*s.* 6*d.*

AMARYLLIS.

AMARYLLIS PAULINE, 15*s.*
PORTIA, 5*s.*
PRINCEPS, 1½ guinea
PYRROCHROA, 5*s.* and 7*s.* 6*d.*
REGALIS, 21*s.*
REGINA, 7*s.* 6*d.*
RETICULATA, 5*s.*
ROMEO, 7*s.* 6*d.*
ROSALIND, 5*s.*
SAPPHO, 7*s.* 6*d.*
SOUVENIR, 7*s.* 6*d.*
STELLA, 7*s.* 6*d.*
SULTANA, 10*s.* 6*d.*
SYLVIA, 7*s.* 6*d.*
THOMAS SPEED, 10*s.* 6*d.*
TITANIA, 7*s.* 6*d.*
TROJAN, 10*s.* 6*d.*
URANIE, 7*s.* 6*d.*
VERONA, 15*s.*
VESTA, 10*s.* 6*d.*
VESUVIUS, 7*s.* 6*d.*
VICTORIA, 10*s.* 6*d.*

AMARYLLIS, choice selections of good sorts, 3, 4 and 5 guineas per dozen.

AMOMUM VITTATUM.

A very remarkable plant, on account of its striking resemblance to a Maranta. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 10*s.* 6*d.*

AMASONIA CALYCINA, 5*s.*
AMORPHOPHALLUS CAMPANULATUS, fine tubers of this gigantic Aroid. 5*s.* and 7*s.* 6*d.*
VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas
ANŒCTOCHILUS, *vide* Orchids
ANONA MURICATA (*Sour Sop*), 15*s.*
RETICULATA (*Netted-leaf Custard Apple*), 15*s.*
ANANASSA PENANGENSIS VARIEGATA, 21*s.*
SATIVA VARIEGATA, 10*s.* 6*d.*
ANACARDIUM OCCIDENTALE (*Cashew Nut*) 15*s.*
ANCHOMANES DUBIUS, 10*s.* 6*d.*
ANCYLOGYNE LONGIFLORA, 3*s.* 6*d.*

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5*s.* and 7*s.* 6*d.*

ANTHURIUM ANDREANUM, 5*s.* and 7*s.* 6*d.*
BAKERI, 10*s.* 6*d.*
CANDIDUM, 3*s.* 6*d.*
CHANTRIERI, 10*s.* 6*d.* and 15*s.*
CRUENTUM, 15*s.* and 1 guinea.
CRYSTALLINUM, 3*s.* 6*d.*, 5*s.* & 7*s.* 6*d.*
ANTHURIUM DECHARDI, 3*s.* 6*d.* and 5*s.*
FERRIERENSE, 3*s.* 6*d.* and 5*s.*
GALEOTTIANUM, 5*s.*
HARRISII PULCHRUM, 7*s.* 6*d.* and 10*s.* 6*d.*
HYBRIDUM, 7*s.* 6*d.* and 10*s.* 6*d.*
INTERMEDIUM, 7*s.* 6*d.* and 10*s.* 6*d.*

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10*s.* 6*d.* and 15*s.*

ANTHURIUM LIEVENSII, 15*s.* and 21*s.*
LEUCONEURUM, 3*s.* 6*d.*
LUCIDUM, 5*s.*
MACROLOBUM, 5*s.* and 7*s.* 6*d.*
MAGNIFICUM—*syn.* **A. grande** and **A. cordifolium**, 3*s.* 6*d.*
MARQUIS DE BEAUVOIR, 2 guineas
MOOREANUM, 15*s.* and 21*s.*
NYMPHÆIFOLIUM, 10*s.* 6*d.*
ORNATUM, 10*s.* 6*d.*
ANTHURIUM REGALE, 3*s.* 6*d.* and 5*s.*
ROTHSCHILDIANUM, 15*s.*
SCHERZERIANUM, 3*s.* 6*d.* and 5*s.*
—— ALBUM (true) 2 and 3 guineas
—— GIGANTEUM, 1, 1½ and 2 guineas
—— MAXIMUM, *vide* page 6.
—— SPLENDENS, 1, 1½ and 2 guineas
—— WARDII, 3 guineas
—— WILLIAMSII, 3*s.* 6*d.*
TRIUMPHANS, 10*s.* 6*d.* and 15*s.*

ANTHURIUM VEITCHII, 1½ and 2 guineas.
VICOMTE AMEDÉ DE LA COMBE, 2 guineas.
WAROCQUEANUM, 3*s.* 6*d*, 5*s.* and 7*s.* 6*d.*
Fine Plants, 10*s.* 6*d.* and 15*s.*

ANTIGONON INSIGNE, 7*s.* 6*d.*
LEPTOPUS, 7*s.* 6*d.*
SPECIOSUM, 7*s.* 6*d.*

APHELANDRA BLANCHETIANA (AMŒNA).

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 5*s.* and 7*s.* 6*d.*

APHELANDRA AURANTIACA, 2*s.* 6*d.* and 3*s.* 6*d.*
AURANTIACA ROEZLII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHAMISSONIANA, 3*s.* 6*d.* and 5*s.*
CHRYSOPS, 5*s.* and 7*s.* 6*d.*
CRISTATA, 2*s.* 6*d.*
FASCINATOR, 2*s.* 6*d.*
LEOPOLDII, 2*s.* 6*d.*

ARALIA CHABRIERI, *vide* ELÆODENDRON ORIENTALE
ELEOANTISSIMA, 5*s.*
FILICIFOLIA, 3*s.* 6*d.*
GUILFOYLEI, 5*s.*
LEPTOPHYLLA, 3*s.* 6*d.*

ARALIA LONGIPES, 10*s.* 6*d.*
MACULATA, 5*s.*
RETICULATA, 3*s.* 6*d.*
ROTUNDA, 7*s.* 6*d.*
VEITCHII, 5*s.*
—— GRACILLIMA, 3*s.* 6*d.* and 5*s.*
See also page 24.

ARDISIA MAMILLATA, 3*s.* 6*d.*
OLIVERI, 3*s.* 6*d.*
PICTA, 1 guinea
POLYCEPHALA, 5*s.* and 7*s.* 6*d.*

ARDISIAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species with handsome and elegant flowers; are of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. 3*s.* 6*d.* and 5*s.*

ARISTOLOCHIA RIDICULA.

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, with dark purple reticulations on a cream-coloured ground. 5*s.* and 7*s.* 6*d.*

ARISTOLOCHIA SACCATA.

This curious and remarkable species, which is a native of Sylhet, produces a number of quaint and pretty pitcher-like flowers. These are borne in little racemes arising from the stems near the base of the plant, and are pendulous, the tube, which is bent abruptly upwards in the middle, being of an attractive shade of rose, having many nerves and reticulations, with small glandular excrescences, all of a brick-red colour. The hood or cap of the flower is rich purple, with dark venations, in telling contrast to the bright yellow circular throat. The twining branches are furnished with ovate-cordate leaves, attenuated at the apex, the margins slightly waved and sinuate. 10*s.* 6*d.*

ARISTOLOCHIA CAUDATA, 10*s.* 6*d.*
CLYPEATA, 7*s.* 6*d.*
FLORIBUNDA, 7*s.* 6*d.*
GIGAS, 3*s.* 6*d.* and 5*s.*
ORNITHOCEPHALA, 5*s.* and 7*s.* 6*d.*
TRICAUDATA, 5*s.*
TRILOBATA, 3*s.* 6*d.* and 5*s.*

ARTANTHE RUBRONODOSA, 7*s.* 6*d.*

ARTOCARPUS CANNONI, *see* Ficus.
EBURNEUS, 5*s.*
INTEGRIFOLIUS (The Jack Fruit), 10*s.* 6*d.*
LACINIATUS METALLICUS, *see* Ficus.

ASPARAGUS, of sorts, *vide* pages 24 and 25.

ATACCIA CRISTATA, 7*s* 6*d.* and 10*s.* 6*d.*

BARLERIA AEGENTEA, 5*s.*

BATATAS PANICULATA, 3*s.* 6*d.* and 5*s.*

BAUHINIAS, of sorts, 5*s.* and 7*s.* 6*d.*

BEAUMONTIA GRANDIFLORA, 5*s.* and 7*s.* 6*d.*

BEGONIA, *vide* Index

BELOPERONE ATROPURPUREA, 5*s.*

BERTOLONIA FORMOSA, 7*s.* 6*d.*
GUTTATA SPLENDENS, 15*s.*
MARGARITACEA SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
MARMOREA SUPERBA, 3*s.* 6*d* and 5*s.*
ORNATA, 7*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.*
SUPERBISSIMA, 1 guinea
VAN HOUTTEI, 5*s.*
VELUTINA, 5*s.*
VITTATA, 7*s.* 6*d.*

BIGNONIA AURANTIACA, 7*s.* 6*d.* and 10*s.* 6*d.*
CHAMBERLAYNII, 3*s.* 6*d.* and 5*s.*
PICTA, 3*s.* 6*d.* and 5*s.*
RETICULATA, 5*s.*
ROEZLIANA, 5*s.*
—— VILLOSA, 5*s.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
See also pages 25 and 39.

BILLBERGIA CHLOROSTICTA, 10*s.* 6*d.* and 15*s.*
EXSCAPA, 1 guinea.
FARINOSA, 10*s.* 6*d.*
LEOPOLDII, 7*s.* 6*d.*
MORELIANA, 5*s.* and 7*s.* 6*d.*
SAUNDERSII, 10*s.* 6*d.*

BOMAREA, *vide* page 27.

BOUGAINVILLEA GLABRA, 2*s.* 6*d.* and 3*s.* 6*d.*
LATERITIA, 2*s.* 6*d.* and 3*s.* 6*d.*
REFULGENS, 7*s.* 6*d.*
SPECIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*

BROSIMUM, *vide* GALACTODENDRON

BROWNEA COCCINEA, 1 guinea
ERECTA, 1 and 1½ guinea
GRANDICEPS, 10*s.* 6*d.*
HYBEIDA, 1½ guinea

BRUNFELSIA AMERICANA, 3*s.* 6*d.*

BURCHELLIA CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS GRANDIFLORA, 3*s.* 6*d.*

HALF NATURAL SIZE.

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

CALADIUM, *vide* Index
CALLIPHRURIA HARTWEGIANA, 7*s*. 6*d*.
SUBEDENTATA, 2*s*. 6*d*.
CALPICARPUM ORNATUM, 1 guinea
CAMOENSIA MAXIMA. *vide* page 9.
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS FRONDOSA, 5*s*.
CARAGUATA, *vide* Tillandsia.
CAREX ELEGANS VARIEGATA, 2*s*. 6*d*. & 3*s*. 6*d*.

CAREX SCAPOSA.

This ornamental species has been introduced from the mountains of Southern China. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 7*s*. 6*d*.

CARLUDOVICA, *vide* Index
CENTRADENIA FLORIBUNDA ROSEA, 3*s*. 6*d*.
CEROPEGIA GARDNERI, 3*s*. 6*d*. and 5*s*.
CENTROPOGON LUCYANUS, 1*s*. 6*d*. and 2*s*. 6*d*.
CENTROSOLENIA BULLATA (EPISCIA TESSELLATA), 5*s*.
CHAMÆCLADON RUBENS, 5*s*.
CHAMERANTHEMUM BEYRICHII VARIEGATUM, 3*s*. 6*d*.
CHEVALLIERA (ÆCHMEA) VEITCHII, 7*s*. 6*d*. and 10*s*. 6*d*.
CHIRITA SINENSIS, 3*s*. 6*d*.
CHRYSOPHYLLUM CAINITO (Star Apple), 10*s*. 6*d*.
IMPERIALE, 10*s*. 6*d*. 15*s*. and 1 guinea

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3*s*. 6*d*., 5*s*. & 7*s*. 6*d*.

CINNAMOMUM CASSIA (*Cassia*), 10*s*. 6*d*.
VERUM, 7*s*. 6*d*.
ZEYLANICUM (*Cinnamon*), 7*s*. 6*d*.
CISSUS ALRO-NITENS, 3*s*. 6*d*.
DISCOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
LINDENI, 3*s*. 6*d*. and 5*s*.
CISSUS PORPHYROPHYLLA, 3*s*. 6*d*. and 5*s*.
CLERODENDRON BALFOURIANUM, 2*s*. 6*d*. & 3*s*. 6*d*.
DELECTUM, 3*s*. 6*d*. and 5*s*.
FALLAX, 3*s*. 6*d*.
FRAGRANS FLORE PLENO, 2*s*. 6*d*.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5*s*. and 7*s*. 6*d*.

CLERODENDRON NUTANS, 7*s*. 6*d*. and 10*s*. 6*d*.
SPECIOSUM, 3*s*. 6*d*.
SPLENDENS, 3*s*. 6*d*. and 5*s*.
COCHLIOSTEMA JACOBIANUM, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
COFFEA ARABICA, 3*s*. 6*d*. and 5*s*.
LIBERICA, 3*s*. 6*d*. and 5*s*.
COLA ACUMINATA (KOLA NUT), 15*s*.
COLOCASIA, *vide* Alocasia
COMBRETUM GRANDIFLORUM, 5*s*.
PURPUREUM, 5*s*.
CORYNOSTYLIS HYBANTHUS ALBIFLORA, 3*s*. 6*d*.
COSSIGNIA BORBONICA, 10*s*. 6*d*.
COSTUS ALBESCENS, 7*s*. 6*d*.
ELEGANS, 5*s*.
CRINUM ASIATICUM, 3*s*. 6*d*.
ORNATUM, 5*s*.
SOABRUM, 10*s*. 6*d*.
ZEYLANICUM, 3*s*. 6*d*.
CROSSANDRA UNDULATA, 3*s*. 6*d*.
CROTON (CODIÆUM) AIGBURTHENSIS, 3*s*. 6*d*. & 5*s*.
AIGBURTH GEM, 7*s*. 6*d*.
ANDREANUS, 2*s*. 6*d*.
ANEITUMENSIS, 3*s*. 6*d*. and 5*s*.
ANGUSTIFOLIUS, 2*s*. 6*d*.
AUREO-PUNCTATUS, 3*s*. 6*d*.
BARON FRANK SEILLIÈRE, 3*s*. 6*d*.
BARONNE JAMES DE ROTHSCHILD, 3*s*. 6*d*.
BROOMFIELDII, 5*s*.
CERBERUS, 5*s*.

CROTON BEAUTY.

An exceedingly handsome variegated variety from the South Pacific. The leaves are lanceolate, profusely and strikingly variegated with golden yellow on a rich green ground; as they attain age the green ground colour gradually becomes a deep bronze, while the yellow variegation develops into a rich rosy-crimson. It is of medium growth and highly ornamental character. 7*s*. 6*d*.

CROTON CHELSONI, 3*s*. 6*d*.
CONCINNUS, 2*s*. 6*d*.
CONQUEST, 5*s*.
COUNTESS, 5*s*.
CROTON CRŒSUS, 7*s*. 6*d*.
CYRUS, 5*s*.
DISRAELI, 2*s*. 6*d*.
DORMANIANUS, 3*s*. 6*d*.

CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream-coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. 10*s.* 6*d.*

CROTON DUKE OF BUCCLEUCH, 2*s.* 6*d.*
EARL OF DERBY, 2*s.* 6*d.*
CROTON EBURNEUS, 3*s.* 6*d.* and 5*s.*
ECLIPSE, 7*s.* 6*d.*

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieti s yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. 5*s.* and 7*s.* 6*d.*

CROTON EMBLEM, 5*s.*
EMINENS, 7*s.* 6*d.* and 10*s.* 6*d.*
ETNA, 5*s.*
CROTON EVANSIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
EXCURRENS, 10*s.* 6*d.*
FASCIATUS, *vide* C. Hendersoni

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. 10*s.* 6*d.*

CROTON FORMOSUS, 5*s.* and 7*s.* 6*d.*
GLORIOSUS (Princess of Wales), 3*s.* 6*d.*
GRACILIS, 10*s.* 6*d.*
HASTIFERUS, 2*s.* 6*d.* and 3*s.* 6*d.*
HAWKERII, 3*s.* 6*d.*
CROTON HENDERSONI (FASCIATUS), 2*s.* 6*d.* & 3*s.* 6*d.*
HEROICUS, 5*s.*
ILLUSTRIS, 5*s.* and 7*s.* 6*d.*
IMPERIALIS, 3*s.* 6*d.* and 5*s.*
JAMESII, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. 5*s.* and 7*s.* 6*d.*

CROTON JUBILEE, 2*s.* 6*d.* and 3*s.* 6*d.*
CROTON JUNON, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. 7*s.* 6*d.*

CROTON LACTEUS, 3*s.* 6*d.*
LANCIFOLIUS, 3*s.* 6*d.* and 5*s.*
CROTON MACAFEEANUS, 3*s.* 6*d.*
MACARTHURI, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON MAGNIFICENT.

A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. 10*s.* 6*d.*

CROTON MAJESTICUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CROTON MASSANGEANUS, 3*s.* 6*d.* and 5*s.*

CROTON MEMPHIS.

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. 10*s.* 6*d.*

CROTON MIRABILE.

This variety forms one of the most attractive of variegated Crotons. The colours are very rich, the midrib and margins being crimson, the intervening colouring consisting of mixed blotches unequal in size, of bright orange-red, crimson, orange-yellow and pale greenish yellow. With such a combination of colours the effect is extremely beautiful. 15*s.*

CROTON MORTII, 3*s.* 6*d.*
MRS. SWAN, 3*s.* 6*d.*
CROTON MUTABILIS, *vide* C. princeps
NEPTUNE, 3*s.* 6*d.* and 5*s.*

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta-crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 10*s*. 6*d*.

CROTON NIMROD, 5*s*.
NOBILIS, 2*s*. 6*d*.
CROTON OBERON, 3*s*. 6*d*.
ORESTES, 3*s*. 6*d*.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the linee and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. 7*s*. 6*d*. and 10*s*. 6*d*.

CROTON PRINCE OF ORANGE.

One of the most effective of the golden variegated series of Codiæums. It is of free growth having long lanceolate leaves, of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. 1 guinea

CROTON PICTURATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
PRINCE OF WALES, 3*s*. 6*d*.
CROTON PRINCEPS (MUTABILIS) 3*s*. 6*d*. and 5*s*.
PRINCESS OF WALES, *vide* C. gloriosus

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson-cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with a suffusion of golden orange, blotched with dark olive green. 1 guinea

CROTON QUEEN VICTORIA, 2*s*. 6*d*. and 3*s*. 6*d*.
REX. 2*s*. 6*d*. and 3*s*. 6*d*.
RECURVATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
ROSEO-PICTUS, 3*s*. 6*d*. and 5*s*.
RUBERRIMUS, 3*s*. 6*d*.
RUBESCENS, 7*s*. 6*d*. and 10*s*. 6*d*.
CROTON SCEPTRE, 10*s*. 6*d*.
SCHOMBURGKIANUS, 3*s*. 6*d*.
SPECIOSUS, 3*s*. 6*d*. and 5*s*.
SPIRALIS, 2*s*. 6*d*.
SPLENDIDUS, 5*s*.
SUPERBIENS, 3*s*. 6*d*.

CROTON SUNBEAM.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. It has been imported from the South Sea Islands. 10*s*. 6*d*.

CROTON THOMSONII, 3*s*. 6*d*. and 5*s*.
TORQUATUS, 2*s*. 6*d*.
TORTILIS, 2*s*. 6*d*.
TRICOLOR, 7*s*. 6*d*.
CROTON UNDULATUS, 2*s*. 6*d*.
VARIABILIS (FALCATUS), 2*s*. 6*d*.
VARIEGATUS, 2*s*. 6*d*.
VEITCHIANUS, 2*s*. 6*d*.

CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner, a rich coloration of reddish-crimson, the deep green of the laminæ between the primary veins being broken up in an irregular manner by the same bright colour. In a young state the leaves are deep orange-yellow, suffused with crimson. 10*s*. 6*d*.

CROTON VITTATUS, 5*s*. and 7*s*. 6*d*.
VOLUTUS, 2*s*. 6*d*. and 3*s*. 6*d*.
WARRENII, 3*s*. 6*d*. and 5*s*.
WEISMANNI, 2*s*. 6*d*. and 3*s*. 6*d*.
WILLIAMSII, 3*s*. 6*d*. and 5*s*.
CRYPTANTHUS (TILLANDSIA) ACAULIS, 3*s*. 6*d*.
CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5*s*.
(TILLANDSIA) ACAULIS ZEBRINA AUREA, 7*s*. 6*d*.
(——) BEUCKERII, 10*s*. 6*d*.
(——) BIVITTATA, 5*s*. and 7*s*. 6*d*.
CUPANIA FILICIFOLIA, *vide* Jacaranda Clausseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 10*s*. 6*d*.

CURCULIGO RECURVATA, 3*s*. 6*d*.
RECURVATA STRIATA, 7*s*. 6*d*.
—— VARIEGATA, 5*s*. and 7*s*. 6*d*.
CURCUMA PETIOLATA, 3*s*. 6*d*.
CURMERIA PICTURATA, 3*s*. 6*d*.
WALLISII, 5*s*.
CYANOPHYLLUM BOWMANNI, 5*s*.
MAGNIFICUM, 3*s*. 6*d*. and 5*s*.

CYANOTIS (TRADESCANTIA) MULTICOLOR, 2*s.* 6*d.*
(TRADESCANTIA) ZANONIA, 3*s.* 6*d.*
(——) ZEBRINA, 2*s.* 6*d.*
(——) —— ARGENTEA, 2*s.* 6*d.*
CYCADS, *vide* Index.
CYPERUS ALTERNIFOLIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
ALTERNIFOLIUS VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
DISTANS, 2*s.* 6*d.* and 3*s.* 6*d.*
LAXUS, 1*s.* 6*d.*
—— VARIEGATUS, 3*s.* 6*d.* and 5*s.*
CYRTANTHERA CHRYSOSTEPHANA, 3*s.* 6*d.*
POHLIANA, 3*s.* 6*d.*
CYRTOCERAS REFLEXUM, 3*s.* 6*d.* and 5*s.*
CYRTODEIRA CHONTALENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*
CYRTOSPERMA JOHNSTONI, 7*s.* 6*d.* and 10*s.* 6*d.*
DALECHAMPIA ROEZLIANA ALBA, 2*s.*6*d.* & 3*s.*6*d.*
ROEZLIANA CARNEA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*

DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15*s.*, 1 and 1½ guinea.

DICHORISANDRA AUBLETII, 7*s.* 6*d.*
UNDATA, 3*s.* 6*d.* and 5*s.*
DIEFFENBACHIA AMAZONICA, 2*s.*6*d.*, 3*s.*6*d.* & 5*s.*
BARAQUINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAUSEI, 2*s.* 6*d.* and 3*s.* 6*d.*
BOWMANNII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHELSONIENSIS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
COSTATA, 5*s.*
EBURNEA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
FLAVO-VIRENS, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
ILLUSTRIS, 5*s.*
INSIGNIS, 7*s.* 6*d.*
DIEFFENBACHIA LANCEOLA, 5*s.*
LEOPOLDII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
LUCINDA, 3*s.* 6*d.*
MACULOSA, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
MAJESTICA, 10*s.* 6*d.*
MEMORIA CORSI, 3*s.* 6*d.*
NEBULOSA, 3*s.* 6*d.*
NOBILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
PRINCEPS, 7*s.* 6*d.*
SHUTTLEWORTHII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7*s.* 6*d.*

DIEFFENBACHIA VELUTINA, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIRII, 2*s.* 6*d.* and 3*s.* 6*d.*
DIONÆA MUSCIPULA, *vide* page 29.
DIOSCOREA ANŒCTOCHILUS, 5*s.* and 7*s.* 6*d.*
ARGYREIA, 5*s.* and 7*s.* 6*d.*
DIOSCOREA BULBIFERA, 5*s.*
CHRYSOPHYLLA, 5*s.*
DISCOLOR VARIEGATA, 3*s.* 6*d.*
ILLUSTRATA, 3*s.* 6*d.*
METALLICA, 5*s.*

DIOSCOREA SPECIOSA.

A free-growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5*s.*

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DIPLADENIA AMABILIS, 3*s.* 6*d.*
AMŒNA, 3*s.* 6*d.*
BOLIVIENSIS, 3*s.* 6*d.*
DIPLADENIA CARISSIMA, 5*s.* and 7*s.* 6*d.*
DIADEMA, 15*s.*
HYBRIDA, 3*s.* 6*d.*

DIPLADENIA ILLUSTRIS GLABRA.

This handsome flowering climbing stove plant is a native of Brazil, and produces in the freest manner a profusion of medium-sized blooms, the corolla being of a pleasing rosy-pink colour, with a crimson-rayed ring encircling the mouth of the throat. The foliage is somewhat variable in different plants, being from oblong to orbicular. It has been figured and described in the *Botanical Magazine*, Tab. 7,156. 10*s.* 6*d.*

DIPLADENIA INSIGNIS, 3*s.* 6*d.*
MAGNIFICA (ACUMINATA), 3*s.* 6*d.* and 5*s.*
REGINA, 5*s.*
DIPTERIX ODORATA (**TONQUIN BEAN**), 42*s.*
DISSOTIS PLUMOSA, 5*s.*

DORSTENIA ARGENTEA, 5*s.*
BARTERI, 7*s.* 6*d.*
CAULESCENS, 7*s.* 6*d.*
THOMSONII, 7*s.* 6*d.*

DRACÆNA ARGENTEO-STRIATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 2 & 3 guineas.

DRACÆNA ALBO-MARGINATA, 3*s.* 6*d.*
AMABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
ANERLEYENSIS, 3*s.* 6*d.* and 5*s.*
AURANTIACA, 3*s.* 6*d.* and 5*s.*
BAPTISTII, 3*s.* 6*d.*
BAUSEI, 3*s.* 6*d.* and 5*s.*
BELLA, 5*s.*
BERKELEYI, 3*s.* 6*d.* and 5*s.*
CANTRELLII, 7*s.* 6*d.*
CAUSTONI, 3*s.* 6*d.* and 5*s.*

DRACÆNA CONGESTA (RUBRA), 2*s.* 6*d.* and 3*s.* 6*d.*
COOPERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CRISTULA, 3*s.* 6*d.*
EBURNEA, 1 guinea.
ELIZABETHÆ, 3*s.* 6*d.*
ERNESTII, 3*s.* 6*d.* and 5*s.*
EXCELLENS, 15*s.*
FERREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

DRACÆNA FREDERICI, 3*s.* 6*d.* and 5*s.*

DRACÆNA GLADSTONEI, 3*s.* 6*d.* and 5*s.*

DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish-purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s.* 6*d.* and 10*s.* 6*d.*

DRACÆNA GRACILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
GUILFOYLEI, 2*s.* 6*d.* and 3*s.* 6*d.*

DRACÆNA IGNEA, 3*s.* 6*d.*
LEONARDII, 3*s.* 6*d.*

DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

DRACÆNA MAJESTICA, 3*s.* 6*d.* and 5*s.*
MASSANGEANA, *vide* fragrans variegata
MRS. BAUSE, 3*s.* 6*d.* and 5*s.*
MRS. C. J. FREAKE, 3*s.* 6*d.*
MRS. WILLS, 3*s.* 6*d.*
PHRYNIOIDES, 10*s.* 6*d.*
RECURVA, 3*s.* 6*d.* and 5*s.*
REGINA, 3*s.* 6*d.*
RENARDLÆ, 5*s.*
ROSSII, 3*s.* 6*d.* and 5*s.*
RUBRA, *vide* D. congesta
SALMONEA, 3*s.* 6*d.* and 5*s.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
STRICTA, 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.* and 5*s.*
SURCULOSA MACULATA, 7*s.* 6*d.*
SYDNEYI, 3*s.* 6*d.*

DRACÆNA TERMINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
TERMINALIS ALBA, 3*s.* 6*d.* and 5*s.*
THOMSONII, 3*s.* 6*d.* and 5*s.*
VIVICANS, 3*s.* 6*d.* and 5*s.*
WILLSII, 3*s.* 6*d.* and 5*s.*
WILSONI, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
see also page 29.
DRACONTIUM ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*
DRYMONIA MARMORATA, 7*s.* 6*d.*
TURIALVÆ, 5*s.*
DURIO ZIBETHINUS (DURIAN).
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
ECHITES, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. *5s.* and *7s. 6d.*

ELÆODENDRON ORIENTALE (ARALIA CHABRIERII) *5s.*
ELETTARIA DIEPENHORSTII, *5s.*
ENCEPHALARTOS, *vide* Index
ENCHOLIRION CORALLINUM, *7s. 6d.*
JONGHEI, *vide* Tillandsia Jonghei
EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. *30s.* and *42s.* per dozen.
EPIPREMNUM MIRABILE "TONGA PLANT" *3s. 6d.* and *5s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata

ERANTHEMUM MACROPHYLLUM.

A very desirable winter-flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. *5s.*

ERANTHEMUM MOOREI, *3s. 6d.*
NIGRESCENS, *3s. 6d.*
PULCHELLUM, *2s. 6d.* and *3s. 6d.*
TRICOLOR, *3s. 6d.*
ERANTHEMUM VELUTINUM, *5s.*
VERBENACEUM, *3s. 6d.*
ERYTHRINA PARCELLII, *10s. 6d.*
see also page 29.

ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." *10s. 6d.*

EUCHARIS AMAZONICA, *1s. 6d.* and *2s. 6d.*; *15s.* and *24s.* per dozen.
EUCHARIS CANDIDA, *2s. 6d.* each; *24s.* per dozen.

EUCHARIS BAKERIANA.

This desirable new species has been imported from the United States of Colombia. It differs from those already in commerce in the shape of the corona and the tube of the perianth, the latter being almost of an uniform size throughout its entire length. The flowers are pure white, with the exception of six pale yellow stripes on the corona, which is funnel-shaped, with two obtuse oblong teeth between each pair of filaments. *3s. 6d.* each; *36s.* per dozen.

EUCHARIS MASTERSII, *3s. 6d.*
EUCHARIS SANDERII, *3s. 6d.* and *5s.*

EUCHARIS STEVENSII.

A new and robust growing hybrid variety, extremely free-flowering, the plants producing a flower spike after every leaf. Flowers of medium size and snowy whiteness; a great acquisition where cut flowers are required in quantity. *7s. 6d.*

EUADENIA EMINENS, 1 guinea
EUCODONIA, *vide* Index.
EUGENIA JAMBOS (*Rose Apple*), *10s. 6d.*
PIMENTA (*Allspice*), *5s.*
vide also page 29.
EUPHORBIA JACQUINIÆFLORA, *2s. 6d.* and *3s. 6d.*
SPLENDENS, *3s. 6d.*
EURYCLES AUSTRALASICA, *3s. 6d.*
EXOSTEMMA OHONTALENSIS, *10s. 6d.*
FERNS, *vide* Index.
FICUS BARRATA, *2s. 6d.* and *3s. 6d.*
(ARTOCARPUS) CANNONI, *3s. 6d.*
DEALBATA, *7s. 6d.* and *10s. 6d.*
EBURNEA, *5s.*
ELASTICA, *3s. 6d.*
—— VARIEGATA, *5s.* and *7s. 6d.*
EXSCULPTA, *3s. 6d.* and *5s.*
INDICA, *3s. 6d.*
(ARTOCARPUS) LACINIATA METALLICA, *3s. 6d.*
MOOREI, *5s.*
RADICANS, *3s. 6d.*
RELIGIOSA (*Sacred Indian Fig*), *7s. 6d.*
SYCOMORUS (*Sycamore Tree of Scripture*), *7s. 6d.* and *10s. 6d.*
FILICIUM DECIPIENS, *5s.* and *7s. 6d.*
FITTONIA ARGYRONEURA, *2s. 6d.*
GIGANTEA, *2s. 6d.*
PEARCEI, *2s. 6d.*
FRANCISCEA CALYCINA, *3s. 6d.* and *5s.*
CONFERTIFLORA (LAURIFOLIA), *3s. 6d.*
EXIMIA, *3s. 6d.*
LINDENI, *3s. 6d.*
MAGNIFICA, *3s. 6d.* and *5s.*
ROSEA PERFECTA, *3s. 6d.* and *5s.*
VIOLACEA GRANDIFLORA, *3s. 6d.* and *5s.*
GALACTODENDRON UTILE (Milk Tree), 1 guinea
GARCINIA LIVINGSTONI, *10s. 6d.* and *15s.*
MANGOSTANA, 2 and 3 guineas.
GARDENIA CITRIODORA, *3s. 6d*
FLORIDA, *2s. 6d.* and *3s. 6d.*
GLOBOSA, *5s.*
RADICANS, *2s. 6d.* and *3s. 6d.*
THUNBERGII, *5s.*
GEISSOMERIA MARMORATA, *3s. 6d.*
GESNERA DONKELAARI, *5s.*
DUVALII, *3s. 6d.*
MACRANTHA, *2s. 6d.*
ZEBRINA DISCOLOR, *2s. 6d.*
vide Index

GLONERA JASMINIFLORA, 3*s.* 6*d.*
GLORIOSA PLANTII, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.*
GLOXINIA, *vide* Index
GODWINIA GIGAS, 10*s.* 6*d.*
GONOLOBUS CUNDURANGO, *vide* page 30.
GOODYERA, *vide* Orchids

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s.* and 7*s.* 6*d.*

GUZMANNIA PICTA (NIDULARIUM FULGENS), 7*s.* 6*d.* and 10*s.* 6*d.*
HÆMANTHUS COCCINEUM, 2*s.* 6*d.*
KATHERINÆ, 5*s.* and 7*s.* 6*d.*
—— SUPERBUM, 1 guinea
NATALENSE, 7*s.* 6*d.*
vide also page 30.
HEVEA BRASILIENSIS (*Para Rubber*).
HEDYCHIUM ACUMINATUM, 5*s.*
HEDYCHIUM GARDNERIANUM, *vide* page 30.
HELICONIA AUREO-STRIATA, 5*s.* and 7*s.* 6*d.*
BREVISPATHA, 10*s.* 6*d.*
HEMIGRAPHIS COLORATA, 3*s.* 6*d.*
HIBISCUS ROSA SINENSIS ALBO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSA SINENSIS BRILLIANTISSIMUS, 5*s.*
—— —— COLLERI, 3*s.* 6*d.*
HIBISCUS ROSA SINENSIS DENNISONI, 3*s.* 6*d.*
ROSA SINENSIS FULGINUS, 3*s.* 6*d.*
—— —— INTERMEDIUS, 7*s.* 6*d.*
—— —— LAMBERTII, 3*s.* 6*d.*
—— —— MAGNIFICUS, 5*s.*
—— —— MINIATUS SEMI-PLENUS, 3*s.* 6*d.*
—— —— PUNICEUS, 3*s.* 6*d.*
—— —— VIVICANS, 3*s.* 6*d.*
—— —— ZEBRINUS, 3*s.* 6*d.*
MOSCHATUS, 7*s.* 6*d.*
SCHIZOPETALUS, 2*s.* 6*d.* and 3*s.* 6*d.*
see also page 30.
HIPPEASTRUM, *vide* **AMARYLLIS**
HOFFMANNIA (HIGGINSIA) GHIESBREGHTII, 2*s.* 6*d.*
GHIESBREGHTII VARIEGATA, 5*s.*
ORTGIESII, 3*s.* 6*d.*
REFULGENS ROBUSTA, 3*s.* 6*d.*
HOMALONEMA PELTATUM, 10*s.* 6*d.*

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3*s.* 6*d.* & 5*s.*

HOYA BELLA, 3*s.* 6*d.*
CAMPANULATA, 3*s.* 6*d.* and 5*s.*
CARNOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
IMPERIALIS, 3*s.* 6*d.* and 5*s.*
PAXTONI, 2*s.* 6*d.* and 3*s.* 6*d.*
HOYA TEYSMANNIANA, 7*s.* 6*d.*
HYDROCOTYLE NITIDULA, 3*s.* 6*d.*
HYMENOCALLIS MACROSTEPHANA, 10*s.* 6*d.*, 15*s.* and 1 guinea
vide Pancratium

HYMENOSPORUM FLAVUM.

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7*s.* 6*d.*

IMPATIENS HAWKERII.

A most lovely flowering plant, with magnificent large flatly expanded flowers of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye. The handsome flowers of this superb Impatiens are produced in the greatest profusion from March until October, the plant being of free growth and of good habit. 2*s.* 6*d.* and 3*s.* 6*d.*

IMPATIENS FLACOIDA (PLATYPETALA), 2*s.* 6*d.*
FLACCIDA (PLATYPETALA) ALBA, 1*s.* 6*d.*
SULTANI, 1*s.* 6*d.*
—— CARMINATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— SALMONEA, 2*s.* 6*d.* and 3*s.* 6*d.*
IPOMŒA HORSFALLIÆ, 5*s.* and 7*s.* 6*d.*
IPOMŒA LEARII, 2*s.* 6*d.* and 3*s.* 6*d.*
TERNATA (THOMSONIANA), 5*s.*
ISOLOMA HIRSUTA, 3*s.* 6*d.*
IXORA AMABILIS, 3*s.* 6*d.*
AURELIA, 3*s.* 6*d.*
COCCINEA SUPERBA, 3*s.* 6*d.*

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s.* 6*d.*

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 10*s.* 6*d.*

IXORA DUFFII, *vide* I. macrothyrsa
IXORA EXIMIA, 7*s.* 6*d.*

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s*. 6*d*.

IXORA Laverna, 3*s*. 6*d*.
Lobbii, 7*s*. 6*d*.
macrothyrsa (Duffii), 3*s*. 6*d*. and 5*s*.
Miranda, 7*s*. 6*d*.
Modiola, 5*s*.
ornata, 7*s*. 6*d*.
Pilgrimii, 3*s*. 6*d*.

IXORA Prince of Orange, 3*s*. 6*d*.
princeps, 3*s*. 6*d*.
Regina, 3*s*. 6*d*.
salmonea, *vide* page 3.
sanguinea, 3*s*. 6*d*
Verona, 3*s*. 6*d*.
Williamsii, 3*s*. 6*d*.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free-flowering. 10*s*. 6*d*.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s*. 6*d*.

JACARANDA Claussenіana (Cupania filicifolia), 10*s*. 6*d*. and 15*s*.
elegantissima, 10*s*. 6*d*.
mimosæfolia, 5*s*.
JASMINUM Duchesse d'Orleans, 3*s*. 6*d*.
gracillimum, 2*s*. 6*d*.
hirsutum (multiflorum), 2*s*. 6*d*. & 3*s*. 6*d*.
Sambac, 2*s*. 6*d*. and 3*s*. 6*d*.
—— flore pleno, 3*s*. 6*d*.
see also page 30.
JATROPHA multifida, 5*s*.
JONESIA Asoca, 10*s*. 6*d*. and 15*s*.
JUSTICIA flavacoma, 2*s*. 6*d*.
KÆMPFERIA Bensoniæ, 7*s*. 6*d*.
Beakeleyi, 7*s*. 6*d*.
Gilbertii, 3*s*. 6*d*.
moulmeinensis, 7*s*. 6*d*.
Roscoeana, 5*s*.
rotunda, 5*s*.
undulata, 5*s*.
KYLLINGIA monocephala, 3*s*. 6*d*.
LABISIA alata. 7*s*. 6*d*.
Malouana, 10*s*. 6*d*.
LAMPROCOCCUS (Æchmea) discolor, 5*s*.
(Æchmea) fulgens, 3*s*. 6*d*. and 5*s*.
(——) miniata, 5*s*.
(——) Weilbachi, 7*s*. 6*d*.
LANDOLPHIA Kirkii, 10*s*. 6*d*.
Watsoniana, 7*s*. 6*d*.
LAPORTEA Schomburgkii versicolor, 10*s*. 6*d*.
LASIANDRA, *vide* page 31.
LAURUS cinnamomum, 5*s*. and 7*s*. 6*d*.
LEDENBERGIA roseo-ænea, 3*s*. 6*d*.
LEEA amabilis splendens, 10*s*. 6*d*.
LIBONIA, *vide* page 31.
LUCULIA, *vide* Greenhouse Plants
MACROZAMIA, *vide* Index
MAGNOLIA pumila, 5*s*. and 7*s*. 6*d*.
MANETTIA bicolor, 2*s*. 6*d*. and 3*s*. 6*d*.
cordata, 2*s*. 6*d*. and 3*s*. 6*d*.
MANGIFERA indica (Mango), 21*s*.

MARANTA arundinacea *(The Arrowroot Plant)*, 7*s*. 6*d*.
arundinacea variegata, 3*s*. 6*d*. and 5*s*.
Baraquinii, 3*s*. 6*d*.
bella, 7*s*. 6*d*.
bicolor, 5*s*.
conspicua, 7*s*. 6*d*.
gratiosa, 7*s*. 6*d*.
iconifera, 7*s*. 6*d*.
illustris, 3*s*. 6*d*.
Kerchoveana, 3*s*. 6*d*. and 5*s*.
Lindeni, 3*s*. 6*d*.
Lubbersii, 2*s*. 6*d*.
Makoyana, 3*s*. 6*d*.
Massangeana, 3*s*. 6*d*.
musaica, 10*s*. 6*d*.
nitens, 7*s*. 6*d*.
nitida, 10*s*. 6*d*.
prasina, 7*s*. 6*d*.
radiata, 5*s*.
roseo-picta, 3*s*. 6*d*.
Veitchii, 3*s*. 6*d*. and 5*s*.
Warscewiczii, 3*s*. 6*d*.
Wiotii, 5*s*.
zebrina, 3*s*. 6*d*.
MARCGRAVIA dubia, 3*s*. 6*d*.
paradoxa, 3*s*. 6*d*.
MEDINILLA amabilis, 3*s*. 6*d*.
Curtisii, 3*s*. 6*d*.
magnifica, 3*s*. 6*d*.
MELASTOMA malabathrica, 5*s*.
MESUA ferrea, 7*s*. 6*d*. and 10*s*. 6*d*.
METHONICA, *vide* Gloriosa
MEYENIA erecta, 2*s*. 6*d*. and 3*s*. 6*d*.
MICANIA pulverulenta, 3*s*. 6*d*.
MONSTERA delicіosa (Philodendron pertusum), 5*s*. and 7*s*. 6*d*.
MUSA Cavendishii, 10*s*. 6*d*. and 15*s*.
coccinea, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
superba, 7*s*. 6*d*. and 10*s*. 6*d*.
zebrina, 10*s*. 6*d*. and 15*s*.

MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne three or four funnel-shaped sulphur-yellow flowers, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. 10*s.* 6*d.*

MUSSÆNDA FRONDOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
MYRISTICA MOSCHATA (Nutmeg), 2 guineas
NÆGELIA, *vide* GESNERA
NAPOLEONA IMPERIALIS, 5*s.* and 7*s.* 6*d.*
NEPENTHES AMPULLARIA VITTATA, 10*s.* 6*d.*
CHELSONI, 1 guinea
COCCINEA, 15*s.*
COURTII, 1 guinea
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 10*s.* 6*d.*
GRACILIS MAJOR, 5*s.*
HENRYANA, 15*s.* and 1 guinea
HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
NEPENTHES HYBRIDA MACULATA, 10*s.* 6*d.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 10*s.* 6*d.*
LAWRENCEANA, 10*s.* 6*d.* and 15*s.*
MASTERSIANA, 1 and 1½ guinea
MORGANÆ, 10*s.* 6*d.* and 15*s.*
OUTRAMIANA, 10*s.* 6*d.*
RAFFLESIANA, 15*s.*
—— INSIONIS, 3 and 4 guineas
RATCLIFFIANA, 10*s.* 6*d.* and 15*s.*
SEDENI, 5*s.*
STEWARTII, 10*s.* 6*d.*
SUPERBA, 10*s.* 6*d.*
ZEYLANICA RUBRA, 10*s.* 6*d.*

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7*s.* 6*d.*

NIDULARIUM FULGENS, *vide* Guzmannia picta
INNOCENTII, 5*s.* and 7*s.* 6*d.*
MAKOYANUM, 15*s.*
METALLICUM, 10*s.* 6*d.* and 15*s.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*
STRIATUM, *vide* page 4
OCHROSIA ELLIPTICA, 5*s.*
ONCIDIUM, *vide* ORCHIDS
OPHIOPOGON, *vide* page 32
OPLISMENUS IMBECILLUS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, *vide* Index
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*
PALISOTA BARTERI, 5*s.*
PALMS, of sorts, *vide* Index
PANAX DISSECTUM, 7*s.* 6*d.*
FRUTICOSUM, 7*s.* 6*d.*
VICTORIÆ, 3*s.* 6*d.* and 5*s.*
PANCRATIUM AMŒNUM, 3*s.* 6*d.*
CANDIDUM, 3*s.* 6*d.*
FRAGRANS, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
GUIANENSE, *vide* page 19
MACROPHYLLUM, 10*s.* 6*d.*, 15*s.* and 1 guinea
MEXICANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
PANCRATIUM ZEYLANICUM, 2*s.* 6*d.*
vide Hymenocallis
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* & 5*s.*
LABYRINTHICUS, 3*s.* 6*d.* and 5*s.*
LAIS, 3*s.* 6*d.* and 5*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VEITCHII, 2*s.* 6*d.* and 3*s.* 6*d.*
PANICUM VARIEGATUM, *vide* Oplismenus
INTERMEDIUM, *vide* Oplismenus
PARITIUM ELATUM (CUBA BAST), 7*s.* 6*d.*
PASSIFLORA ALATA, 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani
KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
MACROCARPA, 3*s.* 6*d.* and 5*s.*
PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.* and 5*s.*
VIOLACEA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani
see also page 33
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
THALICTRIFOLIA, 3*s.* 6*d.*

PAULOWILHELMIA SPECIOSA.

A beautiful soft-wooded stove plant, as distinct as it is showy, and likely to become a very popular plant. Its attractive mauve blue flowers, marked with yellow on the disc, are disposed in large terminal panicles, made up of numerous opposite cymes. The leaves are cordate, irregularly toothed on the margins, and of a cheerful green colour. 7*s.* 6*d.*

PAVETTA BORBONICA, 10*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEPEROMIA EBURNEA, 3*s.* 6*d.*
PERSEA ORATISSIMA (Avocado Pear)
PHILODENDRON CARDERI, 7*s.* 6*d.*
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*

PANCRATIUM GUIANENSE.

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet-shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. 7*s.* 6*d.* and 10*s.* 6*d.*

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots. 15*s.* and 1 guinea.

PHILODENDRON IMPERIALE (MAMEI), *5s.* & *7s.6d.*
LINDENIANUM, *3s. 6d.* and *5s.*
MELANOCHRYSUM, *5s.*
PERTUSUM, *vide* Monstera deliciosa
QUERCIFOLIUM, *5s.*
RADIATUM, *5s.*
PHYLLAGATHIS ROTUNDIFOLIA, *5s.* and *7s. 6d.*
PHYLLANTHUS ATROPURPUREUM, *3s. 6d.*
ELEGANS, *5s.*
MUCRONATUM, *3s. 6d.*
PHYLLANTHUS NIVOSUM, *3s. 6d.*
ROSEO-PICTUM, *3s. 6d.*
SUBEMARGINATUM, *3s. 6d.*
PHYLLARTHRON COMORENSE, *7s. 6d.*
PHYLLOTÆNIUM LINDENI, *3s. 6d.* and *5s.*
PILEA MUSCOSA, *1s. 6d.* and *2s. 6d.*
PIPER ARGENTEUM, *10s. 6d.*
ORNATUM, *2s. 6d.* and *3s. 6d.*
PIPERS, of sorts, *2s. 6d.* and *3s. 6d.*

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. *10s. 6d.*

PITCAIRNIA CORALLINA, *5s.* and *7s. 6d.*
PLATYPHYLLA, *7s. 6d.*
TABULÆFORMIS, *3s. 6d.* and *5s.*
PLUMBAGO COCCINEA SUPERBA, *2s. 6d.* & *3s. 6d.*
ROSEA, *2s. 6d.* and *3s. 6d.*
see also page 32.
POGOSTEMON PATCHOULI, *2s. 6d.* and *3s. 6d.*
POINSETTIA PULCHERRIMA, *1s. 6d.* and *2s. 6d.*
PULCHERRIMA ALBA, *2s. 6d.* and *3s. 6d.*
—— PLENISSIMA, *2s. 6d.* and *3s. 6d.*
—— ROSEO-CARMINATA, *2s. 6d.*
PORTLANDIA GRANDIFLORA, *7s. 6d.*

POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green, the leaves being also margined in an irregular manner with the same colour. *10s. 6d.*

POTHOS ARGYREIOS, *2s. 6d.* and *3s. 6d.*
AUREUS, *3s. 6d.* and *5s.*
POTHOS CELATOCAULIS, *2s. 6d.*, *3s. 6d.* and *5s.*
MACROPHYLLUS, *3s. 6d.*

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. *10s. 6d.*

POTHOS NITENS.

A distinct looking stove plant, with leaves of a dark shining bronzy-purplish green and climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. *7s. 6d.*

PSIDIUM CATTLEYANUM (The Guava), *3s. 6d.* and *5s.*
PUYA MAIDIFOLIA, *5s.*
SULPHUREA, *7s. 6d.*
UNDULATA, *7s. 6d.*
RAVENALA MADAGASCARIENSIS. "The Traveller's Tree," *7s. 6d.* and *10s. 6d.*
REIDIA GLAUCESCENS, *2s. 6d.* and *3s. 6d.*
RHOPALA, of sorts, *5s.*, *7s. 6d.* and *10s. 6d.*
ROGIERA CORDATA (AMŒNA), *3s. 6d.*
GRATISSIMA, *vide* page 32.
THYRSIFLORA, *5s.*
RONDELETIA BREVIFOLIA, *3s. 6d.*
SPECIOSA MAJOR, *3s. 6d.*
RUDGEA MACROPHYLLA, *10s. 6d.* and *15s.*
RUELLIA ACUTANGULA, *5s.*
PORTELLÆ, *3s. 6d.*
ROSEA, *3s. 6d.*
SACCHARUM OFFICINARUM "Sugar Cane," *5s.*
SANCHEZIA NOBILIS GLAUCOPHYLLA, *3s. 6d.*
NOBILIS VARIEGATA, *3s. 6d.*
SANSEVIERA ZEYLANICA, *3s. 6d.*
SCHISMATOGLOTTIS CRISPATA, *5s.*
DECORA, *5s.*
LATIFOLIA, *5s.*
LAVALLEI, *5s.*
LONGISPATHA, *5s.*
SIAMENSIS, *10s. 6d.*
VARIEGATA, *3s. 6d.*
SCHISTOCASIA PORTEI, *vide* Alocasia Portei

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. *3s. 6d.* & *5s.*

SCINDAPSUS ARYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. *10s. 6d.*

SONERILA ORIENTALIS.

For description and price, *vide* page 23.

THUNBERGIA AFFINIS.

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. When cultivated in pots it assumes a dwarf compact habit, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. 7*s* 6*d*. & 10*s*. 6*d*.

SINNINGIA PUBPUREA NIGRA, 3*s*. 6*d*.
SMILAX DISCOLOR, 7*s*. 6*d*.
SMILAX, SHUTTLEWORTHII, 7*s*. 6*d*.
SOLANDRA GRANDIFLORA, 3*s*. 6*d*.

SONERILA ORIENTALIS, SONERILA ORIENTALIS PICTA, SONERILA ORIENTALIS PUNCTATA.

These new and handsome flowering ornamental foliaged stove plants form a very distinct and desirable addition to the Melastomaceæ. The flowers, which are of a bright rose or purple colour, are produced in the utmost profusion from the top of every growth, the mass of bloom thus thrown just above the foliage having a most pleasing effect, considerably enhanced by the prominent horn-like, bright golden anthers. As will be seen by the illustration, the foliage is also very ornamental, one variety having a very striking blotch or bar of creamy white in the centre of the leaf, another has crimson maroon leaves, covered with scarlet hairs, while the foliage of the other is decorated with a multitude of white dots or spots. *Vide* woodcut, page 21. 3*s*. 6*d*. each. A coloured illustration of these varieties can be supplied, price 1*s*.

SPATHIPHYLLUM PICTUM, 5*s*.
SPATHODEA CAMPANULATA, 7*s*. 6*d*.
SPHÆROGYNE LATIFOLIA, 3*s*. 6*d*.
SPHÆROSTEMA MARMORATUM, 3*s*. 6*d*. and 5*s*.
STADMANNIA AMABILIS, 10*s*. 6*d*.
STENOSPERMATIUM WALLISII, 5*s*.
STEPHANOTIS FLORIBUNDA, 3*s*. 6*d*.
FLORIBUNDA, "Elvaston" variety, 3*s*. 6*d*. & 5*s*.

STERCULIA DISCOLOR.

An ornamental stove plant, introduced from East and North Australia, having pale green irregularly lobed leaves, the divisions—generally three or five—never extending more than halfway to the centre of the leaf. The flowers, which are borne in spicate panicles, are rose-red in colour, and somewhat campanulate or funnel-shaped. It has been figured in the *Botanical Magazine*, Tab. 6608. 7*s*. 6*d*.

STEUDNERA COLOCASIÆFOLIA, 5*s*.
DISCOLOR, 10*s*. 6*d*.
STIGMAPHYLLUM CILIATUM, 2*s*. 6*d*. and 3*s*. 6*d*.
STRELITZIA AUGUSTA, 15*s*.
REGINÆ, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
STREPTOCARPUS REXII, 2*s*. 6*d*. and 3*s*. 6*d*.
REXII HYBRIDS.—Many pretty varieties of various shades of colour. 3*s*. 6*d*. each, 36*s*. per dozen.

STREPTOCARPUS REXII PURPUREUS.

A very pretty and distinct hybrid, producing a profusion of bluish purple flowers, the lower lobes being ornamented with a rich plum-coloured blotch or marking. During the summer these useful decorative plants will succeed well in a greenhouse, but in the winter require the temperature of a stove. 5*s*.

SYNGONIUM ALBO-LINEATUM, 3*s*. 6*d*.
WENDLANDII, 3*s*. 6*d*.
TABERNÆMONTANA CAMASSA, 3*s*. 6*d*.
CORONARIA FLORE PLENO, 3*s*. 6*d*.
TACSONIA BUCHANANI (VITIFOLIA), 3*s*. 6*d*. & 5*s*.
TAPEINOTIS CAROLINÆ MAJOR, 5*s*.
TERMINALIA ELEGANS, 5*s*. & 7*s*. 6*d*.
TETRANEMA MEXICANA, 1*s*. 6*d*.

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes, the orange-red corolla tube being from three to four inches long. 15*s*.

THEOBROMA CACAO (Cocoa), 10*s*. 6*d*.
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum imperiale
THUNBERGIA AFFINIS, *vide* page 22.
FRAGRANS, 2*s*. 6*d*.
GRANDIFLORA, 3*s*. 6*d*.
THUNBERGIA HARRISII (LAURIFOLIA), 2*s*. 6*d*.
THYRSACANTHUS RUTILANS, 2*s*. 6*d*. and 3*s*. 6*d*.
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus
BIVITTATA, *vide* Cryptanthus
HIEROGLYPHICA, 5*s*. and 7*s*. 6*d*.

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10*s*. 6*d*., 15*s*. & 21*s*.

TILLANDSIA (CARAGUATA) MUSAICA, 15*s*. & 21*s*.
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3*s*. 6*d*.
THUNBERGII, 5*s*.
TRADESCANTIA DECORA, *vide* page 3.
see also Cyanotis
TYDÆA, *vide* Index
URCEOLINA AUREA, 2*s*. 6*d*. and 3*s*. 6*d*.
UROSKINNERA SPECTABILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
UTRICULARIA MONTANA, 7*s*. 6*d*. and 10*s*. 6*d*.
VANILLA AROMATICA, 3*s*. 6*d*. and 5*s*.
PLANIFOLIA, 5*s*. and 7*s*. 6*d*.
VINCA ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
ALBA OCULATA, 2*s*. 6*d*. and 3*s*. 6*d*.
ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.
VITIS CHONTALENSIS, 5*s*.
VRIESIA BRACHYSTACHYA, 5*s*.
FALKENBERGII, 1 guinea.
FENESTRALIS, 5*s*.
SPLENDENS (SPECIOSA), 3*s*. 6*d*. and 5*s*.
XYLOPHYLLA ANGUSTIFOLIA, 5*s*.
INTERMEDIA, 5*s*.
ZINGIBER D'AROEYI, 5*s*.
OFFICINALE, 2*s*. 6*d*.

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ABUTILONS, *vide* page 38.
ACACIA ARMATA, 1*s.* 6*d.*
DEALBATA 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
LOPHANTHA, *vide* ALBIZZIA
ORNITHOPHORA, 3*s.* 6*d.*
ACACIA PLATYPTERA, 3*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5*s.*
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUM, 1*s.* 6*s.*
AGAPANTHUS UMBELLATUM ALBUM, *vide* A. umbellatum candidum

AGAPANTHUS UMBELLATUM CANDIDUM.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3*s.* 6*d.*

AGAPANTHUS UMBELLATUM MAXIMUM, 3*s.* 6*d.*
UMBELLATUM MINOR, 3*s.* 6*d.*
AGAPANTHUS UMBELLATUM FOLIIS VARIEGATIS, 2*s.* 6*d.* and 3*s.* 6*d.*

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10*s.* 6*d.*

AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5*s.*
AMERICAN VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BULBOSA, *vide* Fourcræa
AGAVE CELSIANA, 3*s.* 6*d.* and 5*s.*
FILIFERA, 15*s.* and 21*s.*
SHAWII, 3*s.* 6*d.* and 5*s.*

ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It has deep green shining evergreen leaves, and is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. It should be grown in a greenhouse or conservatory, although, as it comes from a high elevation, it may prove half-hardy in favourable situations. 10*s.* 6*d.*

ALBIZZIA (ACACIA) LOPHANTHA, 1*s.* 6*d.*
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
ALSTROMERIA ERREMBAULTII, 1*s.* 6*d.*
HÆMANTHA, 2*s.* 6*d.*
LUTEA, 9*d.*
(BOMAREA) OCULATA, 9*d.*
PULCHELLA, 9*d.*
TRICOLOR (PULCHRA), 1*s.*
ALSTRŒRIAS, see also page 39.
AMARYLLIS, *vide* pages 5 and 7
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 1*s.* 6*d.* and 2*s.* 6*d.*
ANOPTERUS GLANDULOSA, 5*s.* and 7*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare
AOTUS ORACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
ARAUCARIA BIDWILLII, 5*s.* and 7*s.* 6*d.*
BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
COOKII,
CUNNINGHAMII,

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
GOLDIEANA
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ARUNDO DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASPARAGUS DECUMBENS, 3*s.* 6*d.* and 5*s.*
FALCATUS, 7*s.* 6*d.*

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3*s.* 6*d.* and 5*s.*

ASPARAGUS PLUMOSUS NANUS.

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

ASPARAGUS SCANDENS, 3*s.* 6*d.* and 5*s.*

ASPARAGUS TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3*s.* 6*d.* and 5*s.*

AZALEA BALSAMINÆFLORA.

Syn :—A. ROSÆFLORA, A ROLLISSONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18*s.*, 30*s.* and 42*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

NEW HYBRID AZALEAS.

The following Hybrid Azaleas have been raised between *A. amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. This charming variety has been awarded a First-class Certificate by the Royal Horticultural Society. 5*s.*

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5*s.*

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5*s.*

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s.*

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s.*

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s.*

The collection of six varieties. 21*s.*

BAMBUSA FALCATA (*syn.* ARUNDINARIA FALCATA. THAMNOCALAMUS FALCONERI). 3*s.* 6*d.* and 5*s.* *vide* page 39.
BARKLAYA SYRINGÆFLORA, 7*s.* 6*d.*
BEGONIA, *vide* Index
BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*
BESCHONERIA YUCCOIDES, *vide* Fourcræa Beddinghausei.
BIGNONIA (TECOMA) CAPENSIS, 2*s.* 6*d.*
CAPREOLATA, 2*s.* 6*d.*
CHERERE, 3*s.* 6*d.* and 5*s.*
EXOELSA, 7*s.* 6*d.* and 10*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
BIGNONIA JASMINOIDES, 2*s.* 6*d.*
JASMINOIDES ALBA MAGNA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
JASMINOIDES SPLENDIDA, 2*s.* 6*d.* to 5*s.*
SPECIOSA, 3*s.* 6*d.*
TWEEDIANA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
vide also pages 8 and 39.
BILLARDIERA LONGIFLORA, 2*s.* 6*d.*
BLANDFORDIA AUREA, 10*s.* 6*d.*
FLAMMEA, 10*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 26

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2½ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*." The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

BOMAREA CARDERI, 10*s*. 6*d*. and 15*s*.
KALBREYERI, 5*s*.
PATACOCENSIS (CONFERTA), 10*s*. 6*d*.
BORONIA DRUMMONDII, 2*s*. 6*d*. and 3*s*. 6*d*.
ELATIOR, 2*s*. 6*d*.
BORONIA HETEROPHYLLA, 5*s*.
MEGASTIGMA, 2*s*. 6*d*. and 3*s*. 6*d*.
BOUVARDIAS, *vide* Index
BOWIEA VOLUBILIS, 3*s*. 6*d*.
BOWKERIA TRIPHYLLA, *vide* page 3.

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect panicled cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7*s*. 6*d*.

BRUGMANSIA ARBOREA, 3*s*. 6*d*.
KNIGHTII (flore pleno), 3*s*. 6*d*.
SANGUINEA, 3*s*. 6*d*. and 5*s*.
SUAVEOLENS, 3*s*. 6*d*.
BRUNSVIGIA JOSEPHINÆ (The Candelabra Plant), 10*s*. 6*d*.
BUPHANE TOXICARIA (Poison bulb), 10*s*. 6*d*.
CALLA ÆTHIOPICA, *vide* Richardia africana.
CALLICARPA PURPUREA, 3*s*. 6*d*.
CALODENDRON CAPENSE (Cape Chestnut), 5*s*.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 30*s*. and 42*s*. per dozen.
New varieties, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

CAMPANULA VIDALII, 2*s*. 6*d*.
CAMPHORA OFFICINALIS, 5*s*.
CANARINA CAMPANULATA, 1*s*. 6*d*.
CANTUA CORYMBIFLORA, 3*s*. 6*d*.
CANTUA DEPENDENS, 3*s*. 6*d*.
CARNATIONS, Tree, of sorts, 30*s*. and 42*s*. per dozen.
CARPENTERIA CALIFORNICA, *vide* page 39.

CAVENDISHIA SPECTABILIS.

A handsome greenhouse plant, with bright green leaves, the young growths being of a bright reddish bronze colour. It blossoms in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are white shaded with pink, while the whole head of flower has the appearance of being varnished. 10*s*. 6*d*.

CEPHALOTUS FOLLICULARIS,
CEREUS SPECIOSISSIMUS, 2*s*. 6*d*. and 3*s*. 6*d*.
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2*s*.6*d*. and 3*s*. 6*d*.
see Habrothamnus, page 30.
CHLIDANTHUS FRAGRANS, 6*d*.
CHOROZEMA CORDATUM SPLENDENS, 2*s*.6*d*. & 3*s*.6*d*.
HENCHMANNI, 3*s*. 6*d*. and 5*s*.
LAWRENCEANUM, 2*s*. 6*d*. and 3*s*. 6*d*.
LOWII, 5*s*.
VARIUM CHANDLERI, 2*s*. 6*d*. and 3*s*. 6*d*.
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS (VITIS) ANTARCTICA, 2*s*. 6*d*. and 3*s*. 6*d*.
(——) CAPENSIS, 3*s*. 6*d*.
RHOMBEA, 3*s*. 6*d*.
CITRUS JAPONICA, 5*s*.
CLEMATIS INDIVISA, 3*s*. 6*d*. and 5*s*.
INDIVISA LOBATA, 5*s*.
CLEYERA JAPONICA TRICOLOR, 10*s*. 6*d*.
CLIANTHUS PUNICEUS MAGNIFICUS, 3*s*. 6*d*.
CLIVIA NOBILIS, 5*s*.
see Imantophyllum, page 30
COBÆA SCANDENS VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
COLEUS, *vide* Index
COPROSMA BAUERIANA VARIEGATA, 1*s*.6*d*. & 2*s*.6*d*.
CORREAS, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
CRINUM, MOOREI, 7*s*. 6*d*.
POWELLII, 7*s*. 6*d*.
—— ROSEUM, 10*s*. 6*d*.
vide also pages 10 and 40.
CROWEA STRICTA, 3*s*. 6*d*. and 5*s*.
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 30*s*. and 42*s*. per dozen.

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. *5s.* and *7s. 6d.*

CYCLAMEN PERSICUM ALBUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICUM RUBRUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
—— of various choice sorts, 3*s.* 6*d.* & 5*s.*
CYPRIPEDIUM, *vide* Orchids
CYRTANTHUS ANGUSTIFOLIUM, red, 5*s.*
MACKENII, white, 2*s.* 6*d.*
MACOWANII, scarlet, 5*s.*
CYRTANTHUS OBLIQUUM, 5*s.*
SANGUINEUM, 5*s.*
CYTISUS FILIPES, 3*s.* 6*d.* and 5*s.*
RACEMOSUS, 1*s.* and 1*s.* 6*d.*
—— EVERESTIANUS, 3*s.* 6*d.*
DAHLIA IMPERIALIS, 3*s.* 6*d.*
IMPERIALIS ROSEA, 3*s.* 6*d.*
of sorts, *vide* Bedding Plants

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s.*

DAPHNE INDICA RUBRA, 2*s.* 6*d.* and 3*s.* 6*d.*
DASYLIRION LONGIFOLIUM, 5*s.*
DESFONTAINEA SPINOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
DEUTZIA, *vide* page 40.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3*s.* 6*d.* and 5*s.*

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s.*

DIONÆA MUSCIPULA, 2*s.* 6*d.* and 3*s.* 6*d.*
DORYANTHES PALMERI, 3*s.* 6*d.* and 5*s.*

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to Libertia, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10*s.* 6*d.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s.* 6*d.* to 10*s.* 6*d.*; fine plants, 15*s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s.* 6*d.*, 15*s.* and 21*s.*

DRACÆNA AUSTRALIS VEITCHII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
ARBOREA, 2*s.* 6*d.*
DRACOPHYLLUM GRACILE, 3*s.* 6*d.* and 5*s.*
DROSERA CAPENSIS, 7*s.* 6*d.*
DICHOTOMA, 5*s.*
ECHEVERIA, of sorts, *vide* Index
ELÆOCARPUS RETICULATUS (DENTATUS), 5*s.* and 7*s.* 6*d.*
ENCEPHALARTOS, of sorts, *vide* Index.
EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 28
EPACRIS, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen.
EPIPHYLLUM, *vide* page 15
ERICAS, of sorts, 18*s.*, 30*s.* and 42*s.* per doz.
ERIOSTEMON BUXIFOLIUS, 3*s.* 6*d.* and 5*s.*
INTERMEDIUS, 3*s.* 6*d.* and 5*s.*
NERIIFOLIUS, 3*s.* 6*d.*
PULCHELLUS, 3*s.* 6*d.* and 5*s.*
SCABER 3*s.* 6*d.* and 5*s.*
ERYNGIUM EBRACTEATUM, 10*s.* 6*d.*
ERIOBOTRYA JAPONICA (LOQUAT), 5*s.*
ERYTHRINA, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
COMPACTA, 5*s.*

EMBOTHRIUM COCCINEUM.

One of the rarest and most beautiful of hardy greenhouse shrubs, a native of the Andes of South America. It produces in the most abundant manner long pendent fiery orange-scarlet flowers, in size and shape somewhat resembling the Honeysuckle. It belongs to the family *Proteaceæ*, and is known as the "Fire Bush." 10*s.* 6*d.*

EUCALYPTUS CITRIODORA, 3*s.* 6*d.*
GLOBULUS (Blue Gum), 3*s.* 6*d.*
EUGENIA UGNI, 1*s.* 6*d.* and 2*s.* 6*d.*
vide also page 15
EUPATORIUM BERLANDIERI (ORACILE ODORATUM), 1*s.* 6*d.*
RIPARIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYA LATIFOLIA VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYCLES, *vide* page 15
EUTAXIA FLORIBUNDA, 3*s.* 6*d.*
FATSIA (ARALIA) JAPONICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, 3*s.* 6*d.* & 5*s.*
FERNS, *vide* Index
FICUS AUSTRALIS, 3*s.* 6*d.*
ELASTICA, *vide* page 15
—— VARIEGATA, *vide* page 15
MACROPHYLLA, 5*s.*
MINIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
RHODODENDRIFOLIA, 3*s.* 6*d.*
STIPULATA (REPENS), 1*s.* 6*d.* and 2*s.* 6*d.*

FOURCRÆA (AGAVE) BEDDINGHAUSEI (*syn.* BESCHORNERIA YUCCOIDES, ROEZLIA REGIA, YUCCA PARMENTIERI, Y. TONELIANA), *5s.*
BULBOSA, *5s.*

FREESIA HYBRIDA, LEICHTLINII, REFRACTA ALBA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.

FUCHSIAS, *vide* Index

GELSEMIUM SEMPERVIRENS (NITIDA), *2s. 6d.*

GENETYLLIS (HEDAROMA) FUCHSIGIDES, *5s.* and *7s. 6d.*
TULIPIFERA, *5s.* and *7s. 6d.*

GONOLOBUS CUNDURANGO, *10s. 6d.*

GREVILLEA HILLII, *3s. 6d.*
PREISSII, *7s. 6d.*
ROBUSTA, *2s. 6d.* and *3s. 6d.*

GREYIA SUTHERLANDI, *3s. 6d.* and *5s.*

HABRANTHUS ANDERSONI, *1s. 6d.*

HABROTHAMNUS (CESTRUM) AURANTIACUS, *2s. 6d.* and *3s. 6d.*
ELEGANS, *2s. 6d.* and *3s. 6d.*
NEWELII, *2s. 6d.* and *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*

HÆMANTHUS ALBIFLOS, *2s. 6d.* and *3s. 6d.*
PUNICEUM, *2s. 6d.* and *3s. 6d.*
TIGRINUM, *2s. 6d.*
vide also page 16

HARDENBERGIA MONOPHYLLA, *2s. 6d.*
MONOPHYLLA VARIEGATA, *3s. 6d.*

HEDAROMA, *vide* Genetyllis.

HEDYCHIUM GARDNERIANUM, *2s. 6d.* & *3s. 6d.*

HIBISCUS CALYCINUS (CHRYSANTHUS.)

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish subtrilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. *5s.*

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucel of about eight linear segments. It has been imported from Natal. *5s.*

HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome new Hydrangea are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance. *5s.*

HYDRANGEA HORTENSIS FOL. MARGINATA, *3s. 6d.*
HORTENSIS CYANOCLADA, *1s. 6d.* and *2s. 6d.*
—— THOMAS HOGG, *1s. 6d.* and *2s. 6d.*
JAPONICA, *1s. 6d.*
—— ELEGANTISSIMA, *1s. 6d.*
—— FOLIIS TRICOLORIBUS, *3s. 6d.* and *5s.*

HYDRANGEA JAPONICA SPECIOSA, *3s. 6d.* & *5s.*
MADAME VON SIEBOLD, *3s. 6d.* and *5s.*
OTAKSA, *1s. 6d.* and *2s. 6d.*
ROSEA, *3s. 6d.*
STELLATA PROLIFERA, *1s.*
VOLUBILIS (SCANDENS), *vide* page 40.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 1 guinea.

IMANTOPHYLLUM CYRTANTHIFLORUM, *5s.*
CYRTANTHIFLORUM CHLORACEUM, *10s. 6d.*

IMANTOPHYLLUM CYRTANTHIFLORUM FULGENS, *15s.*

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. *3s. 6d.*, *5s.*, *7s. 6d.* and *10s. 6d.*; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM, 2 and 3 guineas
MINIATUM FORMOSUM, *15s.* and *21s.*
—— FULGENS, *15s.* and *21s.*
—— GRANDIFLORUM, 1½, 2 and 3 guineas
—— HYBRIDUM, *15s.*
—— IMPERIALE, 3 guineas
—— INSIGNE, 1½, 2 and 3 guineas
—— MADAME VAN HOUTTE, 1½ guinea
—— PRINCE OF ORANGE, 1½, 2 and 3 guineas
—— PRINCEPS, 1½, 2 and 3 guineas
—— SPECIOSUM, 1½ guinea

INDIGOFERA DECORA, *5s.*

IRIS ROBINSONIANA, *1s. 6d.*

ISMENE CALATHINA, *1s. 6d.*

JASMINUM ANGULARE, *5s.*
GRANDIFLORUM, *3s. 6d.*
GRATISSIMUM, *2s. 6d.* and *3s. 6d.*
POITEAU, *3s. 6d.*

JUNCUS ZEBRINUS, *vide* Scirpus

KENNEDYA MARRYATTÆ. *2s. 6d.*
of sorts, *3s. 6d.* and *5s.*

LACHENALIA, of sorts, *1s.* to *2s. 6d.*

LAGERSTRŒMIA INDICA, *3s. 6d.*
of sorts, *3s. 6d.* and *5s.*

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. *10s. 6d.* *15s.* and *21s.*; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LAPAGERIA ROSEA

Various sizes of this well-known and extremely useful conservatory climber, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.; fine specimens, 1, 1½, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s*. 6*d*., 15*s*. and 21*s*.; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3*s*. 6*d*.
MACRANTHA FLORIBUNDA, 5*s*.
LAURUS CAMPHORA, 5*s*.
LEUCOPOGON CUNNINGHAMII, 3*s*. 6*d*.
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3*s*. 6*d*.
LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3*s*. 6*d*. and 5*s*.
FORMOSA, 2*s*. 6*d*. and 3*s*. 6*d*.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5*s*.

LIBONIA FLORIBUNDA, 1*s*. 6*d*. and 2*s*. 6*d*.
PENRHOSIENSIS, 1*s*. 6*d*. and 2*s*. 6*d*.
LILIUM, of sorts, *vide* pages 40 to 43.
LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa:* it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s*. 6*d*.

LOMATIA FERRUGINEA, 5*s*. and 7*s*. 6*d*.
LUCULIA GRATISSIMA, 5*s*. and 7*s*. 6*d*.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3*s*. 6*d*. & 5*s*.

MACADAMIA TERNIFOLIA, 5*s*. and 7*s*. 6*d*.
MACROPIPER EXCELSUM, 5*s*.
MACROZAMIA, *vide* Index
MAGNOLIA CAMPBELLII, *vide* page 43.
FUSCATA 3*s*. 6*d*. and 5*s*.
MANDEVILLA SUAVEOLENS, 2*s*. 6*d*. and 3*s*. 6*d*.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s*. 6*d*. and 10*s*. 6*d*.

MARSILEA MACROPUS, "NARDOO," 10*s*. 6*d*.
METROSIDEROS FLORIBUNDA, 2*s*. 6*d*.
ROBUSTA, 3*s*. 6*d*. and 5*s*.
MITRARIA COCCINEA, 2*s*. 6*d*. and 3*s*. 6*d*.
MONOCHÆTUK SERICEUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
MUSA CAVENDISHII, *vide* page 17.
SUPERBA, *vide* page 17.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

MUSA ENSETE.

MYRSIPHYLLUM ASPARAGOIDES, 2*s*. 6*d*. & 3*s*. 6*d*.
MYRTUS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
NERINE ATROSANGUINEA, 10*s*. 6*d*.
CORUSCA, 1*s*. 6*d*.
—— MAJOR, 3*s*. 6*d*.
ELEGANS, 7*s*. 6*d*.
—— CÆRULEA, 7*s*. 6*d*.
—— CARMINATA, 7*s*. 6*d*.
FOTHERGILLII, 3*s*. 6*d*.
—— MAJOR, 5*s*.
HUMILIS, 2*s*. 6*d*.
—— CÆRULEA, 7*s*. 6*d*.

NERINE HUMILIS ELEGANS, 7*s.* 6*d.*
PLANTII, 3*s.* 6*d.*
PULCHELLA, 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.*
SARNIENSIS (THE GUERNSEY LILY), 9*s.* & 12*s.* per dozen.
VENUSTA, 3*s.* 6*d.*
NERIUM MADONI GRANDIFLORUM, 2*s.* 6*d.*
ALBUM PLENUM (Double White), 2*s.* 6*d.*
LILIAN HENDERSON, 3*s.* 6*d.*
RUBRUM PLENUM (Double Red), 2*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
OLEA FRAGRANS, 3*s.* 6*d.* and 5*s.*
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPICATUS ARGENTEO-MARGINATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, of sorts, *vide* Index
PALMS, of sorts, *vide* Index
PARDANTHUS CHINENSIS, 6*d.* each ; 5/- per doz.
PASSIFLORA CÆRULEA, *vide* page 43.
CÆRULEA, Eynsford Gem, 2*s.* 6*d.*
—— GRANDIFLORA, 3*s.* 6*d.*
—— RACEMOSA, 2*s.* 6*d.*
PASSIFLORA CAMPBELLII, 3*s.* 6*d.*
CLOWESII, 3*s.* 6*d*
COLVILLII, 2*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
IMPERATRICE EUGENIE, 3*s.* 6*d.*
LAWSONI, 3*s.* 6*d.*
MUNROI, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
see also page 18
PELARGONIUM, *vide* Index
PHÆDRANASSA CHLORACEA, 6*d.* each ; 5/- doz.
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s.* 6*d.* and 3*s.* 6*d.*
LINEARE ELEGANS, 5*s.*
PHILESIA BUXIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
PHORMIUM ATROPURPUREUM, 5*s.* and 7*s.* 6*d.*
COLENSOI VARIEGATUM, 5*s.* and 7*s.* 6*d.*
TENAX, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
—— NIGRO-LIMBATUM 10*s.* 6*d.*
—— NIGRO-PICTUM 10*s.* 6*d.* and 15*s.*
—— VARIEGATUM, 1 and 1½ guinea
—— VEITCHII VARIEGATUM, 5*s.* and 7*s.* 6*d.*
PHYLLOCACTUS, of sorts, 3*s.* 6*d.* and 5*s.*

PHYLLOCACTUS PEACOCKII.

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

PHYSIANTHUS ALBENS, 2*s.* 6*d.*
PIMELEA DECUSSATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.* and 5*s.*
NIEPPERGIANA, 3*s.* 6*d.* and 5*s.*
PIMELEA SPECTABILIS, 3*s.* 6*d.* and 5*s.*
PINCINECTITIA TUBERCULATA, 21*s.*
PISTACIA TEREBINTHUS, 7*s.* 6*d.*
PITTOSPORUM RALPHSII, 5*s.*

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5*s.*

PITTOSPORUM EUGENIOIDES VARIEGATUM, 7*s.* 6*d.* and 10*s.* 6*d.*
PLEROMA ELEGANS, 3*s.* 6*d.*
SARMENTOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
Also *vide* page 20
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*
POLYGONUM, *vide* page 44.

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, a very desirable half-hardy plant, flowering in the winter months. 3*s.* 6*d.* & 5*s.*

PRIMULA FLORIBUNDA, 2*s.* 6*d.*
IMPERIALIS, *vide* page 3.
SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus
PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* and 5*s.*
GRANATUM ALBA PLENA, 3*s.* 6*d.* and 5*s.*
—— RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
—— LEGRELLII (Double Buff), 3*s.* 6*d.* & 5*s.*
REINECKIA CARNEA, 1*s.* 6*d.*
CARNEA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
REINWARDTIA TETRAGYNE (LINUM TRIGYNUM), 2*s.* 6*d.*
RHODEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA ARGENTEA, 15*s.*
RHODODENDRONS, *vide* pages 35 to 37
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum
RICHARDIA AFRICANA *(Calla æthiopica)*, 9*d.* and 1*s.* 6*d.*
AFRICANA, Little Gem, 3*s.* 6*d.*
—— COMPACTA, 3*s.* 6*d.*
—— GIGANTEA, 5*s.*
ALBO-MACULATA, 1*s.* and 1*s.* 6*d.*
ROEZLIA REGIA, *vide* Fourcræa Beddinghausei
ROGEIRA GRATISSIMA, 3*s.* 6*d.* and 5*s.*
RUBUS ROSÆFOLIUS CORONARIUS, 1*s.* 6*d.* & 2*s.* 6*d.*
RUSCUS ANDROGYNUS, 3*s.* 6*d.*
SALVIAS, *vide* Bedding Plants

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*. The pitchers are green, with slight red ribs and reticulations. The lid is marked with red ribs and veins. 10*s*. 6*d*.

SARRACENIA ATROSANGUINEA, 21*s*.

SARRACENIA DRUMMONDII ALBA, 7*s*. 6*d*.

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect, and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10*s*. 6*d*.

SARRACENIA ILLUSTRATA, 10*s*. 6*d*.

SARRACENIA MOOREANA, 7*s*. 6*d*.

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. 10*s*. 6*d*.

SARRACENIA PATERSONIANA.

This very handsome variety is a hybrid between *S. purpurea* and *S. Drummondii*. The pitchers are of a rich crimson colour, most beautifully veined, especially on the lid, which is large and spreading. 15*s*. and 21*s*.

SARRACENIA PSITTACINA 10*s*. 6*d*.
PURPUREA, 3*s*. 6*d*. and 5*s*.
STEVENSII, 5*s*.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis, page 40.
SENECIO MACROGLOSSUS (The Cape Ivy), 3*s*. 6*d*.
PULCHER, *vide* page 44.
SOLANUM JASMINOIDES, 2*s*. 6*d*.
SOLLYA LINEARIS, 3*s*. 6*d*. and 5*s*.
SPARMANNIA AFRICANA, 2*s*. 6*d*.
AFRICANA FLORE-PLENO, 3*s*. 6*d*. and 5*s*.
SPIGELIA SPLENDENS, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE HOLFORDII, 3*s*. 6*d*. and 5*s*.
MACROPHYLLA, 5*s*.
PROFUSA (RATTRAYANA), 3*s*. 6*d*. & 5*s*.
STENOCARPUS CUNNINGHAMII, 5*s*. to 10*s*. 6*d*.
STRELITZIA REGINÆ, *vide* page 23.
STREPTOSOLEN (BROWALLIA) JAMESONI, 1*s*. 6*d*.
TACSONIA BUCHANANI, *vide* page 23.
ERIANTHA, 3*s*. 6*d*.
EXONIENSIS, 3*s*. 6*d*.
MANICATA, 3*s*. 6*d*.
MOLLISSIMA, 3*s*. 6*d*.
PINNATISTIPULA, 3*s*. 6*d*.
VAN VOLXEMI, 2*s*. 6*d*. and 3*s*. 6*d*.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 10*s*. 6*d*.

TECOMA, *vide* Bignonia
THEA ASSAMICA, 3*s*. 6*d*.
THEAS of sorts, 3*s*. 6*d*. and 5*s*.
THIBAUDIA ACUMINATA, 3*s*. 6*d*.
THUNBERGIA, *vide* pages 22 and 23.
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES, 3*s*. 6*d*. and 5*s*.
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
(——) JASMINOIDES LUTEO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
TREMANDRA ERICÆFOLIA, 2*s*. 6*d*. and 3*s*. 6*d*.
HIRSUTA, 2*s*. 6*d*. and 3*s*. 6*d*.
TREMANDRA VERTICILLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
TROPÆOLUM AZUREUM GRANDIFLORUM, 3*s*. 6*d*. and 5*s*.
BRACHYCERAS, 2*s*. 6*d*.
PENTAPHYLLUM, 2*s*. 6*d*.
TRICOLOR GRANDIFLORUM (JARRATTII), 1*s*. and 1*s*. 6*d*.
TUBEROSUM, *vide* page 46.
of sorts, 1*s*. 6*d*., 2*s*. 6*d* and 3*s*. 6*d*.
TUBEROSES BEST DOUBLE AFRICAN, AMERICAN, THE PEARL — These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s*. and 7*s*. 6*d*.

VALLOTA PURPUREA, 2*s*. 6*d*.
PURPUREA MAJOR, 3*s*. 6*d*. and 5*s*.
VITIS HETEROPHYLLA HUMULIFOLIA, 2*s*. 6*d*.
HETEROPHYLLA VARIEGATA, 2*s*. 6*d*. & 3*s*. 6*d*.
WITSENIA CORYMBOSA, 3*s*. 6*d*.
XYLOMELUM PYRIFORME, 10*s*. 6*d*.
YUCCA ALOIFOLIA VARIEGATA, 5*s*.
YUCCA FILAMENTOSA VARIEGATA, 5*s*. and 7*s*. 6*d*.
PARMENTIERI, *vide* FOURCRÆA BEDDINGHAUSEI
QUADRICOLOR, 5*s*. and 7*s*. 6*d*.
TONELIANA, *vide* FOURCRÆA BEDDINGHAUSEI
ZAMIA, *vide* Index.
ZEPHYRANTHES CARINATA, 12*s*. per dozen.
TUBISPATHA, 9*s*. per dozen.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ANTIGONONS, of sorts
ARISTOLOCHIA ELEGANS
—— RIDICULA
—— of sorts
BIGNONIA CHAMBERLAYNII
—— REGALIS
—— of sorts
BOUGAINVILLEA GLABRA
—— REFULGENS
—— of sorts
CISSUS DISCOLOR
CLERODENDRON BALFOURIANUM
—— of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
—— SPECIOSA
—— of sorts
DIPLADENIA BOLIVIENSIS
—— BREARLEYANA
—— of sorts
ECHITES, of sorts
FICUS BARBATA
—— RADICANS
—— of sorts
GLORIOSA PLANTII
—— SUPERBA
—— —— GRANDIFLORA
HIBISCUS, of sorts
HOYA CARNOSA
—— GLOBULOSA
—— of sorts
IPOMÆA HORSFALLIÆ
—— TERNATA
—— of sorts
JASMINUM GRACILLIMUM
JASMINUM, of sorts
MARCGRAVIA INDICA
—— PARADOXA
PASSIFLORA KERMESINA
—— MACROCARPA
—— PRINCEPS
—— QUADRANGULARIS VARIEGATA
—— of sorts
POTHOS FLEXUOSUS
—— of sorts
SMILAX DISCOLOR
—— of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIAS, of sorts
TECOMA AMBOINENSIS
TACSONIA BUCHANANI
VANILLA AROMATICA

GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

ACACIA DEALBATA
—— of sorts
ASPARAGUS PLUMOSUS NANUS
BIGNONIA CAPREOLATA
—— CHERERE
—— of sorts
BOMAREA CARDERII
CISSUS ANTARCTICA
—— of sorts
COBEA SCANDENS VARIEGATA
CLEMATIS INDIVISA
—— —— LOBATA
CLIANTHUS, of sorts
FICUS, of sorts
GELSEMIUM SEMPERVIRENS
HABROTHAMNUS AUBLETII
—— AURANTIACUS
HABROTHAMNUS ELEGANS
—— NEWELLII
—— of sorts
HARDENBERGIA MONOPHYLLA
—— —— VARIEGATA
—— of sorts
JASMINUMS, of sorts
KENNEDYA MARRYATTÆ
—— of sorts
LAPAGERIA ALBA
—— ROSEA
—— RUBRA SUPERBA
MANDEVILLEA SUAVEOLENS
PASSIFLORA CAMPBELLI
—— IMPERATRICE EUGENIE
—— LAWSONI
—— MONROI
PASSIFLORA, of sorts
PLUMBAGO CAPENSIS
—— —— ALBA
SENECIO MACROGLOSSUS (The Cape Ivy)
SOLLYA LINEARIS
SOLANUM JASMINOIDES
TACSONIA ERIANTHA
—— EXONIENSIS
—— JAMESONI
—— VAN VOLXEMI
—— of sorts
TECOMA CAPENSIS
—— ROSEA
TRACHELOSPERMUM (RHYNCOSPERMUM), of sorts
TROPÆOLUMS, of sorts

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1*s.* 6*d.*

CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering; a distinct and pretty variety. 1*s.* 6*d.*

CONSTELLATION, large spikes of rose carmine flowers. 2*s.* 6*d.*

DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1*s.* 6*d.*

ECLATANTE, dark carmine; very floriferous. 2*s.* 6*d.*

IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1*s.* 6*d.*

JARDIN FLEURI, long spikes of dark carmine red flowers; a free-flowering and very distinct variety. 1*s.* 6*d.*

LA FAVORITE, enormous spikes of violet flowers, 2*s.* 6*d.*

LA FÉE AUX ROSES, very long spikes of bright rose flowers, very floriferous; very striking and attractive. 1*s.* 6*d.*

MÉTÉORE, dark reddish-crimson flowers; very distinct. 2*s.* 6*d.*

THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1*s.* 6*d.*

RICHESSE, long spikes of rose-carmine flowers. 2*s.* 6*d.*

RUBENS, flowers large and fine, of a beautiful magenta colour. 1*s.* 6*d.*

VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1*s.* 6*d.*

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, 3*s*. 6*d*. and 5*s*.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7*s*. 6*d*.

ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s*. 6*d*. and 5*s*.

ARBOREUM, 3*s*. 6*d*.

ARGENTEUM, *vide* grande.

ASSAMICUM, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5*s*.

BARBATUM, bright scarlet flowers, distinct and effective. 5*s*.

BLANDFORDIÆFLORUM. 3*s*. 6*d*. and 5*s*.

CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 3*s*. 6*d*.

CILIATUM, blush white; very free flowering. 2*s*. 6*d*. and 3*s*. 6*d*.

CINNABARINUM. 3*s*. 6*d*. and 5*s*.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10*s*. 6*d*.

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s*. 6*d*.

COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 3*s*. 6*d*. & 5*s*.

COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5*s*. and 7*s*. 6*d*.

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10*s*. 6*d*.

DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s*. 6*d*.

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7*s*. 6*d*. and 10*s*. 6*d*.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7*s*. 6*d*. and 10*s*. 6*d*.

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5*s*. and 7*s*. 6*d*.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*.

EXONIENSE, 3*s*. 6*d*.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10*s*. 6*d*.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s*. & 7*s*. 6*d*.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 3*s*. 6*d*.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3*s*. 6*d*. and 5*s*.

GRANDE (ARGENTEUM), immense heads of large ivory-white flowers deeply stained with crimson at the base. 7*s*. 6*d*.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3*s*. 6*d*.

HODGSONI, a splendid species, producing superb bouquets of rose-coloured flowers. 10*s*. 6*d*.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3*s*. 6*d*. & 5*s*.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

GREENHOUSE RHODODENDRONS—continued.

JAVANICUM, a beautifully golden-yellow flowering species. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10*s*. 6*d*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome. 5*s*.

LEPIDOTUM, flowers of medium size, of a rosy purple colour. 7*s*. 6*d*.

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, 2*s*. 6*d*. and 3*s*. 6*d*.

MYRA, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10*s*. 6*d*.

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. 3*s*. 6*d*. and 5*s*.

PINK BEAUTY, *vide* page 36.

PLATO, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10*s*. 6*d*.

PRINCE LEOPOLD, bright carmine, very handsome; a richly coloured variety. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCE OF WALES, a fine variety producing reddish orange flowers. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

QUEEN OF DWARFS, bears large well-expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5*s*.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

SESTERIANUM, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

SMIRNOWII, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers, of medium size. 10*s*. 6*d*.

SUAVE, pure white flowers, very fragrant, 3*s*. 6*d*. and 5*s*.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

THOMSONI, bright scarlet cup-shaped flowers of good form. 5*s*.

UNGERNII, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10*s*. 6*d*.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

WIGHTII, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7*s*. 6*d*.

ZEYLANICUM, 7*s*. 6*d*.

ABUTILONS.

ALBERT DÉLAUX, dwarf, large rosy-mauve flowers, with rose nerves. 1*s.* 6*d.*

AMARANTINA, large well-formed flowers, of a brilliant purple-amaranth colour. 2*s.* 6*d.*

ARMAND CAUVY, golden-yellow flowers, veined with violet; dwarf. 2*s.* 6*d.*

AURELIA, bright golden-yellow. 1*s.* 6*d.*

BARON ALPH. DE ROTHSCHILD, soft canary-yellow. 2*s.* 6*d.*

BLANDII, deep yellow, veined crimson. 1*s.* 6*d.*

BOULE DE NEIGE, white. 1*s.*

BOULE D'OR, golden-yellow. 1*s.* 9*d.*

BRILLIANT, fine well-shaped flowers, of a bright red colour. 1*s.*

CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 1*s.* 6*d.*

COMTE F. DE CARIEL, dark red, nerves crimson. 2*s.* 6*d.*

CESARE COSTA, brilliant carmine-rose. 2*s.* 6*d.*

CONQUETE, whitish-rose, throat dark carmine, with bright rose nervations. 1*s.* 6*d.*

COURONNE D'OR, deep sulphur-yellow. 1*s.* 6*d.*

DARWINII SUPERBUM, 1*s.*

DESBOISI, bright rose colour. 1*s.* 6*d.*

EUG. THIROUX, orange cerise, veined crimson. 2*s.* 6*d.*

EDOUARD LAYEILLON, deep rich golden-yellow, flushed with rose. 1*s.* 6*d.*

EMPEROR, very fine large dark crimson flowers. Received First Class Certificate. 1*s.* 6*d.*

EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

FERDINANDO PONSI, rose-carmine, white throat. 2*s.* 6*d.*

FUTURE FAME, deep rose shaded crimson. 1*s.* 6*d.*

G. DÉLAUX, rich reddish-carmine. 1*s.* 6*d.*

GOLDEN QUEEN, clear golden-primrose flowers; excellent for pot culture, 3*s.* 6*d.*

H. PINEAU, old gold, chocolate veins. 2*s.* 6*d.*

HIBISCUS, canary-yellow flowers. 1*s.* 6*d.*

J. A. BECKER, very dark, unique. 2*s.* 6*d.*

JULES PAQUET, brilliant cerise, white throat, dwarf habit. 2*s.* 6*d.*

KING OF ROSES, flowers rich deep rose. 1*s.* 6*d.*

LA CANDEUR, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

LA LORRAINE, bright red. 1*s.* 6*d.*

LE GRELOT, delicate rose colour. 1*s.* 6*d.*

LUSTROUS, bright red flowers. 1*s.*

L. VAN HOUTTE, rich mauve-purple. 1*s.* 6*d.*

LYDIA, light yellow, flushed crimson. 1*s.* 6*d.*

MADAME A. LAGORCE, salmon-rose, yellow throat. 2*s.* 6*d.*

MADAME CHABERT, large canary-yellow flowers. 2*s.* 6*d.*

MADAME DE LESTAPIE, immense rose flowers. 2*s.* 6*d.*

MADAME GABRIELLE DE ROVIRA, silver-white, suffused rose. 2*s.* 6*d.*

MADAME P. JUNG, rosy-salmon, yellow throat. 2*s.* 6*d.*

MADLLE. LAURENCE ARRIBAT, white, rose veins. 2*s.* 6*d.*

M. FORGEOT, brilliant orange, crimson veins. 2*s.* 6*d.*

M. GALABRU, flowers reddish-violet. 2*s.* 6*d.*

M. JULES BARIGNY, reddish-crimson, dwarf. 2*s.* 6*d.*

M. JULES MARTY, salmon shaded gold, rose nerves. 2*s.* 6*d.*

MDLLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

MARSHAL, reddish-cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

MEGAPOTAMICUM VARIEGATUM. 1*s.* 6*d.*

MODIOLA, bright rosy-crimson. 1*s.* 6*d.*

M. B. MODESTE, rich bright crimson-red, veined with dark crimson, very attractive. 1*s.* 6*d.*

M. LOUIS MARIGNAC, rose; reverse of petals of a silvery hue. 1*s.* 6*d.*

M. MOULINS, cream colour, distinctly veined with violet-rose; dwarf and free. 1*s.*

M. PETIT, rich reddish-crimson colour, veined crimson. 1*s.* 6*d.*

M. VIVIAND-MOREL, large fine flower of a violet colour, shaded amaranth. 1*s.* 6*d.*

PROGNE, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1*s.*

R. RAGIONIERI, orauge-scarlet, crimson veins. 2*s.* 6*d.*

RICHESSE, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1*s.* 6*d.*

ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

SELLOWIANUM MARMORATUM 1*s.* 6*d.*

SERAPH, pure white. 1*s.* 6*d.*

STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1*s.*

THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1*s.*

TROPHY, yellow, veined with carmine. 1*s.* 6*d.*

VILLE SOLEIL, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 2*s.*6*d.*

VEXILLARIUM GRANDIFLORUM, produces a profusion of dark cerise flowers with crimson throat, very distinct. 2*s.* 6*d.*

VEXILLARIUM NANUM, flowers white. 2*s.* 6*d.*

ZARA, clear lemon-yellow. 1*s.* 6*d.*

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2*s.* 6*d.*

ACER PLATANOIDES LEOPOLDII, 1*s.* 6*d.*
ACIPHYLLA SQUARROSA, 3*s.* 6*d.* and 5*s.*
ACORUS JAPONIOUS SIEBOLDII STRIATUS, 1*s.* 6*d.*

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

AKEBIA QUINATA, 1*s.* 6*d.*
ALSTROMERIA AURANTIACA, 1*s.*
BRASILIENSIS, 1*s.*
CHILENSIS, 1*s.*
PSITTACINA, 1*s.*
see also page 24.
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen
AMPELOPSIS SEMPERVIRENS, 5*s.*
TRICUSPIDATA *(Vitis japonica)*, 1*s.* 6*d.* & 2*s.* 6*d.*
—— PURPUREA, a very handsome purple-leaved variety of this useful wall climber, 3*s.* 6*d.*

ANDROMEDA JAPONICA, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
ARALIA MAXIMOWICZII, new and distinct, 3*s.* 6*d.*
ARISÆMA CORNUTUM *(Sauromatum guttatum)*, 3*s.* 6*d.*
ARUNDO CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*
ASCLEPIAS TUBEROSA, 1*s.*
ASPIDISTRA LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
LURIDA VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASTILBE BARBATA, *vide Spiræa japonica.*
AUCUBA JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*
JAPONICA LUTEO-PICTA, 7*s.* 6*d.*
—— MASCULA, various sorts, 3*s.* 6*d.* & 5*s.*
AZALEA LINEARIFOLIA, 5*s.*

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in tho open borders. It blossoms in a profuse manner, tho large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

AZALEAS, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen
AZARA MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAMBUSA AUREA, 2*s.* 6*d.*
FALCATA, *vide* page 25.
FORTUNEI VARIEGATA, 2*s.* 6*d.*
MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*
METAKE *(Arundinaria japonica)*, 2*s.* 6*d.* and 3*s.* 6*d.*
NANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SIMONII, 3*s.* 6*d.*

BAMBUSA TRICOLOR, 7*s.* 6*d.*
BERBERIS HETEROPODA, 5*s.*
STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
BIGNONIA GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*
vide pages 8 and 25.
BOCCONIA JAPONICA, 3*s.* 6*d.*
CALOCHORTUS, of sorts, 12*s.* per dozen
CALYCANTHUS PRÆCOX, *vide* Chimonanthus fragrans
CAMPANULA TURBINATA, 1*s.*

CARPENTERIA CALIFORNICA.

A handsomo Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s.*

CEANOTHUS of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CHIMONANTHUS FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
CHOISYA TERNATA, 1*s.* 6*d.* and 2*s.* 6*d.*

CHRYSANTHEMUMS, *vide* Index
CINNAMOMUM SERICEUM, 5*s.*

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties 42*s.* per dozen.

CLEMATIS COCCINEA, 2*s.* 6*d.*
CLEMATIS JACKMANNI ALBA, 2*s.* 6*d.*

CLEMATIS PANICULATA.

A hardy olimbing plant, furnished with pinnately decompound leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula.* It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 5*s.*

CORNUS MASCULA AUREO-ELEGANTISSIMA, 2*s.* 6*d.*
SIBIRICA SPATHII, 3*s.* 6*d.*
CRATÆGUS CARRIÈRI, large white flowers, turning to rose, fruit as large as a cherry. 5*s.*

CRATÆGUS LÆLANDII, 1*s.* and 1*s.* 6*d.*
ORIENTALIS SANGUINEA, THE EASTERN THORN, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2*s.* 6*d.*

CRINUM CAPENSE ALBUM, 1*s.*
CAPENSE ROSEUM, 1*s.*
MOOREI, *vide* page 27.
POWELLII, *vide* page 27.
CROCOSMA AUREA, 1*s.*
AUREA MACULATA, 3*s.* 6*d.*
IMPERIALIS, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers 3½ to 4 inches in diameter. 5*s.*
DELPHINIUMS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
DESMODIUM PENDULIFLORUM, 1*s.* 6*d.* and 2*s.* 6*d.*
DEUTZIA CRENATA ROSEO-PLENA, 1*s.* 6*d.*
PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1*s.* 6*d.* each; 15*s.* per dozen.
DIELYTRA SPECTABILIS, 1*s.* and 1*s.* 6*d.*
SPECTABILIS ALBA, 2*s.* 6*d.*
DIMORPHANTHUS MANDCHURICUS, 1*s.* 6*d.*
ELYMUS GLAUCIFOLIUS, 1*s.* 6*d.*
EREMURUS ROBUSTUS, 5*s.*
ERYTHRINA, *vide* pages 15 and 29.
ESCALLONIA MACRANTHA, 2*s.* 6*d.*
EUCRYPHIA PINNATIFOLIA, 10*s.* 6*d.*
EULALIA GRACILLIMA UNIVITTATA, 3*s.* 6*d.*
JAPONICA ALBO-LINEATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ZEBRINA, 2*s.* 6*d.* and 3*s.* 6*d.*
EUONYMUS OCCIDENTALE, this hardy ornamental shrub is a native of the Eastern States of North America, where it forms a bush, with slender upright branches, bearing on short petioles bright green leaves, two to four inches long, in shape ovate to lanceolate, acuminate and serrulate. The flowers, which are produced on slender peduncles, are dark brown. 3*s.* 6*d.*
EXOCHORDA ALBERTI, 3*s.* 6*d.*
FRAXINUS MANDCHURICUS, 3*s.* 6*d.*
FREESIAS, *vide* page 30.
GENISTA ANDREANA, very handsome, 3*s.* 6*d.*
GUNNERA MANICATA, 3*s.* 6*d.*
SCABRA, 3*s.* 6*d.*
HALESIA (Pterostyrax) HISPIDA, 3*s.* 6*d.*
HEDERA AMURENSIS, 2*s.* 6*d.*
ATROPURPUREA, 1*s.* 6*d.*
SPECTABILIS AUREA, 2*s.* 6*d.*
CYCLAMEN EUROPÆUM, 5*s.* per dozen.
CYDONIA JAPONICA, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
CYPRIPEDIUM ACAULE, 3*s.* 6*d.* and 5*s.*
ARIETINUM, 2*s.* 6*d.*
MONTANUM, 5*s.*
PARVIFLORUM, 2*s.* 6*d.*
PUBESCENS, 2*s.* 6*d.*
SPECTABILE, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]

DEUTZIA, PRIDE OF ROCHESTER.

HEDERA HELIX AURANTIACA, this is the scarlet-berried Ivy, 2*s.* 6*d.* and 3*s.* 6*d.*
HEMEROCALLIS, of sorts, 9*d.* and 1*s.*

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6*s.* and 9*s.* per dozen.

HIBISCUS SYRIACUS (ALTHÆA FRUTEX), 1*s.* 6*d.*
SYRIACUS ALBO-PLENUS, 1*s.* 6*d.*
—— AMARANTHE, 1*s.* 6*d.*
—— ANEMONÆFLORUS, 1*s.* 6*d.*
—— ARDENS, 1*s.* 6*d.*
—— BOULE DE FEU, 1*s.* 6*d.*
—— CÆRULEUS PLENUS, 1*s.* 6*d.*
—— CARNEUS PLENUS, 1*s.* 6*d.*
—— COMTE DE FLANDRES, 1*s.* 6*d.*
—— COMTE DE HAINAULT, 1*s.* 6*d.*
—— CÆLESTIS, 1*s.* 6*d.*
—— DE LA VEUVE, 1*s.* 6*d.*
—— DUC DE BRABANT, 1*s.* 6*d.*
—— ELEGANTISSIMUS, 1*s.* 6*d.*
—— FASTUOSUS, 1*s.* 6*d.*
—— GRANDIFLORUS SUPERBUS, 1*s.* 6*d.*
—— LADY STANLEY, 1*s.* 6*d.*
HIBISCUS SYRIACUS LEOPOLDII, 1*s.* 6*d.*
SYRIACUS PURPUREUS PLENUS, 1*s.* 6*d.*
—— —— VARIEGATUS, 1*s.* 6*d.*
—— RANUNCULIÆFLORUS, 1*s.* 6*d.*
—— RUBER PURPUREUS FL. PL., 1*s.* 6*d.*
—— SPECIOSUS, 1*s.* 6*d.*
—— SPECTABILIS FL. PL., 1*s.* 6*d.*
—— VIOLACEUS ATROPURPUREUS FL. PL., 1*s.* 6*d.*
—— —— SEMI-PLENUS, 1*s.* 6*d.*
see also pages 16 and 30.
HOTEIA JAPONICA, *vide* Spiræa japonica
HYACINTHUS CANDICANS, 1*s.* 6*d.* per dozen.
HYDRANGEA ASPERA, 2*s.* 6*d.*
PANICULATA GRANDIFLORA, 1*s.* and 1*s.* 6*d.*
PEKINENSIS, 3*s.* 6*d.*
VOLUBILIS (SCANDENS), 1*s.* 6*d.*
see also page 30.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2*s.* 6*d.*

HYPERICUM PATULUM, 1*s.* 6*d.*
IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII), 2*s.* 6*d.*
IRIS CRISTATA, 1*s.* 6*d.*
IBERICA, 1*s.* and 1*s.* 6*d.*

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 4*s*., 6*s*. and 9*s*. per dozen; choice mixed varieties, 2*s*. 6*d*. and 3*s*. 6*d*. per doz.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 1*s*. 6*d*., 2*s*. 6*d*. & 3*s*. 6*d*.; choice varieties, 5*s*. & 7*s*. 6*d*.

IRIS PUMILA, 1*s*.
SIBIRICA, 1*s*.
SUSIANA, 1*s*.
TECTORUM, 3*s*. 6*d*.
JUNCUS LÆTEVIRENS, 3*s*. 6*d*.
—— ZEBRINUS, *vide* Scirpus Tabernæmontani zebrinus
KNIPHOFIA ALOIDES (Tritoma Uvaria), 9*d*.
ALOIDES (Tritoma Uvaria) GLAUCESCENS, 1*s*. 6*d*.
—— (—— ——) GRANDIFLORA, 1*s*.
—— (—— ——) NOBILIS, 2*s*. 6*d*.
LARDIZABALA BITERNATA, 3*s*. 6*d*.
LIBERTIA FORMOSA, 6*d*.
IXIOIDES, 6*d*.

LILIUMS.

AURANTIACUM, *vide* croceum.
AURATUM, 1*s*., 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
Dormant bulbs at the proper season, 6*d*., 9*d*., 1*s*. and 1*s*. 6*d*. each.
—— **CRUENTUM**, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 10*s*. 6*d*.

LILIUM AURATUM.

AURATUM ORNATUM, 10*s*. 6*d*.
——**PICTUM**, 7*s*. 6*d*.
——**PLATYPHYLLUM**, a handsome variety, giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 3*s*. 6*d*. and 5*s*.
—— **RUBRO-VITTATUM**, 7*s*. 6*d*. and 10*s*. 6*d*.
—— **VIRGINALE** (Wittei), 7*s*. 6*d*. and 10*s*. 6*d*.
BATEMANÆ, 1*s*. and 1*s*. 6*d*.
BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3*s*. 6*d*. and 5*s*.
BULBIFERUM, 1*s*.
BYZANTINUM, *vide* chalcedonicum.
CALIFORNICUM, 2*s*. 6*d*.
CALLOSUM 2*s*. 6*d*. and 3*s*. 6*d*.
CANADENSE 1*s*. and 1*s*. 6*d*.
—— **RUBRUM**, 2*s*. 6*d*.
CANDIDUM, 4*d*. and 6*d*.
—— **FLORE-PLENO**, 6*d*.
CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1*s*. and 1*s*. 6*d*.
COLUMBIANUM, 1*s*. 6*d*. and 2*s*. 6*d*.
CONCOLOR 2*s*. 6*d*. and 3*s*. 6*d*.
—— **CORIDION**, 2*s*. 6*d*.
CORDIFOLIUM, a rare Japanese Lily. 3*s*. 6*d*.
CROCEUM (AURANTIACUM), 6*d*.
DALMATICUM, *vide* Martagon dalmaticum
DAVURICUM ERECTUM, 4*d*.
—— **FULGIDUM** (SAPPHO) 6*d*.
—— **GRANDIFLORUM**, 9*d*.
—— **IMMACULATUM**, 6*d*.
—— **INCOMPARABILE**, 4*d*.
ELEGANS (THUNBERGIANUM), 1*s*. 6*d*.
—— (——) **ALICE WILSON**, 5*s*.
—— (——) **ALUTACEUM**, 6*d*.
—— (——) **ATROSANGUINEUM (FULGENS)**, 6*d*.
—— (——) **SEMI-PLENUM**, 2*s*. 6*d*.
—— (——) **BICOLOR**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **CRUENTUM**, 3*s*. 6*d*.
—— (——) **FORMOSUM**, 1*s*. 6*d*.
—— (——) **HÆMATOCHROUM**, 7*s*. 6*d*.
—— (——) **LATERITIUM** (BILIGULATUM), 6*d*.
—— (——) **MACULATUM**, 6*d*.
—— (——) **PICTUM**, 6*d*.
—— (——) **PRINCE OF ORANGE** (CITRINUM), 6*d*.
—— (——) **SANGUINEUM**, 6*d*.
—— (——) **SCINTILLANS**, 7*s*. 6*d*.
—— (——) **STAMINOSUM** (FLORE-PLENO), 1*s*. 6*d*.

LILIUMS—continued.

LILIUM LONGIFLORUM HARRISII.

EXCELSUM, *vide* testaceum
EXIMIUM, *vide* longiflorum eximium
GIGANTEUM, 5*s*. 7*s*. 6*d*. and 10*s*. 6*d*.
HANSONI, bright golden-yellow, spotted with crimson, 5*s*.
HUMBOLDTII, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden-yellow flowers, spotted with purple. 2*s*. 6*d*. and 3*s*. 6*d*.
ISABELLINUM, *vide* testaceum
JAPONICUM (ODORUM), a beautiful sweet-scented White Lily, 7*s*. 6*d*.
KAMSCHATICUM (SARANA) The Black Lily, 3*s*. 6*d*.
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1*s*. 6*d*. & 2*s*. 6*d*.
LANCIFOLIUM, *vide* speciosum
LEICHTLINI, scarce, 3*s*. 6*d*. and 5*s*.
LONGIFLORUM, 6*d*.
—— Gigantic bulbs, 9*d*.
—— **EXIMIUM**, 1*s*. and 1*s*. 6*d*.
—— **FOLIIS ALBO-MARGINATIS**, 2*s*. 6*d*.
—— —— **VARIEGATIS**, 3*s*. 6*d*.
—— **HARRISII**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 9*d*., 1*s*. and 1*s*. 6*d*.
Extra size, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
LONGIFLORUM WILSONI, 1*s*. 6*d*. & 2*s*. 6*d*.
MARTAGON (Turk's Cap Lily). 4*d*.
—— **ALBUM**, 3*s*. 6*d*. and 5*s*.
—— **AURANTIACUM**, *vide* pyrenaicum
—— **COCCINEUM**, *vide* chalcedonicum
—— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— **CATTANIÆ**, purple, 2*s*. 6*d*. & 3*s*. 6*d*.
MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers deliciously fragrant; one of the best of the Lilies. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— gigantic bulbs, 3*s*. 6*d*.
NEILGHERRENSE, a magnificent Lily, one of the finest of its section; blossoms creamy-white, deliciously fragrant and nearly a foot long, admirably adapted for conservatory decoration. 3/6 & 5/
NEPALENSE, very rare and extremely beautiful.
OCHROLEUCUM, this magnificent Lily, proves to be one of the most beautiful of the Euliriou or trumpet-flowered group. The flowers are of very large size, spreading when open to a diameter of 8 to 9 inches, and are borne 4, 5 or more, in an alternate manner, on vigorous stems, attaining a height of 4 to 6 feet. The blossoms, which are deliciously scented with a slightly aromatic odour, have the lower or basal portion of the segments of a clear ochreous yellow, the remaining portion of the petals, which gracefully recurve, being of a milk-white colour. 5*s*. and 7*s*. 6*d*.
PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1*s*. & 1*s*. 6*d*.
—— **BOURGÆI**, 2*s*. 6*d*.
PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s*. 6*d*. and 5*s*.
PARVUM, yellow, slightly spotted, 2*s*. 6*d*. and 3*s*. 6*d*.
PEREGRINUM, *vide* testaceum
POMPONIUM, an elegant species with bright scarlet flowers. 1*s*. and 1*s*. 6*d*.
Extra strong English grown bulbs, 2*s*. 6*d*. and 3*s*. 6*d*.
PUBERULUM, 2*s*. 6*d*.
PURPUREUM (RUBESCENS), 3*s*. 6*d*. and 5*s*.
PYRENAICUM, 6*d*.
ROSEUM, *vide* Thompsonianum.
RUBESCENS, *vide* purpureum.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1/ & 1/6
—— (——) **ALBUM; CORYMBIFLORUM**, 9*d*. & 1*s*.
—— (——) —— **NOVUM**, 5*s*.
—— (——) **CRUENTUM**, 2*s*. 6*d*.
—— (——) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) —— **SUPERBUM**, 5*s*.

LILIUMS—continued.

SPECIOSUM (LANCIFOLIUM) MELPOMENE, 3*s.* 6*d.* and 5*s.*
—— (——) **PUNCTATUM**, 1*s.* 6*d.* and 2*s.* 6*d.*
—— (——) **PURPURATUM**, 2*s.* 6*d.* & 3*s.* 6*d.*
—— (——) **ROSEUM**, 6*d.*, 9*d.* and 1*s.*
—— (——) **RUBRUM**, 6*d.*, 9*d.* and 1*s.*
—— (——) —— **CORYMBIFLORUM**, 1*s.* 6*d.*
—— (——) —— **SUPERBUM**, 2*s.* 6*d.*
—— (——) **SCHRYMAKERSI**, 1*s.* 6*d.*
SUPERBUM, 9*d.* and 1*s.*
—— **PYRAMIDALE**, 2*s.* 6*d.*
SZOVITZIANUM, *vide* monadelphum Szovitzianum
TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1*s.* 6*d.* and 2*s.* 6*d.*
TESTACEUM (EXOELSUM, ISABELLINUM, PEREGRINUM), nankeen-coloured flowers, 1*s.* 6*d.*
THOMPSONIANUM (ROSEUM), 1*s.*
THUNBERGIANUM, *vide* elegans.
TIGRINUM, 4*d.*
—— **FLORE-PLENO**, 4*d.*
—— **FORTUNEI**, 6*d.* and 9*d.*
—— —— **JUCUNDUM** (Maximowiczii), 1*s.* 6*d.* and 2*s.* 6*d.*
—— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6*d.* and 9*d.*
VENUSTUM, 1*s.* 6*d.*
WALLACEI, 1*s.* 6*d.*
WALLICHIANUM, 7*s.* 6*d.*
WASHINGTONIANUM, flowers white, slightly flushed with lilac, very sweet-scented, 2*s.* 6*d.* and 3*s.* 6*d.*

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s.* 6*d.*
MAGNOLIA CAMPBELLII, 10*s.* 6*d.* and 15*s.*
CONSPICUA, 3*s.* 6*d.*
LENNEI, 5*s.*
PURPUREA, 2*s.* 6*d.*
SOULANGEANA, 3*s.* 6*d.*
STELLATA (HALLEANA), 5*s.* and 7*s.* 6*d.*
of sorts, 3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*
MALUS FLORIBUNDA, 1*s.* 6*d.*
HALLEANA, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s.* 6*d.*
MAXIMOWICZIA CHINENSIS, 1*s.* 6*d.*
MILLA BIFLORA, 6*s.* per dozen.
MONTBRETIA CROCOSMÆFLORA, 6*d.*
CROCOSMÆFLORA AUREA, fine spikes of large golden-yellow flowers. 6*d.*
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion. 9*d.*
—— DRAP D'OR, erect habit, fine flowers with chrome-yellow lobes. 1*s.* 6*d.*
—— ELDORADO, very floriferous and of dwarf habit; large golden-yellow flowers. 2*s.* 6*d.*
—— ELEGANS, brilliant yellow, exterior of tubes and buds vermilion. 6*d.*
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow 1*s.*
—— GERBE D'OR, a dwarf and proliforous variety, producing magnificent golden-yellow flowers. 1*s.*
—— INCENDIE, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 3*s.* 6*d.*
—— MÉTÉORE, large flowers, lobes large and round, interior dark orange, exterior blood red. 1*s.* 6*d.*
—— PHARE, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 1*s.*
MONTBRETIA CROCOSMÆFLORA PLUIE D'OR, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 2*s.* 6*d.*
CROCOSMÆFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 9*d.*
—— RAYON D'OR, golden yellow; throat spotted red. 2*s.* 6*d.*
—— SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 2*s.* 6*d.*
—— SOLEIL COUCHANT, brilliant golden-yellow flowers; dwarf habit. 3*s.* 6*d.*
—— TIGRIDIE, rich orange-yellow flowers, maculated in the centre with brown; very striking. 3*s.* 6*d.*
—— TRANSCENDENT, bright orange-red, very floriferous. 2*s.* 6*d.*
POTTSII, 6*d.*
—— GRANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1*s.*
NEVIUSIA ALABAMENSIS, 3*s.* 6*d.*
NYMPHÆA ALBA, 1*s.* 6*d.* and 2*s.* 6*d.*
OPUNTIA RAFINESQUIANA, 2*s.* 6*d.*
PÆONIA ARBOREA (Tree Pæony), choice sorts, 5*s.* each, 48*s.* per dozen.
HERBACEOUS, 12*s.* and 18*s.* per dozen.
PANCRATIUM ILLYRICUM, 1*s.*
MARITIMUM, 9*d.*
PASSIFLORA CÆRULEA, 1*s.* 6*d.* and 2*s.* 6*d.*
CONSTANCE ELIOTT, 1*s.* 6*d.*
JOHN SPAULDING, 1*s.* 6*d.*
PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3*s.* 6*d.*
PHILADELPHUS CORONARIUS FOLIIS AUREUS, 1*s.* 6*d.*
GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3*s.* 6*d.*
HYBRIDUS LEMOINEI, 2*s.* 6*d.*
KETELEERI FLORE-PLENO, 2*s.* 6*d.*
MICROPHYLLUS, 2*s.* 6*d.*
MULTIFLORUS PLENUS, 1*s.* 6*d.*
PRIMULÆFLORUS, 3*s.* 6*d.*
ROSÆFLORUS PLENUS, 2*s.* 6*d.*

PHILADELPHUS LEMOINEI ERECTUS.

This now variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 5*s*.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s*. and 18*s*. per dozen.

PIERIS OVALIFOLIA DENSIFLORA, 3*s*. 6*d*. and 5*s*.
PIPER FUTOKADSURA, 3*s*. 6*d*. and 5*s*.
POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa
POLYGONUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
SACHALINENSE, 1*s*. 6*d*. and 2*s*. 6*d*.
POPULUS CANADENSIS AUREA VAN GEERTII, foliage of an attractive golden hue. 2*s*. 6*d*.
POTENTILLA, handsome double-flowered kinds 1*s*. 6*d*. and 2*s*. 6*d*.
PRIMULA CORTUSOIDES HYBRIDA, 2*s*. 6*d*.
FLORIBUNDA, *vide* page 32.
IMPERIALIS, *vide* page 3.
JAPONICA, 1*s*. and 1*s*. 6*d*.
—— of sorts, 3*s*. 6*d*. each.
PRUNUS SINENSIS ALBO-PLENA, 2*s*. 6*d*.
SINENSIS ROSEO-PLENA, 2*s*. 6*d*.
TRILOBA, 1*s*. 6*d*.
PUNICA, *vide* page 32.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1*s*. 6*d*. and 2*s*. 6*d*.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading and closely packed with spiko-like greenish flowers. 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

RHODEA, *vide* page 32.
RHODODENDRONS, choice hybrids of sorts, to name, 3*s*. 6*d*. and 5*s*.
RHUS GLABRA LACINIATA, 1*s*. and 1*s*. 6*d*.
RIBES ALPINUM PUMILUM AUREUM, 5*s*.
RICHARDIA, *vide* page 32.
ROSA RUGOSA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
RUGOSA (REGELIANA), 1*s*. 6*d*. and 2*s*. 6*d*.

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s*. 6*d*. each. 15*s*. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s*. 6*d*.

RUBUS FRUTICOSUS MAMMOTH, 2*s*. 6*d*.
—— SNYDER, 2*s* 6*d*.
—— WILSON'S EARLY, 2*s*. 6*d*.
} highly esteemed American Blackberries.

SAUROMATUM, *vide* Arisæma.
SAXIFRAGA CILIATA, 1*s*. 6*d*.
PELTATA, 1*s*. 6*d*.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.
SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s*. 6*d*. and 5*s*.
SEDUM SPURIUM SPLENDENS, 1*s*. 6*d*.
SENECIO PULCHER, 1*s*. 6*d*.
see also page 32.
SKIMMIA OBLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
SPIRÆA AMURENSIS, 1*s*. 6*d*.

SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which cannot be too highly appreciated as a decorative plant for early forcing. Certificated both by the Royal Horticultural and Royal Botanic Societies. The inflorescence consists of compound feathery branches of elegant white flowers. It is a charming plant for pot culture, its beautiful flowers being produced in the greatest profusion. *Vide* illustration, page 45. 1*s*. 6*d*. & 2*s*. 6*d*. each. 15*s*. & 24*s*. per dozen.

SPIRÆA ASTILBOIDES.

SPIRÆA ASTILBOIDES FLORIBUNDA.

A new variety, differing from the type in producing beautiful thyrsoid spikes of bloom, much more crowded with flowers than is the case with *S. astilboides*. It is also described by the raiser as of more robust and hardier growth, the foliage being of a rich deep green colour. 5*s*. each. 48*s*. per doz.

SPIRÆA BUMALDA RUBERRIMA.

A dwarf hybrid variety, raised between *S. bumalda* and *S. crispifolia*. The flowers, which are borne in corymbs, are dark carmine-rose, with bright carmine centre, the long tufts of rose stamens giving the flowers a plumose appearance. 7*s*. 6*d*.

SPIRÆA (HOTEIA) JAPONICA.

Strong clumps in the autumn. 5*s*. per dozen.

SPIRÆA JAPONICA AUREO-RETICULATA.

Pretty variegated foliage, added to which it bears a profusion of handsome compact spikes of pure white flowers. 1*s*. and 1*s*. 6*d*.

SPIRÆA JAPONICA COMPACTA MULTIFLORA.

This most desirable variety is a great improvement on the old *S. Japonica*, as it produces a profusion of large and dense spikes of pure white flowers, in telling contrast to the dark green foliage of the plant, the habit of which is dwarf and compact. 1*s*.

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3*s*. 6*d*.

SPIRÆA PALMATA.

The bright pink Spiræa, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. It is a native of Japan. 1*s*.

SPIRÆA PALMATA ALBA.

A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 1*s*. 6*d*.

STAPHYLEA COLCHICA, 2*s*. 6*d*. and 3*s*. 6*d*.
HYBRIDA COULOMBIERI, 3*s*. 6*d*.
STATICE LATIFOLIA, 1*s*.
STAUNTONIA LATIFOLIA, 2*s*. 6*d*.
STYRAX JAPONICA, 3*s*. 6*d*.

SYRINGA JAPONICA, 3*s*. 6*d*.
VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2*s*. 6*d*.
—— —— COMTE HORACE DE CHOISEUL. 2*s*. 6*d*.
—— HYACINTHIFLORA PLENA, 1*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2*s*. 6*d*. each; 24*s*. per dozen.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 7*s*. 6*d*.

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses grouped together, the flowers being very double, irregular in form, of a vinous rose colour; the buds carmine. 3*s*. 6*d*.

SYRINGA VULGARIS FL.-PL. LA TOUR D'AUVERGNE, 3*s.* 6*d.*
VULGARIS FL.-PL. LEON SIMON, 3*s.* 6*d.*
—— —— LE GAULOIS, 1*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MADAME JULES FINGER, 2*s.* 6*d.*
VULGARIS FL.-PL. MATHIEU DE DOMBASLE, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 2*s.* 6*d.* | **SYRINGA** VULGARIS FL.-PL. PYRAMIDAL, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three-quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins. Deliciously fragrant. 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. RENONCULE, 2*s.* 6*d.* | **SYRINGA** VULGARIS FL.-PL. RUBELLA, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose, *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3*s.* 6*d.*

TIGRIDIA CONCHIFLORA, 1*s.* 6*d.* per dozon.
GRANDIFLORA, 1*s.* 6*d.* per dozen.
—— ALBA, 1*s.* 6*d.* per dozeu.
—— AURANTIACA, 1*s.* 6*d.* per dozen.

These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRITOMA *vide* Kniphofia.
TRITONIA AUREA, *vide* CROCOSMA AUREA.
MINIATA bright crimson, 2*s.* 6*d.*

TROPÆOLUM SPECIOSUM, 1*s.*
TUBEROSUM, 6*d.* and 9*d.*

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 34.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 3*s.* 6*d.* and 5*s.*

VITIS JAPONICA, *vide* Ampelopsis tricuspidata | **VITIS** VINIFERA PURPUREA, 5*s.*

WEIGELA AMABILIS LOOYMANSII AUREA, 1*s.* 6*d.*
LONGIFOLIA ARGENTEO-MARGINATA, 3*s.* 6*d.*
SIEBOLDII FOLIIS ARGENTEO-MARGINATIS, 2*s.* 6*d.*

WEIGELA ABEL CARRIERE, 1*s.* 6*d.*
AUG. WILHELM, 2*s.* 6*d.*
CONGO, 1*s.* 6*d.*

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s.* 6*d.* each; 15*s.* per dozen.

WEIGELA DIDEROT, 1*s.* 6*d.*
EMILE GALLÈ, 1*s.* 6*d.*
LAVALLEI, 1*s.* 6*d.*
JEAN MACE, 1*s.* 6*d.*
MONTESQUIEU, 1*s.* 6*d.*

WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2*s.* 6*d.* and 3*s.* 6*d.*
MULTIJUGA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*

WISTARIA SINENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SINENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FLORE-PLENO, 3*s.* 6*d.*

XANTHOCERAS SORBIFOLIA, a handsome flowering shrub, 3*s.* 6*d.*

YUCCA MACROCARPA, 7*s.* 6*d.*
RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*

ses also page 33.

ZEPHYRANTHES, *vide* page 33.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. William Bull's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Enséte	*Abyssinia*
African Baobab Tree	Adansónia digitáta	*Africa*
African Mangosteen	Garcinia Livingstóni	*Africa*
African Rubber	Landolphia Watsoniana	*Africa*
Allspice	Eugenia Pimenta	*W. Indies*
Arrowroot	Maránta arundinácea	*S. America*
Annatto Dye Plant	Bixa Orellána	*Tropical America*
Australian Banyan	Ficus macrophylla	*Australia*
Avocado Pear	Persea gratissima	*West Indies*
Balsam of Peru	Myróxylon Pereira	*Peru*
Banyan Treo	Ficus iudica	*E. Indies*
Bark of Commeroe	Cinchóna officinális	*Tropical America*
Bengal Quince	Ægle Marmelos	*E. Indies*
Betle Pepper	Piper Bétle	*E. Indies*
Black Pepper	Piper nigrum	*E. Indies*
Brazil Nut	Bertholléția excélsa	*Brazil*
Cabbage Palm	Eutérpe edúlis	*Brazil*
Camphor	Cámphora officinális	*Japan*
Cape Chestnut	Calodcudron capense	*Cape Colony*
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*
Cardamon	Amómum Cardamómum	*E. Indies*
Cascarilla Bark	Croton Eluthéria	*Bahama Islands*
Cashew Nut	Anacardium occidentale	*India*
Cassia	Cinnamomum Cassia	*East Indies*
Cherimoyer	Anona Cherimolia	*Peru*
Chineso Plantain Tree	Músa Cavendishii	*China*
Cinnamon	Cinnamómum zeylanicum	*Ceylon*
Clove	Caryophyllus aromaticus	*Moluccas*
Coca	Erythróxylon Cóca	*Peru*
Cocoa	Theobróma Cacáo	*Tropical America*
Coffeo, Arabian	Coffea arábica	*Yemen*
Coffeo, Liberian	Coffea liberica	*Liberia*
Contrayerva Root	Dorsténia Contrayérva	*S. America*
Croton Oil	Croton Tiglium	*India*
Cuba Bast	Paritium clátum	*W. Indies*
Cubeb Pepper	Piper Cubéba	*Java*
Cundurango	Gonólobus Cundurángo	*S. America*
Date	Phœnix dactylifera	*Levant*
Durian	Durio zibethinus	*India*
Edible Eugonia	Eugenia edulis	*Brazil*
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*
Edible Vanguéria	Vanguéria edúlis	*Madagascar*
Fiddle Wood	Citharéxylon quadranguláre	*Jamaica*
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*
Gamboge	Zanthóchymus pictórius	*E. Indies*
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinále	*E. Indies*
Granadilla	Passiflóra quadrangulâris	*W. Indies*
Guarana Tea Plant	Paulliuia sórbilis	*Brazil*
Guava	Psídium Cattleyanum	*Brazil*
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*
Jack Fruit	Artocarpus integrifolius	*W. Indies*
Jalap	Exogónium púrga	*Mexican Andes*
Jamaica Quassia	Picrœna excelsa	*Jamaica*
Japan Cinnamon	Ciunamómum sericeum	*Japan*
Japanese Pepper	Piper Futokadsura	*Japan*
Kola Nut	Cola acuminata	*Niger*
Latanier Palm	Latánia borbónica	*Bourbon*
Ledger's Bark	Cinchóna Ledgeriana	*S. America*
Lemon Grass	Andropogon citratus	*India*
Litchi	Nephélium Litchi	*China*
Loquat	Eriobótrya japónica	*Japan*
Mahogany Tree	Swictenia Mahágoni	*W. Indies*
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*
Mango	Mangifera indica	*E. Indies*
Mangosteen	Garcinia Mangostána	*Java*
Manilla Hemp	Músa textilis	*Philippine Isles*
Matico	Artánthe elongáta	*Peru*
Milk Tree	Galactodendron utile	*S. America*
Mustard Tree of Scripture	Salvadóra pérsica	*Persia*
Nardoo	Marsilea macrópus	*Australia*
Natal Plum	Arduina grandiflora	*Natal*
Netted-leaved Custard Apple	Anona reticulata	*S. America*
Nutmeg	Myristica moscháta	*E. Indies*
Palissander Wood	Machœrium firmum	*S. America*
Para Rubber	Hévea brasiliénsis	*Brazil*
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*
Poison Bulb	Buphane toxicaria	*Natal*
Poison Nut	Thevetia neriifolia	*W. Indies*
Queensland Nut	Macadámia ternifólia	*Queensland*
Queensland Plum	Davidsonia prurieus	*Queensland*
Rhea Fibre Plant	Böhmeria nivea	*India*
Rhubarb	Rhéum officinále	*China*
Rose Apple	Eugenia Jambos	*India*
Sacred Indian Fig	Ficus religiosa	*India*
Sandal Wood	Santalum album	*India*
Saud Box Tree	Hura crepitans	*S. America*
Sarsaparilla	Smilax Sarsaparilla	*N. America*
Satin Wood	Chloróxylon Swieténia	*E. Indies*
Snake Wood	Cecrópia palmáta	*S. America*
Soap Berry	Sapindus Saponaria	*W. Indies*
Sour Sop	Anóna muricáta	*W. Indies*
Star Apple	Chrysophyllum Cainito	*W. Indies*
Strychnine	Strychuos núx-vómica	*East Indies*
Sugar Cane	Sáccharum officinárum	*India*
Sweet Sop	Anona squamosa	*S. America.*
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*
Tamarind Tree	Tamarindus indica	*E. Indies*
Tea	Théa Bohéa	*China*
Tea, Assam	Théa assamica	*Assam*
Tonga	Epipremnum mirábile	*South Sea Islands*
Tonquin Bean	Dipterix odorata	*Guiana*
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*
Turpentine Tree	Pistácia Terebinthus	*S. Europe*
Upas Tree	Antiaris toxicaria	*Java*
Vanilla	Vanilla aromática	*S. America*
Violet Sugar Cane	Saccharum violaceum	*India*
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally deponds upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any-one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 2, 3, 5, 7 and 10 guineas each, and upwards.

S, distinguishes the stove kinds; **I**, intermediate house; **C**, cool house.
Those marked thus (*) are winter-blooming kinds.

S	**ACANTHEPHIPPIUM** bicolor	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	javanicum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACINETA** Barkeri	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	chrysantha	South America	10*s.* 6*d.* and 15*s.*
I	densa	South America	21*s.* and 31*s.* 6*d.*
I	erythroxantha	South America	105*s.*
I	Humboldtii (superba)	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** Loddigesii	Mexico	5*s.* and 7*s.* 6*d.*
I	luteola	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	**ADA** aurantiaca	Pamplona	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Fine plants, 21*s.* and 31*s.* 6*d.*
**C*	aurantiaca punctata	Pamplona	
S	**AËRANTHUS** Leonis, *vide* **Angræcum** Leonis		
I	**AERIDES** affine	Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	affine roseum	Sylhet	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Sylhet	21*s.* and 31*s.* 6*d.*
S	Ballantinianum	East Indies	42*s.* and 63*s.*
I	crassifolium	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	crispum (Brookei)	Bombay	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	cylindricum (Vandarum)	East Indies	31*s.* 6*d.* and 42*s.*
S	Emericii	Andaman Islands	21*s.* and 31*s.* 6*d.*
S	expansum Leoniæ	East Indies	5*s.*, 7*s.* 6*d.* to 21*s.*
I	Fieldingii (Fox Brush)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* Fine plants, 21*s.* to 84*s.*
I	—— rubrum	East Indies	84*s.* and 105*s.*
S	Godefroyanum	Cochin China	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Houlletianum	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
C	japonicum	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	Larpentæ	East Indies	42*s.* and 63*s.*
S	Lawrenceæ	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Lindleyanum	Coonoor	10*s.* 6*d.* and 15*s.*
S	Lobbii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— magnificum	Moulmein	42*s.* and 63*s.*
S	—— rubrum	Moulmein	42*s.* and 63*s.*
S	maculosum	Bombay	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— superbum	Bombay	
S	mitratum	East Indies	10*s.* 6*d.* and 15*s.*
S	nobile	India	21*s.* and 31*s.* 6*d.*
S	odoratum (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	odoratum purpurascens	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*

S	**AERIDES** Picotianum	Cochin China	63*s.* and 84*s.*
S	quinquevulnerum	Philippine Islands	10*s.* 6*d.*, 15*s.* & 21*s.*
S	Rohanianum	East Indies	15*s.* and 21*s.*
S	rubrum	Bombay	63*s.* and 84*s.*
S	Sanderianum	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Savageanum	East Indies	21*s.* and 31*s.* 6*d.*
S	Schroederi	Bombay	
S	suavissimum	East Indies	15*s.* and 21*s.*
S	testaceum, *vide* Wightianum		
S	Vandarum, *vide* cylindricum		
S	Veitchii	East Indies	105*s.*
S	virens	Java	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	East Indies	15*s.* and 21*s.*
S	Wightianum (testaceum)	East Indies	10*s.* 6*d.*
I	Warneri	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AGANISIA** cyanea	Brazil	42*s.* and 63*s.*
S	**AMBLOSTOMA** cernuum	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	**ANGRÆCUM** arcuatum	Africa	15*s.* and 21*s.*
S	articulatum	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	bilobum	West Coast of Africa	
S	calceolus	Madagascar	10*s.* 6*d.*
S	calligerum	Madagascar	42*s.*
S	Chailluanum	West Coast of Africa	21*s.*, 31*s.* 6*d.* and 42*s.*
S	citratum	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	—— majus	Madagascar	15*s.* and 21*s.*
S	distichum	West Coast of Africa	7*s.* 6*d.* and 10*s.* 6*d.*
S	Du Buyssoni	Madagascar	31*s.* 6*d.*
**S*	eburneum (superbum)	Madagascar	21*s.* and 31*s.* 6*d.*
S	Ellisii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
I	falcatum	Japan	10*s.* 6*d.* and 15*s.*
S	fastuosum	Madagascar	31*s.* 6*d.* and 42*s.*
S	hyaloides	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Kimballianum	Madagascar	
S	Leonis (Aeranthus Leonis)	Comoro Island	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	modestum (Sanderianum)	West Coast of Africa	10*s.* 6*d.*, 15*s.* & 21*s.*
S	polystachys	West Coast of Africa	21*s.* and 31*s.* 6*d.*
S	Scottianum	Comoro Island	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	sesquipedale	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.* Fine plants, 3 to 5 guineas.
**S*	—— majus	Madagascar	84*s.* and 105*s.*
S	vesicatum	West Coast of Africa	15*s.*
**S*	virens (Brongniartianum)	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA** Clowesii	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	eburnea	Peru	63*s.* and 84*s.*
I	Ruckerii	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— acuta	South America	
I	—— punctata	South America	42*s.* and 63*s.*
I	—— retusa	South America	
I	—— sanguinea	South America	63*s.* and 84*s.*
I	uniflora	Colombia	10*s.* 6*d.* and 15*s.*
I	—— alba	Colombia	42*s.* and 63*s.*
I	—— superba	Colombia	42*s.*
S	**ANŒCTOCHILUS** Dawsonianus, *vide* Goodyera		
S	Lowii	East Indies	15*s.* and 21*s.*
S	Petola	Borneo	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	**ANSELLIA** africana	Sierra Leone	21*s.*, 31*s.* 6*d.* and 42*s.*
S	humilis	Zambesi	42*s.* and 63*s.*

S	**ANSELLIA humilis pallida**	Zambesi	42*s.* and 63*s.*
I	lutea	Africa	21*s.* and 31*s.* 6*d.*
I	**ARPOPHYLLUM giganteum**	Mexico	15*s.* and 21*s.*
I	spicatum	Mexico	10*s.* 6*d.* and 15*s.*
I	**ARUNDINA bambusæfolia**	Assam	31*s.* 6*d.* and 42*s.*
C	**BARKERIA elegans**	Mexico	10*s.* 6*d.* and 15*s.*
C	melanocaulon	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	spectabilis	Mexico	15*s.*
S	**BATEMANNIA Burtii**	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**BIFRENARIA atropurpurea**	Brazil	21*s.* and 31*s.* 6*d.*
I	aurantiaca	South America	15*s.* and 21*s.*
I	vitellina	South America	15*s.*
C	**BLETIA hyacinthina**	China	5*s.* and 7*s.* 6*d.*
I	Sherrattiana	Colombia	10*s.* 6*d.* and 15*s.*
**I*	Tankervillæ, *vide* **Phaius grandifolius**		
I	verecunda	Florida	15*s.*
I	—— alba	Florida	15*s.*
I	**BOLLEA Lalindei**	Colombia	
I	**BRASAVOLA cucullata**	Mexico	10*s.* 6*d.* and 15*s.*
S	Digbyana	Honduras	10*s.* 6*d.* and 15*s.*
I	glauca	Mexico	7*s.* 6*d.*, 10*s.* and 15*s.*
I	—— oculata	Mexico	15*s.*
I	nodosa	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**BRASSIA antherotes**	South America	42*s.* and 63*s.*
I	brachiata, *vide* **Wrayæ**		
I	caudata	South America	21*s.* and 31*s.* 6*d.*
I	Keiliana	South America	42*s.* and 63*s.*
S	Lawrenceana	Demerara	42*s.* and 63*s.*
S	maculata	West Indies	10*s.* 6*d.* and 15*s.*
I	signata	South America	31*s.* 6*d.*
C	verrucosa	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Wrayæ (brachiata)	South America	31*s.* 6*d.* and 42*s.*
S	**BROUGHTONIA sanguinea**	Jamaica	7*s.* 6*d.* and 10*s.* 6*d.*
S	**BULBOPHYLLUM Henshalli**	East Indies	31*s.* 6*d.* and 42*s.*
S	Lobbii, *vide* **Sarcopodium Lobbii**		
S	Pechei	British Burmah	42*s.*
S	reticulatum	East Indies	
S	umbellatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**BURLINGTONIA bahiensis**	Brazil	
I	candida	Demerara	7*s.* 6*d.* and 10*s.* 6*d.*
I	decora	Brazil	15*s.* and 21*s.*
I	—— imperialis	Brazil	21*s.* and 31*s.* 6*d.*
I	fragrans	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	venusta	Brazil	15*s.* and 21*s.*
I	**CALANTHE curculigoides**	Indian Archipelago	
S	furcata	New Caledonia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Masuca	Nepal, Sikkim	21*s.* and 31*s.* 6*d.*
C	pleiochroma	Japan	21*s.*
C	—— brevior	Japan	21*s.*
**I*	Regnieri	Cochin China	10*s.* 6*d.* and 15*s.*
**I*	—— amethystina	Cochin China	42*s.*
**I*	—— fulgens	Cochin China	42*s.*
**I*	—— purpurea	Cochin China	42*s.*
**I*	—— striata	Cochin China	42*s.*
**I*	Sedenii	Hybrid	21*s.*
C	Sieboldii, *vide* **Phaius Sieboldii**		

*I	**CALANTHE** Stevensiana	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Textori	Japan	21*s.*
*I	Turneri	India	10*s.* 6*d.* and 15*s.*
*I	—— nivalis	India	10*s.* 6*d.* and 15*s.*
*I	Veitchii	Hybrid	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*I	—— alba	Hybrid	
*I	—— superba	Hybrid	10*s.* 6*d.*
S	veratrifolia	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
*I	vestita luteo-oculata	Tavoy, Java	5*s.* and 7*s.* 6*d.*
*I	—— oculata gigantea	Tavoy, Java	21*s.*
*I	—— rubro-oculata	Tavoy, Java	3*s.* 6*d.* and 5*s.*
I	**CATASETUM** Bungerothii	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Bungerothii roseo-oculatum	Ecuador	63*s.*
I	Darwinianum	British Guiana	21*s.* and 31*s.* 6*d.*
I	decipiens	South America	
I	discolor	South America	10*s.* 6*d.*
I	—— viridiflorum	South America	21*s.*
I	Gnomus	South America	21*s.*
I	macrocarpum	Brazil	10*s.* 6*d.*
I	medium	Brazil	63*s.*
I	Œrstedii	South America	21*s.*
I	saccatum	South America	
I	sanguineum	Brazil	10*s.* 6*d.* and 15*s.*
I	—— integrale	South America	15*s.*
I	tabulare	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	tridentatum	South America	
I	Trulla	South America	21*s.*
I	**CATTLEYA** Aclandiæ	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	amethystina, *vide* intermedia		
I	amethystoglossa	Brazil	10*s.* 6*d.* 15*s.* and 21*s.*
I	aurea, *vide* C. Dowiana aurea		
I	Bassettii, *vide* speciosissima		
I	bicolor	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— grandiflora	Brazil	31*s.* 6*d.*
I	—— Measuresiana	Brazil	31*s.* 6*d.* and 42*s.*
I	—— oculata	Brazil	42*s.*
I	Boothiana, *vide* lobata		
I	Bowringiana	Central America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Central America	42*s.* and 63*s.*
I	—— violacea	Central America	42*s.* and 63*s.*
I	bulbosa, *vide* Walkeriana		
I	chocoensis	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrina	Oaxaca	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	crispa	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Crossiana	Hybrid	
I	dolosa	Brazil	10*s.* 6*d.* and 15*s.*
I	Dormaniana	Brazil	31*s* 6*d.* and 42*s.*
S	Dowiana	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— aurea	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— —— magnifica	Colombia	
	—— punctata	Costa Rica	
I	Eldorado	Rio Negro	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aurea	Rio Negro	42*s.* and 63*s.*
I	—— carnea	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— conspicua	Rio Negro	63*s.* and 84*s.*
I	—— Leeana	Rio Negro	63*s.*
I	—— picta	Rio Negro	84*s.*

I	**CATTLEYA Eldorado rosea**	Rio Negro	31*s.* 6*d.* and 42*s.*
I	Eldorado rubella	Rio Negro	84*s.*
I	—— splendens	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superba	Rio Negro	42*s.* and 63*s.*
I	—— Wallisii (alba)	Rio Negro	105*s.*
I	elegans, *vide* Lælia elegans		
I	Forbesii	Brazil	10*s.* 6*d.*
I	Gaskelliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— Alexandræ	Venezuela	
I	—— carnea	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— grandiflora	Venezuela	42*s.*
I	—— picta	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— pulchra	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— rosea	Venezuela	31*s.* 6*d.*
I	—— superba	Venezuela	21*s.* and 31*s.* 6*d.*
I	gigas	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— atropurpurea	Colombia	
I	—— Chelsoni	Colombia	
I	—— formosa	Colombia	
I	—— fulgens	Colombia	
I	—— imperialis	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— magnifica	Colombia	
I	—— marginata	Colombia	
I	—— Normanii	Colombia	
I	—— picturata	Colombia	
I	—— regalis	Colombia	
I	—— Reginæ	Colombia	
I	—— rosea	Colombia	
I	—— Sanderiana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— —— mirabile	Colombia	
I	—— splendens	Colombia	
I	—— tyrianthina	Colombia	
I	grandis, *vide* Lælia grandis		
I	guttata	Brazil	15*s.* and 21*s.*
I	Harrisoniæ	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
I	Holfordi, *vide* C. luteola		
I	intermedia (amethystina)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	labiata, *vide* C. Warnerii		
I	Lawrenceana	British Guiana	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— oculata	British Guiana	
I	—— rosea	British Guiana	
I	Lemoniana, *vide* C. speciosissima		
I	Leopoldii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lobata (Lælia Boothiana)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Loddigesii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Luddemanniana, *vide* C. speciosissima		
I	luteola (Holfordii)	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s*
**I*	marginata, *vide* Lælia marginata		
I	maxima (Quindos)	Ecuador, Popayan	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— albo-marginata	Ecuador	
I	—— peruviensis	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superba	Ecuador	42*s.* and 63*s.*
I	Mendelii	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— Alexandræ	South America	
I	—— ampliata	South America	
I	—— conspicua	South America	

I	**CATTLEYA Mendelii delicata**	South America		
I	**Mendelii excellens**	South America		
I	—— gigantea	South America		
I	—— grandis	South America		
I	—— insignis	South America		
I	—— magnifica	South America		
I	—— majestica	South America		
I	—— miniata	South America		
I	—— ornata	South America		
I	—— picta	South America		
I	—— princeps	South America		
I	—— Rex	South America		
I	—— speciosa	South America		
I	—— superba	South America		
I	—— superbissima	South America		
I	—— tincta	South America		21*s*., 31*s*. 6*d*. and 42*s*.
I	—— triumphans	South America		
I	—— Venus	South America		
I	—— Victoriæ	South America		
I	**Mossiæ**	Venezuela		5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. Fine plants, 21*s*., 31*s*. 6*d*., 42*s*. and 63*s*.
I	—— albo-marginata	Venezuela		63*s*. and 84*s*.
I	—— Alexandræ	Venezuela		
I	—— amœna	Venezuela		
I	—— aurantiaca	Venezuela		15*s*., 21*s*. and 31*s*. 6*d*.
I	—— aurea grandiflora	Venezuela		
I	—— Chelsoni	Venezuela		
I	—— Cleopatra	Venezuela		
I	—— conspicua	Venezuela		
I	—— delicata	Venezuela		21*s*. and 31*s*. 6*d*.
I	—— —— aurantiaca	Venezuela		
I	—— flammea	Venezuela		
I	—— formosa	Venezuela		
I	—— gigantea	Venezuela		
I	—— grandiflora	Venezuela		21*s*. and 31*s*. 6*d*.
I	—— grandis	Venezuela		
I	—— insignis	Venezuela		
I	—— Lawrenceana	Venezuela		63*s*. and 84*s*.
I	—— magnifica	Venezuela		
I	—— marginata	Venezuela		
I	—— maxima	Venezuela		
I	—— picta	Venezuela		
I	—— picturata	Venezuela		63*s*. and 84*s*.
I	—— princeps	Venezuela		
I	—— pulcherrima	Venezuela		63*s*. and 84*s*.
I	—— rosea	Venezuela		63*s*. and 84*s*.
I	—— —— elegans	Venezuela		
I	—— rubra	Venezuela		105*s*. and 147*s*.
I	—— speciosa	Venezuela		
I	—— splendens	Venezuela		42*s*. and 63*s*.
I	—— superba	Venezuela		21*s*., 31*s*. 6*d*. and 42*s*.
I	—— triumphans	Venezuela		
I	—— venosa	Venezuela		
I	—— Victoriæ	Venezuela		
I	**nobilior**	Brazil		31*s*. 6*d*. and 42*s*.
I	**ornata**	Hybrid		
I	**Percivaliana**	Venezuela		7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	—— bella	Venezuela		

I	**CATTLEYA** Percivaliana magnifica....	Venezuela	
I	Percivaliana marginata	Venezuela	31*s.* 6*d.* and 42*s.*
I	—— nigra	Venezuela	
I	—— ornata	Venezuela	
I	—— picta	Venezuela	
I	—— rubro-nigra	Venezuela	
I	—— splendens	Venezuela	
I	—— rubra superba	Venezuela	
I	Perrinii, *vide* Lælia Perrinii		
**I*	Pinelii, *vide* Lælia præstans		
I	Schilleriana (Regnellii)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Schofieldiana	Brazil	
I	Schrœderæ	Colombia	10*s.* 6*d.*, 15*s.* to 42*s.*
I	—— albescens	Colombia	
I	—— aurantiaca	Colombia	
I	—— luteo-picta.....	Colombia	
I	—— rosea	Colombia	
I	—— superba	Colombia	42*s.* and 63*s.*
S	signata	Hybrid.....	
I	Skinneri	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— alba	Mexico	
I	—— oculata	Mexico	42*s.* and 63*s.*
I	—— splendens	Mexico	
I	speciosissima (Bassettii, Lemoniana, Luddemanniana)	Caracas.....	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	Stelzneriana, *vide* Lælia elegans		
S	superba	Essequibo	7*s.* 6*d.*, 10*s.* 6*d.*and 15*s.*
S	—— splendens	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Thompsoniana	Hybrid	
**I*	Trianæ	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— alba	Colombia	
**I*	—— ampliata	Colombia	42*s.* and 63*s.*
**I*	—— aurantiaca.....	Colombia	63*s.*
**I*	—— bella	Colombia	105*s.*
**I*	—— bogotensis.....	Colombia	21*s.*, 31*s.* 6*d.* and 42*s*
**I*	—— carnea	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Cleopatra	Colombia	63*s.* and 84*s.*
**I*	—— conspicua	Colombia	
**I*	—— delicata	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— Duchess.....	Colombia	
**I*	—— elegans	Colombia	63*s.* and 84*s.*
**I*	—— excellens	Colombia	105*s.*
**I*	—— fimbriata	Colombia	
**I*	—— flammea.....	Colombia	
**I*	—— gemma	Colombia	
**I*	—— grandis	Colombia	42*s.* and 63*s.*
**I*	—— illustris	Colombia	105*s.*
**I*	—— insignis	Colombia	84*s.*
**I*	—— macrantha.....	Colombia	
**I*	—— magnifica	Colombia	84*s.* and 105*s.*
**I*	—— marginata.....	Colombia	42*s.* and 63*s.*
**I*	—— miniata	Colombia	
**I*	—— nivea	Colombia	
**I*	—— perfecta	Colombia	
**I*	—— picta	Colombia	63*s.* and 84*s.*
**I*	—— princeps.....	Colombia	
**I*	—— quadricolor	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Rosalind	Colombia	

*I	**CATTLEYA** Trianæ rosea	Colombia	31*s.* 6*d.* and 42*s.*
*I	—— superba	Colombia	84*s.* and 105*s.*
*I	—— rubescens	Colombia	63*s.*
*I	—— rubra	Colombia	42*s.*
*I	—— speciosa	Colombia	63*s.* and 84*s.*
*I	—— splendens	Colombia	42*s.* and 63*s.*
*I	—— superba	Colombia	31*s.* 6*d.* and 42*s.*
*I	—— tricolor	Colombia	
*I	—— tyrianthina	Colombia	31*s.* 6*d.* and 42*s.*
*I	—— Venus	Colombia	63*s.* and 84*s.*
*I	—— Vesta	Colombia	63*s.* to 105*s.*
*I	—— Victoria	Colombia	
*I	—— virginalis	Colombia	63*s.* and 84*s.*
I	velutina	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Walkeriana (bulbosa)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Warnerii (labiata)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— magnifica	Brazil	
I	—— picta	Brazil	
I	—— splendens	Brazil	
I	Warocqueana	South America	63*s.* and 84*s.*
I	xanthina, *vide* Lælia xanthina		
I	**CHYSIS** aurea	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	bractescens	Peru	10*s.* 6*d.* and 15*s.*
I	chelsoniensis	Hybrid	21*s.* and 31*s.* 6*d.*
I	lævis	Mexico	21*s.*
I	**CIRRHOPETALUM** imbricatum	Sierra Leone	63*s.*
I	ornatissimum	East Indies	42*s.*
S	mundulum	Shan States	42*s.*
I	picturatum	East Indies	31*s.* 6*d.* and 42*s.*
S	pulchrum	Borneo	63*s.*
S	Thouarsii	Manilla	42*s.* and 63*s.*
S	umbellatum, *vide* Bulbophyllum		
C	**COCHLIODA** Noezliana, *vide* Odontoglossum Noezlianum		
S	**CŒLIA** bella	Mexico	21*s.* and 31*s.* 6*d.*
S	macrostachya	Guatemala	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**CŒLOGYNE** asperata (Lowii)	Borneo	15*s.*, 21*s.* and 31*s.* 6*d.*
I	assamica	Assam	21*s.*
*I	barbata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	corrugata	Khasya	10*s.* 6*d.* and 15*s.*
*C	cristata	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— Chatsworth variety	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— hololeuca (alba)	East Indies	84*s.*, 105*s.* and 147*s.*
*C	—— Lemoniana	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
*C	—— maxima	East Indies	
*C	—— Trentham variety	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Dayana	Borneo	42*s.* and 63*s.*
I	elata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	fimbriata	East Indies	15*s.* and 21*s.*
*I	flaccida	Assam	10*s.* 6*d.* and 15*s.*
I	Gardneriana	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	lentiginosa	Moulmain	7*s.* 6*d.* and 10*s.* 6*d.*
I	Massangeana	Assam	15*s.*, 21*s.* and 31*s.* 6*d.*
			Remarkably fine specimens, from 5 to 20 guineas
I	ocellata	Assam	5*s.* and 7*s.* 6*d.*
I	ovalis	East Indies	
I	Ruckerii	East Indies	
I	speciosa	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Java	21*s.* and 31*s.* 6*d.*
I	tomentosa	East Indies	10*s.* 6*d.*

C	**COLAX** jugosus	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**COMPARETTIA** macroplectron	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**CORYANTHES** macrantha	Caracas	42*s.*
S	speciosa	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**CRYPTOCHILUS** sanguineus	Assam	21*s.*
S	**CYCNOCHES** chlorochilon	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**CYMBIDIUM** affine, *vide* C. Mastersii affine		
I	albucæflorum, *vide* C. madidum		
I	aloifolium	East Indies	5*s.* and 7*s.* 6*d.*
I	Devonianum	Assam	
**C*	eburneum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— Dayanum	East Indies	
**C*	—— maculatum	East Indies	
**C*	—— pictum	East Indies	
S	elegans	East Indies	
**C*	giganteum	Assam	21*s.* and 31*s.* 6*d.*
C	Hookerianum	Sikkim, Himalaya	63*s.*, 84*s.* and 105*s.*
C	Lowianum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* Very fine specimens, from 3 to 40 guineas each
C	—— atropurpureum	Burmah	
C	—— eximium	Burmah	
C	—— Victoriæ	Burmah	
I	madidum (albucæflorum)	Queensland	
**C*	Mastersii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
*	—— affine	East Indies	15*s.*, 21*s.* to 42*s.*
S	pendulum atropurpureum	Java	
I	tigrinum	East Indies	21*s.* and 31*s.* 6*d.*
**C*	**CYPERORCHIS** Mastersii, *vide* Cymbidium Mastersii		
I	**CYPRIPEDIUM** Ainsworthii	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	albo-purpureum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
**I*	amandum	Hybrid	42*s.* and 63*s.*
I	Amesianum	Hybrid	63*s.*
I	apiculatum	Hybrid	
**I*	Argus	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Arthurianum	Hybrid	63*s.*, 84*s.* and 105*s.*
I	Ashburtoniæ	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	auroreum	Hybrid	
I	barbatum	Mount Ophir	3*s.* 6*d.* and 5*s.*
I	—— biflorum	Mount Ophir	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— grandiflorum	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— —— nanum	Java	42*s.*
I	—— majus	Mount Ophir	10*s.* 6*d.*
I	—— nigrum	Mount Ophir	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— pictum	Mount Ophir	15*s.*
I	—— plumosum	Mount Ophir	21*s.* and 31*s.* 6*d.*
I	—— pulcherrimum	Mount Ophir	15*s.* and 21*s.*
I	—— purpureum	Mount Ophir	10*s.* 6*d.* and 15*s.*
I	—— superbum	Mount Ophir	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— violaceum	Mount Ophir	21*s.* and 31*s.* 6*d.*
**I*	—— Warnerianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Bartetii	Hybrid	84*s.* and 105*s.*
S	bellatulum	Siam	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	Boxallii	Burmah	5*s.*, 7*s.* 6*d.* to 15*s.*
C	—— atratum	Burmah	31*s.* 6*d.* and 42*s.*
**I*	Bullenianum	Borneo	3*s.* 6*d.* and 5*s.*
I	callosum	Siam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— coloratum	Siam	42*s.*
I	—— pictum	Siam	42*s.*

I	**CYPRIPEDIUM** callosum sublæve	Siam	63*s*.
I	calophyllum	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	calurum	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	cardinale	Hybrid	63*s*.
**I*	caricinum, *vide* C. Pearcei		
I	caudatum	Central America	10*s*. 6*d*., 15*s*. to 31*s*. 6*d*.
I	—— major	Central America	
I	—— nigrum	Central America	
I	—— roseum	Central America	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— Wallisii	Ecuador	63*s*.
I	chloroneurum	Hybrid	15*s*., 21*s*. and 31*s*. 6*d*.
I	ciliolare	East Indies	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	conchiferum	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	concolor	Moulmein	10*s*. 6*d*., 15*s*. and 21*s*.
I	—— Regnierii	Moulmein	10*s*. 6*d*. and 15*s*.
**I*	Crossianum	Hybrid	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	—— superbum	Hybrid	31*s*. 6*d*. and 42*s*.
S	Curtisii	Sumatra	10*s*. 6*d*., 15*s*. to 42*s*.
C	Dauthierii	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	Dayanum	Borneo	21*s*. and 31*s*. 6*d*.
I	Dominii	Hybrid	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	Druryi	East Indies	21*s*., 31*s*. 6*d*. and 42*s*.
I	Elliotianum	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
I	Euryale	Hybrid	
S	euryandrum	Hybrid	31*s*. 6*d*., 42*s*. and 63*s*.
I	Fitchianum	Hybrid	63*s*.
S	gemmiferum	Hybrid	84*s*. and 105*s*.
S	Godefroyæ	Siam	10*s*. 6*d*. and 15*s*.
S	—— ampliatum	Siam	
S	grande	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
C	Harrisianum	Hybrid	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— nigrum	Hybrid	42*s*. and 63*s*.
C	—— superbum	Hybrid	
S	Hartwegii	Ecuador	10*s*. 6*d*., 15*s*. and 21*s*.
S	Haynaldianum	East Indies	10*s*. 6*d*., 15*s*. and 21*s*.
I	hirsutissimum	Assam	10*s*. 6*d*., 15*s*. and 21*s*.
S	Hookeræ	Borneo	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	hybridum	Hybrid	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— marginatum	Hybrid	21*s*. and 31*s*. 6*d*.
**C*	insigne	Nepal	3*s*. 6*d*. and 5*s*.
**C*	—— albo-marginatum	Nepal	10*s*. 6*d*. and 15*s*.
**C*	—— —— —— majus	Nepal	42*s*.
**C*	—— Chantinii (punctatum violaceum)	Nepal	15*s*., 21*s*. and 31*s*. 6*d*.
**C*	—— Freemanii	Nepal	
**C*	—— fuscatum	Nepal	
**C*	—— guttulatum	Nepal	15*s*. and 21*s*.
**C*	—— maculatum	Nepal	15*s*. and 21*s*.
**C*	—— Maulei	Nepal	10*s*. 6*d*., 15*s*. and 21*s*.
**C*	—— maximum	Nepal	10*s*. 6*d*.
**C*	—— ornatum	Nepal	42*s*.
**C*	—— pictum	Nepal	21*s*.
**C*	—— picturatum	Nepal	31*s*. 6*d*.
**C*	—— punctatum	Nepal	15*s*.
**C*	—— —— violaceum, *vide* Chantinii		
I	Io	Hybrid	42*s*. and 63*s*.
I	—— grande	Hybrid	
S	javanico-superbiens	Hybrid	63*s*., 84*s*. and 105*s*.

I	**CYPRIPEDIUM javanicum**	Java	10*s.* 6*d.* and 15*s.*
S	lævigatum (philippinense)	Philippine Islands	7*s.* 6*d.* and 10*s.* 6*d.*
I	Laforcadei	Hybrid	
I	Lathamianum	Hybrid	63*s.* and 84*s.*
I	Lawrenceanum	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— coloratum	Borneo	63*s.*
I	—— expansum	Borneo	42*s.*
I	—— majus	Borneo	
I	—— marmoratum	Borneo	
I	—— superbum	Borneo	21*s.* and 31*s.* 6*d.*
**I*	Leeanum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	—— superbum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Lindleyanum	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	longifolium	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	Lowii	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	marmorophyllum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Mastersianum	East Indies	
I	Measuresianum	Hybrid	
**S*	Meirax	Hybrid	42*s.*, 63*s.* and 84*s.*
**S*	melanopthalmum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Morganiæ	Hybrid	105*s.* and 147*s.*
**S*	nitens	Hybrid	15*s.* and 21*s.*
**S*	—— superbum	Hybrid	31*s.* 6*d.* and 42*s.*
S	nitidissimum	Hybrid	42*s.*, 63*s.* and 84*s.*
**S*	niveum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	œnanthum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Hybrid	31*s.* 6*d.* and 42*s.*
S	Parishii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	pavoninum	Hybrid	
I	Pearcei (caricinum)	Peru	10*s.* 6*d.* and 15*s.*
S	philippinense, *vide* lævigatum		
I	politum	Hybrid	42*s.* and 63*s.*
I	porphyreum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	præstans	New Guinea	42*s.* and 63*s.*
I	purpuratum	Hong Kong	21*s.*, 31*s.* 6*d.* and 42*s.*
I	regale	Hybrid	105*s.*
S	Robelenii	Malay Archipelago	7*s.* 6*d.* and 10*s.* 6*d.*
I	Roezlii	South America	10*s.* 6*d.* and 15*s.*
S	Rothschildianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Sallierii	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Sanderianum	Malay Archipelago	15*s.* and 12*s.*
S	Saundersianum	Hybrid	
C	Schlimii	Colombia	7*s.* 6*d.*, 10*s* 6*d.* and 15*s.*
C	—— album	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Schroderæ	Hybrid	42*s.*, 63*s.* and 84*s.*
C	Sedeni	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— candidulum	Hybrid	15*s.*, 21*s.* and 31*s.* 6*d.*
C	—— superbum	Hybrid	15*s.* and 21*s.*
I	Seegerianum	Hybrid	63*s.*
I	selligerum	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— majus	Hybrid	63*s.* and 84*s.*
**I*	Spicerianum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— grandiflorum	East Indies	63*s.*
**I*	—— magnificum	East Indies	
**I*	—— prasinum	East Indies	63*s.*
**I*	—— virescens	East Indies	63*s.*
**I*	—— viride	East Indies	
I	stenophyllum	Hybrid	15*s.* and 21*s.*

S	**CYPRIPEDIUM Stonei**	Borneo	10*s.* 6*d.* and 15*s.*
I	superbiens (Veitchii)	Java	15*s.*, 21*s.* & 31*s.* 6*d.*
I	superciliare	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ornatum	Hybrid	31*s.* 6*d.* and 42*s.*
I	Swanianum	Hybrid	15*s.* and 21*s.*
S	Tautzianum lepidum	Hybrid	
S	tonsum	Sumatra	42*s.* and 63*s.*
**C*	venustum	Nepal	5*s.* and 7*s.* 6*d.*
**C*	—— pardinum	Nepal	21*s.*
I	vernixium	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	vexillarium	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
C	villosum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— aureum	Moulmein	63*s.* and 84*s.*
**S*	virens	Borneo	10*s.* 6*d.* and 15*s.*
S	Volonteanum	East Indies	
I	Williamsianum	Hybrid	63*s.*, 84*s.* and 105*s.*
I	**CYRTOPODIUM Andersoni**	Brazil	15*s.* and 21*s.*
I	punctatum	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	St. Legerianum	Paraguay	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**CYRTOPTERA Regnieri**	Cochin China	21*s.* and 31*s.* 6*d.*
I	**DENDROBIUM aggregatum**	East Indies	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
I	aggregatum majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	Ainsworthii	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— roseum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	albo-sanguineum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	anosmum (Dayanum)	Manilla	21*s.* and 31*s.* 6*d.*
S	aurantiacum	East Indies	10*s.* 6*d.* and 15*s.*
I	aureum (heterocarpum)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	barbatulum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Bensoniæ	Arracan Hills	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— nigrum	Arracan Hills	42*s.*
S	bicameratum	Burmah	10*s.* 6*d.*
S	bigibbum	Torres Straits	10*s.* 6*d.* and 15*s.*
S	—— superbum	Torres Straits	31*s.* 6*d.* and 42*s.*
I	binoculare	Burmah	21*s.* and 31*s.* 6*d.*
S	Brymerianum	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Calceolaria	East Indies	10*s.* 6*d.* and 15*s.*
I	Cambridgeanum, *vide* D. ochreatum		
I	canaliculatum (Tattonianum)	Queensland	10*s.* 6*d.* and 15*s.*
I	cariniferum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	chlorops	India	
I	chrysanthum	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
I	chrysotoxum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Moulmein	10*s.* 6*d.* and 15*s.*
S	ciliatum	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	clavatum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	crassinode	Arracan & Siam Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**S*	—— album	Arracan & Siam Mountains	
**S*	—— Barberianum	Arracan & Siam Mountains	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	crepidatum	East Indies	5*s.* and 7*s.* 6*d.*
S	cretaceum	Burmah	5*s.* and 7*s.* 6*d.*
S	crystallinum	Arracan Mountains	7*s.* 6*d.* and 10*s.* 6*d.*
S	cucullatum, *vide* D. Pierardii		
I	cupreum	East Indies	21*s.* and 31*s.* 6*d.*
S	Dalhousianum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Dayanum, *vide* D. anosmum		
S	Dearei	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	densiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

I	**DENDROBIUM Devonianum**	Khasya	*5s.*, *7s. 6d.* and *10s. 6d.*
I	dixanthum	East Indies	*10s. 6d.* and *15s.*
I	Dominianum	Hybrid	*21s.*, *31s. 6d.* and *42s.*
S	Draconis (eburneum)	Burmah	*7s. 6d.*, *10s. 6d.* and *15s.*
I	Endocharis	Hybrid	*15s.*, *21s.* and *31s. 6d.*
I	Falconeri	East Indies	*7s. 6d.* and *10s. 6d.*
S	Farmeri	India	*10s. 6d.*, *15s.* and *21s.*
S	—— album	India	
S	—— aureum	India	*7s. 6d.*, *10s. 6d.* and *15s.*
I	fimbriatum	Nepal	*10s. 6d.* and *15s.*
I	—— oculatum	Nepal	*7s. 6d.*, *10s. 6d.* and *15s.*
S	Findleyanum	Moulmein	*10s. 6d.* and *15s.*
S	—— roseum	Moulmein	
I	formosum giganteum	Burmah	*5s.*, *7s. 6d.* and *10s. 6d.*
I	Freemanii	Assam	*10s. 6d.*, *15s.* and *21s.*
I	Gibsonii	Tenasserim	*21s.* and *31s. 6d.*
I	Griffithianum	East Indies	*42s.* and *63s.*
I	Guibertii	East Indies	
S	Harveyanum	Burmah	*15s.*
I	heterocarpum, *vide* aureum		
*C	Hillii, *vide* speciosum Hillii		
C	infundibulum	Moulmein	*7s. 6d.*, *10s. 6d.* and *15s.*
C	Jamesianum	Moulmein	*7s. 6d.*, *10s. 6d.* and *15s.*
C	japonicum, *vide* moniliforme		
S	Jenkinsii	Gualpara	*7s. 6d.*, *10s. 6d.* and *1 5s.*
I	Kingianum	Australia	*10s. 6d.*, *15s.* and *21s.*
I	—— album	Australia	*31s. 6d.* and *42s.*
S	Leechianum	Hybrid	*63s.* and *84s.*
I	Linawianum (moniliforme, Hort.)	China and Japan	*10s. 6d.*, *15s.* and *21s.*
I	lituiflorum	East Indies	*7s. 6d.*, *10s. 6d.* and *15s.*
I	longicorne	Khasya Hills	*15s.* and *21s.*
S	Lowii	East Indies	*15s.* and *21s.*
I	luteolum	Moulmein	*10s. 6d.* and *15s.*
S	macrophyllum (superbum)	Manilla	*5s.*, *7s. 6d.* and *10s. 6d.*
S	—— giganteum	Manilla	*21s.* and *31s. 6d.*
S	MacCarthiæ	Ceylon	*21s.* and *31s. 6d.*
I	marmoratum	Assam	*7s. 6d.* and *10s. 6d.*
C	moniliforme (japonicum)	Japan	*7s. 6d.*
I	moniliforme, Hort., *vide* Linawianum		
S	monophyllum	Queensland	
I	moschatum	East Indies	*10s. 6d.* and *15s.*
S	mutabile (triadenium)	Java	
I	nobile	Assam	*5s.* and *7s. 6d.*
I	—— albescens	Assam	
I	—— cærulescens	Assam	*15s.*, *21s.* and *31s. 6d.*
I	—— Cooksoni	Assam	
I	—— elegans	Assam	*21s.*
I	—— excellens	Assam	
I	—— grandiflorum	Assam	*21s.* and *31s. 6d.*
I	—— insignis	Assam	
I	—— nobilius	Assam	*63s.*, *84s.* and *105s.*
I	—— pendulum	Assam	*21s.* and *31s. 6d.*
I	—— pulcherrimum	Assam	*21s.* and *31s. 6d.*
I	—— roseum	Assam	*42s.* and *63s.*
I	—— rubellum	Assam	*31s. 6d.* and *42s.*
I	—— splendens	Assam	
I	—— Wallichianum	Assam	*15s.* and *21s.*
I	nodatum (Aphrodite)	Moulmein	*7s. 6d.* and *10s. 6d.*

I	**DENDROBIUM** ochreatum (Cambridgeanum)	Chittagong	7*s.* 6*d.* and 10*s.* 6*d.*
I	Parishii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Parthenium	Borneo	31*s.* 6*d.* and 42*s.*
I	Paxtonii	Khasya	10*s.* 6*d.* and 15*s.*
S	Phalænopsis	North Australia	42*s.* and 63*s.*
S	—— Schroderiana	New Guinea	
I	philippinense	East Indies	10*s.* 6*d.* and 15*s.*
**I*	Pierardi	Delta of Ganges	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	primulinum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— giganteum	East Indies	10*s.* 6*d.* and 15*s.*
I	pulchellum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
S	purpureum candidulum	New Guinea	42*s.*
I	secundum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	senile	Moulmein	15*s.* and 21*s.*
**C*	speciosum	Australia	10*s.* 6*d.* and 15*s.*
**C*	—— Hillii	Australia	21*s.* and 31*s.* 6*d.*
S	splendidissimum grandiflorum	Hybrid	105*s.*
S	suavissimum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	superbiens	Torres Straits	
S	superbum, *vide* macrophyllum		
I	Tattonianum, *vide* canaliculatum		
S	tetragonum	North Australia	21*s.*
I	thyrsiflorum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— carneum	Burmah	21*s.*
I	—— Walkerianum	Burmah	
S	tortile	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	transparens	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
S	Treacherianum	Borneo	42*s.* and 63*s.*
S	triadenium, *vide* mutabile		
S	undulatum	Queensland	
I	Veitchianum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— stenopterum	Java	42*s.*
**I*	Wardianum	Burmah	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— cinnabarinum	Burmah	63*s.* and 84*s.*
**I*	—— grandiflorum	Burmah	15*s.* and 21*s.*
I	**DENDROCHILUM**, *vide* Platyclinis		
S	**DIACRIUM** bicornutum	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**DICHÆA** vaginata	Mexico	10*s.* 6*d.*
C	**DISA** grandiflora	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
C	racemosa	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**EPIDENDRUM** aromaticum	Guatemala	10*s.* 6*d.*
C	atropurpureum, *vide* macrochilum		
S	bicornutum, *vide* Diacrium bicornutum		
I	Brasavolæ	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Christii	South America	21*s.*
I	ciliare	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	cochleatum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	criniferum	Costa Rica	15*s.* and 21*s.*
I	cuspidatum	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	dichromum	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	evectum	South America	10*s.* 6*d.* and 15*s.*
I	falcatum (Parkinsonianum)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	fals-loquum	South America	21*s.* and 31*s.* 6*d.*
I	Frederici Giulielmi	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
I	glumaceum	South America	31*s.* 6*d.* and 42*s.*
I	insidiosum	South America	15*s.*

I	**EPIDENDRUM** inversum	Brazil	
I	leucochilum	South America	
C	macrochilum (atropurpurem)	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	myrianthum	Guatemala	63*s.* and 84*s.*
I	nemorale	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
I	nutans	South America	10*s.* 6*d.*
I	paniculatum	South America	15*s.* and 21*s.*
I	prismatocarpum	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Chiriqui	42*s.* and 63*s.*
I	radiatum roseum	South America	15*s.*
I	raniferum	Mexico	31*s.* 6*d.* and 42*s.*
I	rhizophorum (radicans)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	selligerum	South America	10*s.* 6*d.*
I	Stamfordianum	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— Wallacei	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	syringothyrsus	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	tovarense	Venezuela	10*s.* 6*d.* and 15*s.*
C	vitellinum majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Wallisii	Colombia	21*s.*, 31*s.* 6*d.* to 63*s.*
I	**ERIA** acervata	East Indies	15*s.*
I	clavicaulis	Assam	15*s.* and 21*s.*
I	convallarioides	Nepal	15*s.* and 21*s.*
I	odoratissima	East Indies	10*s.* 6*d.* and 15*s.*
I	stellata	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
S	**ESMERALDA** Clarkei	East Indies	31*s.* 6*d.* and 42*s.*
S	**EULOPHIA** Dregeana	Natal	21*s.*
S	**GALEANDRA** Devoniana	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**GONGORA** maculata	South America	15*s.* and 21*s.*
I	portentosa	South America	15*s.* and 21*s.*
I	punctata	South America	15*s.* and 21*s.*
S	**GOODYERA** (Anœctochilus) Dawsoniana	East Indies	10*s.* 6*d.* and 15*s.*
I	discolor	South America	5*s.* and 7*s.* 6*d.*
S	Rollissonii		
S	**GRAMMATOPHYLLUM** Ellisii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Measuresianum	Phillipine Islands	
S	**GROBYA** Amherstiæ	Brazil	10*s.* 6*d.*
S	**HABENARIA** militaris	Cochin China	
I	**HARTWEGIA** purpurea	Mexico	15*s.* and 21*s.*
I	**HOULLETIA** Brocklehurstiana	Brazil	21*s.*
C	odoratissima	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— antioquiënsis	Colombia	
I	**HUNTLEYA** cerina, *vide* Pescatoria cerina		
I	**IONOPSIS** paniculata	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**IPSEA** speciosa	Ceylon	7*s.* 6*d.* and 10*s.* 6*d.*
S	**KERFERSTEINIA** graminea	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	**LÆLIA** acuminata	Mexico	10*s.* 6*d.* and 15*s.*
**C*	acuminata rosea	Mexico	10*s.* 6*d.* and 15*s.*
**C*	albida	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— bella	Guatemala	10*s.* 6*d.* and 15*s.*
**C*	—— grandiflora	Guatemala	15*s.* and 21*s.*
**C*	—— Marianæ	Guatemala	10*s.* 6*d.* and 15*s.*
I	amanda	Brazil	63*s.* and 84*s.*
**C*	anceps	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— alba	Mexico	
**C*	—— Barkeriana	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

*C	LÆLIA conspicua	Mexico		105*s.*
*C	—— Dawsonii	Mexico		
*C	—— delicata	Mexico		21*s.* and 31*s.* 6*d.*
*C	—— grandiflora	Mexico		
*C	—— Hillii	Mexico		42*s.* and 63*s.*
*C	—— insignis	Mexico		84*s.*
*C	—— major	Mexico		21*s.* and 31*s.* 6*d.*
*C	—— oculata	Mexico		21*s.* and 31*s.* 6*d.*
*C	—— Percivaliana	Mexico		42*s.* and 63*s.*
*C	—— pulcherrima	Mexico		42*s.*
*C	—— Sanderiana	Mexico		63*s.* and 84*s.*
*C	—— Schroderiana	Mexico		
*C	—— splendens	Mexico		42*s.* and 63*s.*
*C	—— Stella	Mexico		42*s.*, 63*s.* and 84*s.*
*C	—— rosea	Mexico		21*s.* and 31*s.* 6*d.*
*C	—— rubra	Mexico		42*s.* and 63*s.*
*C	—— Williamsiana, *vide* Stella			
*C	autumnalis	Mexico		10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— atrorubens	Mexico		15*s.*, 21*s.* and 31*s.* 6*d.*
*C	—— superba	Mexico		42*s.*
I	Boothiana, *vide* Cattleya lobata			
I	cinnabarina	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	crispa, *vide* Cattleya crispa			
I	crispilabia (Lawrenceana)	Brazil		31*s.* 6*d.* and 42*s.*
*I	Dayana	Brazil		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*I	—— superba	Brazil		21*s.*
I	elegans	Brazil		21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— alba	Brazil		31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— carnea	Brazil		63*s.* and 84*s.*
I	—— Dayana	Brazil		
I	—— irrorata	Brazil		
I	—— macroloba	Brazil		
I	—— miranda	Brazil		147*s.*
I	—— prasiata	Brazil		
I	—— rosea	Brazil		
I	—— sanguinea	Brazil		
I	—— Schilleriana	Brazil		63*s.* and 84*s.*
I	—— Stelzneriana	Brazil		84*s.* and 105*s.*
I	—— Wolstenholmiæ	Brazil		
*I	Eyermanniana	Mexico		21*s.*, 31*s.* 6*d.* and 42*s.*
I	flava	Brazil		10*s.* 6*d.* 15*s.* and 21*s.*
C	furfuracea	Mexico		21*s.* and 31*s.* 6*d.*
*C	Gouldiana	Mexico		
I	grandis	Brazil		21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— tenebrosa	Brazil		42*s.* and 63*s.*
I	harpophylla	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Lindleyana	Brazil		42*s.*
I	lobata, *vide* Cattleya lobata			
C	majalis (Flor de Maio)	Oaxaca		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— rubra	Oaxaca		21*s.* and 31*s.* 6*d.*
*I	marginata	Oaxaca		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*I	—— rubra	Oaxaca		63*s.*
I	Patinii	Colombia		10*s.* 6*d.*, 15*s.* and 21*s.*
I	Perrinii	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— marginata	Brazil		21*s.* and 31*s.* 6*d.*
I	—— superba	Brazil		31*s.* 6*d.* and 42*s.*
*I	præstans (Pinelii, pumila)	Brazil		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— alba, *vide* page 3			

I	**LÆLIA purpurata**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	purpurata alba	Brazil	31*s.* 6*d.* and 42*s.*
I	—— —— excellens	Brazil	
I	—— —— gloriosa	Brazil	
I	—— ampliata	Brazil	
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	—— atrosanguinea	Brazil	
I	—— bella	Brazil	
I	—— Brysiana	Brazil	
I	—— Chelsoni	Brazil	
I	—— erubescens	Brazil	
I	—— fulgens	Brazil	
I	—— grandis	Brazil	
I	—— Imperialis	Brazil	
I	—— magnifica	Brazil	
I	—— marginata	Brazil	
I	—— maxima	Brazil	
I	—— Nelisii	Brazil	
I	—— nigra	Brazil	
I	—— nobilior	Brazil	
I	—— picturata	Brazil	
I	—— rosea	Brazil	
I	—— rubicunda	Brazil	
I	—— Russelliana	Brazil	
I	—— Schrœderiana	Brazil	
I	—— speciosa	Brazil	
I	—— splendens	Brazil	
I	—— superba	Brazil	
I	—— versicolor	Brazil	
I	—— Victoriæ	Brazil	
I	—— Wyattiana	Brazil	
I	Schilleriana, *vide* L. elegans		
I	superbiens	Malacatan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	xanthina (Cattleya xanthina)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**LEPTOTES bicolor**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**I*	**LIMATODIS rosea**	Moulmein	5*s.* and 7*s.* 6*d.*
I	**LIPARIS Rheedii**	South America	10*s.* 6*d.*
S	longipes	India	
S	—— pendula	India	
I	**LISSOCHILUS Krebsii**	Natal	15*s.* and 21*s.*
C	**LYCASTE aromatica**	Mexico	10*s.* 6*d.* and 15*s.*
I	Barringtoniæ	West Indies	15*s.* and 21*s.*
I	Cobbiana	South America	
C	costata	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	cruenta	Guatemala	10*s.* 6*d.* and 15*s.*
C	—— major	Guatemala	
C	Deppei	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
C	fulvescens	Colombia	
C	gigantea	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	(Maxillaria) Harrisoniæ	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	(——) —— eburnea	South America	15*s.* aud 21*s.*
C	(——) —— pubigera	South America	31*s.* 6*d.*
C	(——) —— purpurea	South America	31*s.* 6*d.*
C	lanipes	Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Lawrenceana	South America	21*s.* and 31*s.* 6*d.*
I	leucantha	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	plana Measuresiana	Bolivia	31*s.* 6*d.* and 42*s.*

*C	**LYCASTE Skinneri**	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*C	Skinneri alba	Guatemala	63*s.*, 84*s.* and 105*s.*
*C	—— albo-marginata	Guatemala	
*C	—— amœna	Guatemala	
*C	—— aureola	Guatemala	
*C	—— delicata	Guatemala	21*s.* and 31*s.* 6*d.*
*C	—— fulgens	Guatemala	
*C	—— grandis	Guatemala	42*s.* and 63*s.*
*C	—— insignis	Guatemala	84*s.*
*C	—— maculata	Guatemala	31*s.* 6*d.*
*C	—— magnifica	Guatemala	
*C	—— marginata	Guatemala	
*C	—— marmorata	Guatemala	
*C	—— maxima	Guatemala	
*C	—— picta	Guatemala	42*s.* and 63*s.*
*C	—— princeps	Guatemala	
*C	—— purpurata	Guatemala	42*s.* and 63*s.*
*C	—— radiata	Guatemala	
*C	—— rosea	Guatemala	15*s.* and 21*s.*
*C	—— —— superba	Guatemala	
*C	—— rubella	Guatemala	21*s.* and 31*s.* 6*d.*
*C	—— —— picta	Guatemala	
*C	—— rubro-marginata	Guatemala	
*C	—— splendens	Guatemala	42*s.* and 63*s.*
*C	—— superba	Guatemala	15*s.* and 21*s.*
*C	—— tincta	Guatemala	42*s.* and 63*s.*
*C	—— tricolor	Guatemala	31*s.* 6*d.*
*C	—— venusta	Guatemala	
*C	—— Vesta	Guatemala	
*C	—— vivicans	Guatemala	
I	tetragona (Maxillaria)	Brazil	
S	**MACODES Petola**, *vide* Anæctochilus Petola		
C	**MASDEVALLIA abbreviata**	Colombia	5*s.* and 7*s.* 6*d.*
C	amabilis	Colombia	3*s.* 6*d.* and 5*s.*
C	—— lineata	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	anchorifera	Colombia	42*s.*
C	Backhousiana, *vide* Chimæra Backhousiana		
C	Barlæana	Peru	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	bella	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	Benedictii, *vide* psittacina		
C	Bonplandii	Colombia	5*s.* and 7*s.* 6*d.*
C	calura	Colombia	
I	candida, *vide* tovarensis		
C	Carderi	Colombia	63*s.*
C	chelsoni	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Chimæra	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— Backhousiana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— gigantea	Colombia	42*s.* and 63*s.*
C	—— Roezlii	Colombia	21*s.* and 31*s.* 6*d.*
C	—— Wallisii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— Winniana	Colombia	15*s.* and 21*s.*
C	Colibri, *vide* Trochilus		
C	corniculata	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Crossii, *vide* racemosa		
C	cucullata	Colombia	63*s.* and 84*s.*
C	Davisii	South America	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	Dayana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	demissa	South America	21*s.* and 31*s.* 6*d.*

C **MASDEVALLIA elephanticeps** ..... Colombia .....
C **Ephippium**, *vide* **Trochilus**
C **erythrochæte** ..... Colombia ..... 15*s.* and 21*s.*
C **Estradæ** ..... South America ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C **Gorgona**, *vide* **nycterina**
C **Harryana** ..... Colombia ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C —— **acanthifolia.**—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive .... Colombia ..... 42*s.* and 63*s.*
C —— **acuminata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **atropurpurea** ..... Colombia ..... 42*s.* and 63*s.*
C —— **atrosanguinea** ..... Colombia ..... 31*s.* 6*d.*, 42*s.* and 63*s.*
C —— **aurantiaca** ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **cærulescens** ..... Colombia ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C —— —— **atroviolacea** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **concolor** ..... Colombia ..... 42*s.* and 63*s.*
C —— —— **gigantea** ..... Colombia ..... 84*s.* and 105*s.*
C —— —— **grandiflora** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **magnifica** ..... Colombia ..... 42*s.* and 63*s.*
C —— —— **maxima** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **superba** ..... Colombia ..... 42*s.* and 63*s.*
C —— **coccinea** ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— **Comet** ..... Colombia ..... 84*s.* and 105*s.*
C —— **conchiflora.**—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— **conspicua** ..... Colombia .....
C —— **decora** ..... Colombia ..... 42*s.* and 63*s.*
C —— **delicata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **Denisoniana** ..... Colombia ..... 21*s.*, 31*s.* 6*d.* and 42*s.*
C —— **elegans** ..... Colombia ..... 42*s.* and 63*s.*
C —— **Flambeau** ..... Colombia .....
C —— **flammea** ..... Colombia .....
C —— **formosa** ..... Colombia ..... 42*s.* and 63*s.*
C —— **gemma** ..... Colombia .....
C —— **gloriosa** ..... Colombia .....
C —— **illustris** ..... Colombia .....
C —— **insignis** ..... Colombia .....
C —— **lilacina** ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— **luteo-oculata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **magnifica** ..... Colombia ..... 31*s.* 6*d.*, 42*s.* and 63*s.*
C —— **Mars** ..... Colombia .....
C —— **Meteor** ..... Colombia .....
C —— **miniata** ..... Colombia .....
C —— **mirabilis** ..... Colombia .....
C —— **oculata** ..... Colombia ..... 15*s.* and 21*s.*
C —— **ornata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **patens** ..... Colombia .....
C —— **princeps** ..... Colombia .....
C —— **purpurea** ..... Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— —— **magnifica** ..... Colombia .....
C —— **regalis.**—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **Reginæ** ..... Colombia .....
C —— **rosacea** ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— **rosea** ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— **rotundiflora** ..... Colombia .....

C	**MASDEVALLIA Harryana salmonea**	Colombia	
C	Harryana sanguinea	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— aurantiaca	Colombia	63*s.* and 84*s.*
C	—— splendens	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— superba	Colombia	42*s.* and 63*s.*
C	—— triumphans	Colombia	63*s.* and 84*s.*
C	—— venusta	Colombia	
C	—— versicolor.—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	—— violacea	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— magnifica	Colombia	63*s.* and 84*s.*
C	—— —— oculata	Colombia	42*s.* and 63*s.*
C	—— —— superba	Colombia	42*s.* and 63*s.*
C	—— vivicans	Colombia	31*s.* 6*d.* and 42*s.*
C	—— Walkeriana.—A very handsome variety, with gigantic flowers 2½ inches across	Colombia	31*s.* 6*d.* and 42*s.*
C	Houtteana, *vide* psittacina		
C	ignea	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— aurantiaca	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— citrina	Colombia	
C	—— Massangeana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— militaris	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— purpurea	Colombia	42*s.* and 63*s.*
C	—— —— splendens	Colombia	63*s.* and 84*s.*
C	—— penanthe	Colombia	15*s.* and 21*s.*
C	—— speciosa	Colombia	
C	—— Stobartiana	Colombia	21*s.* and 31*s.* 6*d.*
C	inflata	Colombia	42*s.* and 63*s.*
C	infracta	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— purpurea	Colombia	21*s.* and 31*s.* 6*d.*
C	ionocharis	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	leontoglossa	Colombia	21*s.*
C	Lindeni	Colombia	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	macrura	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	maculata	South America	3*s.* 6*d.* and 5*s.*
C	—— flava	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— superba	South America	
C	muscosa	South America	
C	nycterina (Gorgona)	Colombia	10*s.* 6*d.* and 15*s.*
C	octhodes	Colombia	5*s.*
C	Peristeria	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	polysticta	Colombia	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	—— brevior	Colombia	10*s.* 6*d.* and 15*s.*
C	—— caudata	Colombia	10*s.* 6*d.* and 15*s.*
C	porcelliceps	Colombia	31*s.* 6*d.* and 42*s.*
C	psittacina (Benedictii, Houtteana)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	racemosa (Crossii)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	radiosa	Colombia	21*s.* and 31*s.* 6*d.*
C	—— major	Colombia	
C	Reichenbachiana	South America	10*s.* 6*d.* and 15*s.*
C	rosea	Ecuador	10*s.* 6*d.* and 15*s.*
C	Schlimii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	severa	Colombia	42*s.* and 63*s.*
C	Shuttleworthii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— xanthocorys	Colombia	15*s.* and 21*s.*
C	simula	South America	15*s.* and 21*s.*
C	spectrum	South America	

C	**MASDEVALLIA swerticifolia**	Colombia	10*s.* 6*d.* and 15*s.*
C	torta	Colombia	42*s.* and 63*s.*
I	tovarensis (candida)	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	triadactylites	South America	21*s.* and 31*s.* 6*d.*
I	triangularis	Venezuela	5*s.* and 7*s.* 6*d.*
C	trichæte	Colombia	21*s.* and 31*s.* 6*d.*
C	Trochilus (Colibri, Ephippium)	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	Veitchiana	Peru	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflora	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— magnifica	Peru	
C	Vespertilio	Colombia	31*s.* 6*d.*
I	Wagneriana	Venezuela	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	Wallisii, *vide* **M. Chimæra Wallisii**		
C	xanthina	Colombia	21*s.* and 31*s.* 6*d.*
C	**MAXILLARIA grandiflora**	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Harrisoniæ, *vide* **Lycaste Harrisoniæ**		
I	leontoglossa, *vide* **Xylobium**		
I	lepidota	South America	10*s.* 6*d.* and 15*s.*
*C	luteo-alba	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflora	Colombia	21*s.*
C	—— purpurea	Colombia	21*s.*
C	nigrescens	Merida	7*s.* 6*d.* and 10*s.* 6*d.*
C	picta	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Sanderiana	South America	
I	squalens	South America	5*s.* and 7*s.* 6*d.*
I	tenuifolia	Mexico	10*s.* 6*d.* and 15*s.*
I	tetragona, *see* **Lycaste tetragona**		
C	Turneri	Mexico	10*s.* 6*d.* and 15*s.*
C	venusta	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**MESOSPINIDIUM roseum**	Mexico	10*s.* 6*d.*
*C	sanguineum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	vulcanicum	Ecuador	15*s.* and 21*s.*
C	—— grandiflorum	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**MICROSTYLIS calophylla**	East Indies	10*s.* 6*d.* and 15*s.*
S	metallica	Borneo	10*s.* 6*d.* and 15*s.*
I	**MILTONIA candida**	Brazil	15*s.* and 21*s.*
I	candida punctata	Brazil	
I	Clowesii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Brazil	15*s.* and 21*s.*
I	—— pauciguttata	Brazil	42*s.* and 63*s.*
I	cuneata	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— platyglossa	Brazil	
I	festiva	Brazil	21*s.*
I	flavescens (stellata)	Brazil	10*s.* 6*d.* and 15*s.*
I	Moreliana	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	Phalænopsis, *vide* **Odontoglossum Phalænopsis**		
I	Regnellii (cereola)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— purpurea	Brazil	42*s.* and 63*s.*
I	Roezlii, *vide* **Odontoglossum Roezlii**		
I	Russelliana	Brazil	
I	spectabilis	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aspirata	Brazil	
I	—— bicolor	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— intermedia	Brazil	31*s.* 6*d.*
I	—— marginata	Brazil	
I	—— virginalis	St. Catherine's	21*s.* and 31*s.* 6*d.*
I	vexillaria, *vide* **Odontoglossum vexillarium**		

I	**MORMODES** buccinator	Mexico	15*s.* and 21*s.*
I	luxatum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— eburneum	Mexico	21*s.* and 31*s.* 6*d.*
I	pardinum	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— unicolor	Mexico	21*s.* and 31*s.* 6*d.*
I	**NANODES** Medusæ	South America	21*s.* and 31*s.* 6*d.*
S	**NEPHELAPHYLLUM** pulchrum	Java	15*s.* and 21*s.*
**C*	**ODONTOGLOSSUM** Alexandræ, *vide* O. crispum		
C	amabile (*hybrid*)	Colombia	
C	Andersonianum	Bogota	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— lobatum	Bogota	
C	angustatum	Colombia	42*s.*
C	Arnoldianum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	aspersum (*hybrid*)	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
C	astranthum	Colombia	
C	baphicanthum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	bellinum (*hybrid*)	Colombia	
**C*	bictonense	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— album	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blandum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blepharicanthum	Venezuela	42*s.* and 63*s.*
**C*	Bluntii, *vide* O. crispum		
C	cariniferum	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	Cervantesii	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— decorum	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— roseum	Mexico	
C	Chestertoni (*hybrid*)	Colombia	42*s.* and 63*s.*
C	cirrosum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— gemmatum	Ecuador	63*s.*
C	—— Hrubyanum	Ecuador	
C	—— Klabochorum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrosmum (pendulum)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— album	Mexico	
C	—— carneum	Mexico	
C	—— grandiflorum	Mexico	
C	—— punctatum	Mexico	
C	—— maximum	Mexico	
C	—— roseum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— rubrum	Mexico	
C	—— —— grandiflorum	Mexico	
C	constrictum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Coradinei	Colombia	15*s.* and 21*s.*
C	—— hemileucum	Colombia	
C	—— maculatum	Colombia	
C	—— stenoglossum	Colombia	31*s.* 6*d.*
**C*	cordatum	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
**C*	—— aureum	Mexico	84*s.* and 105*s.*
**C*	—— Kienastianum	Mexico	84*s.* and 105*s.*
**C*	—— nigrum	Mexico	84*s.*
**C*	—— pictum	Mexico	63*s.*
**C*	—— superbum	Mexico	42*s.* and 63*s.*
C	coronarium	Colombia	42*s.* and 63*s.*
C	—— Dayanum	Colombia	
C	—— miniatum	Colombia	63*s.*
**C*	crispum (Alexandræ, Bluntii)	Colombia	3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*. and various sizes from 21*s.* upwards.
**C*	—— album	Colombia	
**C*	—— aureo-purpureum	Colombia	
**C*	—— amœnum	Colombia	42*s.* and 63*s.*

*C	**ODONTOGLOSSUM crispum concinnum**	Colombia	
*C	crispum flaveolum	Colombia	
*C	—— giganteum	Colombia	
*C	—— grandiflorum	Colombia	63*s.* and 84*s.*
*C	—— grandis	Colombia	
*C	—— guttatum	Colombia	63*s.* and 84*s.*
*C	—— intermedium	Colombia	
*C	—— Lehmanni	Colombia	
*C	—— nivalis	Colombia	
*C	—— pictum	Colombia	
*C	—— princeps	Colombia	
*C	—— punctatum	Colombia	
*C	—— purpureum	Colombia	
*C	—— roseum	Colombia	42*s.*, 63*s.* and 84*s.*
*C	—— signatum	Colombia	
*C	—— speciosum	Colombia	63*s.* and 84*s.*
*C	—— splendens	Colombia	63*s.*, 84*s.* and 105*s.*
*C	—— stupendum	Colombia	
*C	—— superbum	Colombia	63*s.* and 84*s.*
*C	—— Trianæ	Colombia	63*s.* and 84*s.*
C	cristatellum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	cristatum	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
C	crocatum	Colombia	
C	crocidipterum	South America	10*s.* 6*d.* and 15*s.*
C	cuspidatum	Colombia	
C	decorum (*hybrid*)	Colombia	
C	deltoglossum (*hybrid*)	Colombia	
C	Diadema (*hybrid*)	Colombia	
C	Edouardii	Ecuador	15*s.*, 21*s.* and 31*s.* 6*d.* Fine strong specimens, 42*s.* to 105*s.*
*C	Ehrenbergii	Mexico	
C	eximium (*hybrid*)	Colombia	
C	facetum	Colombia	15*s.*, 21*s.* and 31*s.* 6*d*
C	flaveolum (*hybrid*)	Colombia	
C	gloriosum	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— album (nævium majus)	Ocaña	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— aureum	Ocaña	
C	—— hybridum	Ocaña	
C	—— nigrum	Ocaña	42*s.* and 63*s.*
C	—— pictum	Ocaña	42*s.* and 63*s.*
C	—— superbum	Ocaña	21*s.* and 31*s.* 6*d.*
C	grande	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— ampliatum	Guatemala	
C	—— macrolobum	Guatemala	42*s.*
C	—— nigrum	Guatemala	
C	—— obtusum	Guatemala	
C	—— pictum	Guatemala	
C	—— superbum	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Hallii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— leucoglossum	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— marginatum	Ecuador	
C	—— nigrum	Ecuador	
C	—— xanthoglossum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Harryanum	South America	5*s.*, 7*s.* 6*d.* to 21*s.*
I	hastilabium	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Colombia	
C	hebraicum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— albens (*hybrid*)	Colombia	

C	**ODONTOGLOSSUM hieroglyphicum** (*hybrid*)	Colombia	
C	**Holfordianum**	Colombia	
*C	**Humeanum**	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**Hunnewellianum**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**hystrix (radiatum)**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**illustris** (*hybrid*)	Colombia	
C	**Imperator** (*hybrid*)	Colombia	
C	**ioplocon**	Colombia	
*C	**insigne** (*hybrid*)	Colombia	
I	**Insleayi leopardinum**	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— **splendens**	Mexico	42*s.*, 63*s.* and 84*s.*
I	**Karwinskii**	South America	15*s.* and 21*s.*
I	**Krameri**	Costa Rica	42*s.* and 63*s.*
C	**lanceans** (*hybrid*)	South America	
C	**lacteum** (*hybrid*)	South America	
C	**lepidum** (*hybrid*)	South America	
C	**ligulare**	South America	
C	**Lindeni**	Colombia	10*s.* 6*d.*
C	**Lindleyanum**	Colombia	3*s.* 6*d.* and 5*s.*
C	—— **speciosum**	Colombia	15*s.* and 21*s.*
*C	**Londesboroughianum**	Mexico	
C	**luteo-purpureum**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— —— **conspicuum**	Colombia	
C	—— —— **dentatum**	Colombia	
C	—— —— **nobilis**	Colombia	
*C	**maculatum**	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— **anceps**	Mexico	63*s.* and 84*s.*
*C	—— **aureum**	Mexico	84*s.* and 105*s.*
*C	—— **erosum**	Mexico	84*s.* and 105*s.*
*C	—— **stenanthum**	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— **superbum**	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— **triumphans**	Mexico	
C	**madrense (maxillare)**	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— **majus**	Mexico	42*s.* and 63*s.*
C	**membranaceum**	Mexico	10*s.* 6*d.* and 15*s.*
C	**mirabile** (*hybrid*)	Colombia	
C	**mirandum**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	**mulus**	Colombia	
C	—— **crocatum**	Colombia	
C	—— **cuspidatum**	Colombia	
C	**nævium**	Ocaña	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— **majus**, *vide* **O. gloriosum album**		
C	**nebulosum**	Mexico	7*s.* 6*d*, 10*s.* 6*d.* and 15*s.*
C	—— **candidum**	Mexico	15*s.* and 21*s.*
C	—— **grandiflorum**	Mexico	
C	—— **pardinum**	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— **punctatum**	Mexico	31*s.* 6*d.* and 42*s.*
C	**nevadense**	Colombia	
C	**Noezlianum**	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**odoratum**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **giganteum**	Colombia	
C	**Œrstedii**	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— **majus**	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**pendulum** *vide* **O. citrosmum**		
C	**Pescatorei**	Colombia	3*s.* 6*d.*, 5*s.* to 21*s.*
C	—— **aurantiacum**	Colombia	
C	—— **formosum**	Colombia	

C	**ODONTOGLOSSUM Pescatorei**		
	grandiflorum	Colombia	42*s.* and 63*s.*
C	Pescatorei insigne	Colombia	
C	—— limbosum	Colombia	
C	—— nivale	Colombia	42*s.* and 63*s.*
C	—— oculatum	Colombia	63*s.* and 84*s.*
C	—— speciosum	Colombia	
C	—— splendens	Colombia	42*s.* and 63*s.*
C	—— stupendum	Colombia	
C	—— tinctum	Colombia	
I	Phalænopsis (Miltonia Phalænopsis)	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— splendens	Ocaña	
C	picturatum (*hybrid*)	Colombia	
C	polyxanthum	Ecuador	10*s.* 6*d.*, 15*s.* & 21*s.*
C	pretiosum, *vide* O. Schleiperianum		
C	princeps (*hybrid*)	Colombia	
**C*	pulchellum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— Egertoni (tenue)	Mexico	3*s.* 6*d.* and 5*s.*
**C*	—— majus	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
C	radiatum, *vide* O. hystrix		
C	ramosissimum	Colombia	31*s.* 6*d.* and 42*s.*
C	—— album	Colombia	42*s.* and 63*s.*
C	ramulosum	Ocaña	15*s.* and 21*s.*
C	Reichenheimii	Mexico	21*s.* and 31*s.* 6*d.*
S	Roezlii (Miltonia Roezlii)	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
S	—— album	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
S	—— delicatum	Colombia	10*s.* 6*d.* and 15*s.*
S	—— nigrum	Colombia	105*s.*
S	—— roseum	Colombia	21*s.* and 31*s.* 6*d.*
S	—— splendens	Colombia	63*s.* and 84*s.*
C	roseum *vide* Mesospinidium roseum		
**C*	Rossii majus	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— —— musaicum	Mexico	
**C*	—— —— nivosum	Mexico	
**C*	—— —— piotum	Mexico	
**C*	—— —— rubescens	Mexico	31*s.* 6*d.* and 42*s.*
**C*	—— —— splendens	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— —— virginale	Mexico	
C	rubescens (*hybrid*)	South America	
C	Ruckerianum (*hybrid*)	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— giganteum (*hybrid*)	Colombia	84*s.* and 105*s.*
C	Sanderianum	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
C	sceptrum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— crenatum	Colombia	
C	Schillerianum	Venezuela	63*s.*
C	Schleiperianum (pretiosum)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— flavidum	Costa Rica	84*s.* and 105*s.*
C	spectabile (*hybrid*)	South America	
**C*	tripudians	Peru	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— grandiflorum	Peru	15*s.* and 21*s.*
C	triumphans	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Uroskinneri	Guatemala	10*s.* 6*d.*, 15*s.* & 21*s.*
C	venustum (*hybrid*)	Colombia	
I	vexillarium (Miltonia vexillaria)	Colombia	5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and various sizes from 21*s.* upwards.
I	—— albescens	Colombia	
I	—— amabile	Colombia	
I	—— amœnum	Colombia	
I	—— bicolor	Colombia	42*s.* and 63*s.*

I	**ODONTOGLOSSUM** vexillarium chelsoniense	Colombia	
I	vexillarium Cobbianum	Colombia	84*s.* and 105*s.*
I	—— conspicuum	Colombia	
I	—— erubescens	Colombia	
I	—— giganteum	Colombia	84*s.* and 105*s.*
I	—— insigne	Colombia	84*s.* and 105*s.*
I	—— maculatum	Colombia	
I	—— marginatum	Colombia	
I	—— marmoratum	Colombia	
I	—— pictum	Colombia	
I	—— picturatum	Colombia	
I	—— pulcherrimum	Colombia	42*s.* and 63*s.*
I	—— radiatum	Colombia	
I	—— roseum	Colombia	42*s.*, 63*s.* and 84*s.*
I	—— rubellum (Autumn-flowering)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— rubrum	Colombia	
I	—— splendens	Colombia	
I	—— superbum	Colombia	
I	—— venosum	Colombia	
C	Victor (*hybrid*)	Colombia	
C	Wallisii	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Wilckeanum (*hybrid*)	Colombia	42*s.*, 63*s.* and 84*s.*
C	—— albens (*hybrid*)	Colombia	
C	—— pallens (*hybrid*)	Colombia	
C	Williamsianum	Costa Rica	
C	**ONCIDIUM** æmulum, *vide* O. superbiens		
S	altissimum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	ampliatum	Panama	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	Panama	10*s.* 6*d.* and 15*s.*
I	anciferum	South America	15*s.* and 21*s.*
C	aurosum (excavatum)	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Balderramæ	Colombia	
I	barbatum	Brazil	10*s.* 6*d.* and 15*s.*
**C*	Barkeri, *vide* O. tigrinum		
I	bicallosum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	bicolor	Brazil	10*s.* 6*d.* and 15*s.*
I	bifolium	Brazil	10*s.* 6*d.*, 15*s.* & 21*s.*
S	bifrons	Trinidad	
C	cæsium	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	carthaginense	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
I	Cavendishianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**I*	cheirophorum	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	chrysomorphum	South America	21*s.* and 31*s.* 6*d.*
C	concolor	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	cornigerum	Brazil	15*s.* and 21*s.*
I	—— longiracemosum	Brazil	42*s.*
C	crispum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflorum	Brazil	15*s.* and 21*s.*
C	—— nigrum	Brazil	42*s.*
C	—— punctatissimum	Brazil	63*s.*
I	cruciatum	Brazil	
I	—— marginatum	Brazil	
C	cucullatum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— grandiflorum	South America	21*s.* and 31*s.* 6*d.*
C	—— maculosum	South America	21*s.* and 31*s.* 6*d.*
C	—— panduratum	South America	31*s.* 6*d.* and 42*s.*
C	—— purpureum	South America	42*s.* and 63*s.*

C	**ONCIDIUM curtum**	Brazil	21*s.* and 31*s.* 6*d.*
C	dasytyle	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Diadema, *vide* serratum		
I	divaricatum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Enoi	Colombia	
C	excavatum, *vide* aurosum		
C	falcipetalum	Venezuela	
C	flexuosum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Forbesii	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— grandiflorum	Brazil	31*s.* 6*d.* and 42*s.*
I	Forstermannii	South America	21*s.* and 31*s.* 6*d.*
I	fuscatum	Colombia	7*s.* 6*d.* to 21*s.*
C	Gardnerianum	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
C	grandiflorum	Colombia	
C	Harrisonianum	Mexico	15*s.* and 21*s.*
C	hastatum, *vide* stelligerum		
C	incurvum	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	janeirense, *vide* longipes		
I	Jonesianum	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	Kramerianum	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	lamelligerum	Ecuador	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Lanceanum	Surinam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	Surinam	21*s.* and 31*s.* 6*d.*
I	leucochilum	Mexico	21*s.* and 31*s.* 6*d.*
C	—— splendens	Mexico	63*s.* and 84*s.*
C	Limminghii	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	longipes (janeirense)	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— major	Brazil	21*s.* and 31*s.* 6*d.*
S	luridum (guttatum)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	macranthum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.* Fine large plants 31*s.* 6*d.* to 10 guineas each
C	—— aurosum	Ecuador	
C	—— grandiflorum	Ecuador	
C	—— hastiferum	Ecuador	42*s.*, 63*s.* and 84*s.*
C	Marshallianum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	microchilum	Brazil	21*s.* and 31*s.* 6*d.*
I	micropogon	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	monachicum	South America	21*s.* and 31*s.* 6*d.*
I	nigratum	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
C	nubigenum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— splendens	Ecuador	21*s.* and 31*s.* 6*d.*
I	oblongatum	Brazil	42*s.*
I	obryzatum	Brazil	21*s.* and 31*s.* 6*d.*
*C	ornithorrhynchum	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
S	Papilio	Panama	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Phalænopsis	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	phylloglossum	Colombia	
I	phymatochilum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pictum	South America	
C	plagianthum	Colombia	
C	prætextum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— aureum	Brazil	
C	—— maculosum	Brazil	15*s.* and 21*s.*
C	—— superbum	Brazil	15*s.* and 21*s.*
I	pubes	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— elatum	Brazil	21*s.*
C	pulchellum	Colombia	

I	**ONCIDIUM pulvinatum**	Brazil	10*s.* 6*d.* and 15*s.*
I	pumilum	Brazil	21*s.* and 31*s.* 6*d.*
I	pyramense	South America	15*s.* and 21*s.*
I	reflexum	Mexico	10*s.* 6*d.* and 15*s.*
I	roseum, *vide* carthaginense		
I	rotundatum	South America	
I	sarcodes	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— decorum	Brazil	42*s.*
I	—— splendens	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superbum	Brazil	31*s.* 6*d.* and 42*s.*
I	Schillerianum	South America	15*s.* and 21*s.*
I	Schlimii	South America	10*s.* 6*d.* and 15*s.*
C	sculptum	South America	63*s.*
C	serratum (Diadema)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sessile	Santa Martha	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sphacelatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	sphegiferum	South America	15*s.* and 21*s.*
I	splendidum	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	stelligerum (hastatum)	Mexico	15*s.* and 21*s.*
I	—— amœnum	Mexico	42*s.* and 63*s.*
I	—— Ernestii	Mexico	63*s.*
I	—— ornatum	Mexico	42*s.* and 63*s.*
I	—— pictum	Mexico	42*s.* and 63*s.*
C	superbiens (æmulum)	Colombia	42*s.* and 63*s.*
C	tetracopis	Colombia	
**C*	tigrinum (Barkeri)	Mechoacan	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	undulatum	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	unguiculatum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	unicorne	Brazil	5*s.* and 7*s.* 6*d.*
C	varicosum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— pictum	Brazil	31*s.* 6*d.* and 42*s.*
C	—— Rogersii	Brazil	
C	Wallisii	Colombia	
I	Weltoni	Colombia	10*s.* 6*d.* to 21*s.*
C	Wentworthianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	zebrinum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**ORNITHOCEPHALUS grandiflorus**	Brazil	7*s.* 6*d.*,10*s.* 6*d.* and 15*s.*
I	**ORNITHIDIUM coccineum**	Brazil	15*s.* and 21*s.*
I	**PALUMBINA candida**	Mexico	10*s.* 6*d.* and 15*s.*
S	**PAPHINIA cristata**	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	cristata grandis	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**PERISTERIA elata (The Dove Flower)**	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*

El Spirito Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

S	selligera	South America	63*s.*
I	**PESCATORIA (Huntleya) cerina**	South America	15*s.* and 21*s.*
I	**PHAIUS albus, *vide* Thunia alba**		
S	**Bensoniæ, *vide* Thunia Bensoniæ**		
S	**bicolor**	Ceylon	42*s.*, 63*s.* and 84*s.*
I	**Blumei**	Assam	
**I*	**grandifolius (Bletia Tankervilliæ)**	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	**Henryii**	Madagascar	31*s.* 6*d.* and 42*s.*
S	**Humblotii**	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**luridus**	Ceylon	21*s.* and 31*s.* 6*d.*
S	**Marshallianus, *vide* Thunia Marshalliana**		
C	**Sieboldii**	Japan	10*s.* 6*d.* and 15*s.*
C	—— **maculatus**	Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**tuberculosus**	Madagascar	31*s.* 6*d.* and 42*s.*

I	**PHAIUS Wallichii**	Sylhet	21*s.* and 31*s.* 6*d.*
I	Woodfordii	East Indies	10*s.* 6*d.* and 15*s.*
I	—— maculatus	East Indies	15*s.* and 21*s.*
S	**PHALÆNOPSIS amabilis (Aphrodite)**	Sunda Islands	10*s.* 6*d.* and 15*s.*
S	Esmeralda	Cochin China	10*s.* 6*d.* and 15*s.*
S	—— Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	grandiflora	Borneo	10*s.* 6*d.* and 15*s.*
S	Lowii	East Indies	21*s.*
S	Lüddemanniana	Philippine Islands	10*s.* 6*d.* and 15*s.*
S	Mannii	East Indies	63*s.*
S	rosea	East Indies	15*s.* and 21*s.*
S	Sanderiana	East Indies	15*s.* and 21*s.*
**S*	Schilleriana	Manilla	15*s.* and 21*s.*
S	speciosa	Andaman Islands	
S	Stuartiana	East Indies	
S	—— nobilis	East Indies	
S	tetraspis	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	violacea	East Indies	21*s.* and 31*s.* 6*d.*
S	**PHOLIDOTA imbricata**	East Indies	5*s.* and 7*s.* 6*d.*
C	**PILUMNA (Trichopilia) fragrans**	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	laxa, *vide* **Trichopilia laxa**		
I	nobilis	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**PLATYCLINIS (Dendrochilum) arachnites**	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Cobbiana	East Indies	10*s.* 6*d.* and 15*s.*
I	—— gigantea	East Indies	63*s.* and 84*s.*
I	cucumerina	East Indies	15*s.* and 21*s.*
S	filiformis	Manilla	21*s.* and 31*s.* 6*d.*
**S*	glumacea	Philippine Islands	10*s.* 6*d* , 15*s.* and 21*s.*
S	uncata	East Indies	10*s.* 6*d.* and 15*s.*
**C*	**PLEIONE Hookeri**	East Indies	21*s.*
**C*	humilis	East Indies	10*s.* 6*d.*
**C*	—— tricolor	Assam	21*s.*
**C*	lagenaria	Khasya	5*s.* and 7*s.* 6*d.*
**C*	maculata	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	Reichenbachiana	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	Wallichiana	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**PLEUROTHALLIS Barberiana**	South America	21*s.*
I	plumosa	South America	
I	scapha	South America	105*s.*
I	tridentata	South America	10*s.* 6*d.*
I	velatocaulis	South America	
S	**PROMENÆA citrina**	Brazil	10*s.* 6*d.* and 15*s.*
S	Rollissonii	Brazil	31*s.* 6*d.* and 42*s.*
S	stapelioides	Brazil	10*s.* 6*d.* and 15*s.*
S	**RENANTHERA coccinea**	Cochin China	21*s.* and 31*s.* 6*d.*
S	Storiei	Philippine Islands	
C	**RESTREPIA antennifera**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	antennifera major	Colombia	
C	elegans	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	leopardina	Colombia	10*s.* 6*d.* and 15*s.*
I	ophiocephala	Mexico	21*s.*
C	striata	Colombia	
S	**RHYNCOSTYLIS (Saccolabium) cælestis**	Cochin China	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**RODRIGUEZIA planifolia**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	secunda	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	**SACCOLABIUM ampullaceum**	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*

S	**SACCOLABIUM bellinum**	Burmah	31*s.* 6*d.*, 42*s.* and 63*s.*
S	bigibbum	Burmah	
S	Blumei	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— javanense	Java	21*s.* and 31*s.* 6*d.*
S	—— lilacinum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— longiracemosum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— pulchrum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— rubrum	East Indies	31*s.* 6*d.* and 42*s.*
S	—— splendens	East Indies	42*s.* and 63*s.*
S	calceolare	Khasi Hills	42*s.* and 63*s.*
S	cæleste, *vide* Rhyncostylis cælestis		
S	curvifolium	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	giganteum (Vanda densiflora)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	—— illustre	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	guttatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— giganteum	East Indies	
S	—— Holfordianum	East Indies	63*s.*
S	—— superbum	Ceylon	63*s.* and 84*s.*
S	Harrisonianum	Pulo, Copang	21*s.*, 31*s.* 6*d.* and 42*s.*
S	miniatum citrinum	Cochin China	
S	præmorsum	Java	42*s.* and 63*s.*
S	retusum	Java	42*s.* and 63*s.*
S	violaceum	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Wightianum, *vide* Ærides Wightianum		
S	**SARCOCHILUS Hartmanni**	North Australia	
S	**SARCOPODIUM Lobbii**	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
I	**SCHOMBURGKIA gloriosa**	South America	31*s.* 6*d.* and 42*s.*
I	tibicinis	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**SCUTICARIA Dodgsonii**	West Indies	42*s.* and 63*s.*
I	Hadwenii	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Steelii	Brazil	10*s.* 6*d.*, 15*s.* & 21*s.*
	SELENIPEDIUM, *vide* Cypripedium		
I	**SOBRALIA macrantha**	Guatemala	21*s.* and 31*s.* 6*d.*
I	macrantha nana	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— splendens	Guatemala	42*s.* and 63*s.*
C	**SOPHRONITIS cernua**	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	grandiflora	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
**C*	—— coccinea	Brazil	
**C*	—— marginata	Brazil	
**C*	—— militaris	Brazil	
**S*	—— rosea	Brazil	31*s.* 6*d.* and 42*s.*
**C*	—— superba	Brazil	
C	violacea	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**SPATHOGLOTTIS Augustorum**, *vide* S. Vieillardi		
S	aurea (Kimballiana)	Borneo	84*s.* and 105*s.*
S	Fortunei	Hong Kong	21*s.* and 31*s.* 6*d.*
S	pacifica	Pacific Islands	
S	plicata	Cochin China	10*s.* 6*d.*, 15*s.* & 21*s.*
S	Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* & 21*s.*
S	Vieillardi (Augustorum)	New Caledonia	42*s.* and 63*s.*
I	**STANHOPEA Bucephalus**	South America	10*s.* 6*d.* and 15*s.*
I	chrysops	South America	
I	decora	South America	
I	ecornuta	South America	42*s.*
I	grandiflora (eburnea)	South America	10*s.* 6*d.*
I	graveolens	South America	10*s.* 6*d.*

I	**STANHOPEA guttulata**	South America	10*s.* 6*d.* and 15*s.*
I	insignis	Brazil	10*s.* 6*d.* and 15*s.*
I	maculata	South America	15*s.*
C	oculata	Xalapa	10*s.* 6*d.* and 15*s.*
I	Ruckeriana	South America	15*s.*
I	saccata	Guatemala	15*s.* and 21*s.*
C	tigrina	Xalapa	10*s.* 6*d.* and 15*s.*
C	—— superba	Xalapa	10*s.* 6*d.* and 15*s.*
I	Wardiana	La Guayra	10*s.* 6*d.* and 15*s.*
S	**THRIXSPERMUM Berkeleyii**	Andaman Islands	42*s.*
I	**THUNIA (Phaius) alba**	India	7*s.* 6*d.* and 10*s.* 6*d.*
I	alba striata	India	5*s.* and 7*s.* 6*d.*
S	Bensoniæ	Moulmein	15*s.* and 21*s.*
S	—— acuminata	Moulmein	
S	—— splendens	Moulmein	21*s.* and 31*s.* 6*d.*
S	—— variegata	Moulmein	63*s.*
S	—— Winniana	Moulmein	31*s.* 6*d.* and 42*s.*
S	intermedia	India	
S	Marshalliana	India	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ionophlebia	India	42*s.* and 63*s.*
S	—— sulphurea	India	
S	—— tricolor	India	63*s.* and 84*s.*
S	pulchra	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Veitchiana	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**TRICHOCENTRUM albo-purpureum**	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**TRICHOPILIA coccinea**	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	coccinea marginata (very rare)	Costa Rica	
I	crispa (gloxiniæflora)	Costa Rica	31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— marginata	Costa Rica	
C	fragrans, *vide* Pilumna fragrans		
I	Galeottiana (picta)	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— luteola	Costa Rica	
I	(Pilumna) laxa	South America	5*s.* and 7*s.* 6*d.*
I	lepida	South America	
I	suavis	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superba	Costa Rica	15*s.*, 21*s.* and 31*s.* 6*d.*
C	tortilis	Mexico	10*s.* 6*d.* and 15*s.*
**C*	**TRICHOSMA suavis**	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**TRIGONIDIUM ringens**	Assam	15*s.* and 21*s.*
I	**UROPEDIUM Lindeni**	Colombia	31*s.* 6*d.* and 42*s.*
S	**VANDA Amesiana**	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Batemanii	Moluccas	15*s.* and 21*s.*
S	Bensonii	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Boxallii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Cathcartii	Sikkim	42*s.* and 63*s.*
I	cærulea	Khasya	15*s.*, 21*s.* and 31*s.* 6*d.*
I	cærulescens	Burmah	21*s.* and 31*s.* 6*d.*
S	concolor	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Denisoniana	India	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	densiflora, *vide* Saccolabium giganteum		
S	gigantea	Moulmein & Rangoon	15*s.* and 21*s.*
S	Hookeriana	Borneo	21*s.*, 31*s.* 6*d.* and 42*s.*
S	insignis	Timor	21*s.* and 31*s.* 6*d.*
S	Kimballiana	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Massaiana	East Indies	42*s.* and 63*s.*
S	Parishii	Burmah	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— Marriottiana	Burmah	21*s.*, 31*s.* 6*d.* and 42*s.*

S	**VANDA** parviflora, *vide* Ærides Wightianum		
S	Roxburghii	Bengal	21*s.* and 31*s.* 6*d.*
S	—— tessellata	Bengal	21*s.* and 31*s.* 6*d.*
S	Sanderiana	Eastern Archipelago	
S	suavis	Java	31*s.* 6*d.* and 42*s.*
S	—— (Chatsworth variety)	Java	31*s.* 6*d.* and 42*s.*
S	—— maxima	Java	
S	teres	Sylhet	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— Andersoni	Sylhet	21*s.* and 31*s.* 6*d.*
S	—— lilacina	Sylhet	
I	tricolor	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— aurea	Java	
I	—— chelsoniensis	Java	
I	—— formosa	Java	31*s.* 6*d.* and 42*s.*
I	—— guttata	Java	
I	—— insignis	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— limbata	Java	
I	—— marginata	Java	
I	—— meleagris	Java	
I	—— multiflora	Java	31*s.* 6*d.* and 42*s.*
I	—— nebulosa	Java	42*s.* and 63*s.*
I	—— ochracea	Java	
I	—— planilabris	Java	
I	—— splendens	Java	
I	—— superba	Java	31*s.* 6*d.* and 42*s.*
I	undulata	Assam	42*s.* and 63*s.*
S	**VANILLA** aromatica	Brazil	3*s.* 6*d.* and 5*s.*
S	planifolia	South America	5*s.* and 7*s.* 6*d.*
I	**WARREA** Lindeniana	Colombia	15*s.* and 21*s.*
I	tricolor	Brazil	10*s.* 6*d.* and 15*s.*
I	**WARSCEWICZELLA** discolor	Colombia	15*s.* and 21*s.*
I	**XYLOBIUM** (Maxillaria) leontoglossum	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ZYGOPETALUM** Clayii	Hybrid	63*s.*
I	crinitum cœruleum	Brazil	21*s.* and 31*s.* 6*d.*
I	—— roseum	Brazil	21*s.* and 31*s.* 6*d.*
I	—— superbum	Brazil	21*s.* and 31*s.* 6*d.*
I	Gautieri	Brazil	15*s.* and 21*s.*
I	intermedium	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	Mackayi	Brazil	10*s.* 6*d.* and 15*s.*
**C*	—— majus	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	maxillare	Brazil	10*s.* 6*d.* and 15*s.*
I	rostratum	South America	21*s.* and 31*s.* 6*d.*
I	Sedenii	Hybrid	63*s.* and 84*s.*
I	Wendlandi	Costa Rica	

CHOICE ORCHIDS.

EAST INDIAN | WEST INDIAN | COLOMBIAN
MEXICAN | PERUVIAN | BRAZILIAN

Collections made at 3, 4, 6 9, and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at

3, 4, 6, 9 and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

BEST FIBROUS PEAT FOR ORCHIDS, 12s. per sack.

NEW AND CHOICE ACHIMENES.

BOUQUET CERISE, habit branching and very floriferous, cerise-coloured flowers. 3*s.* 6*d.*
BRILLIANT, flowers reddish-scarlet, throat punctulated orange. 3*s.* 6*d.*
COQUETTE, flowers violet-purple, a fiery purple ring at mouth of throat. 3*s.* 6*d.*
PHŒBUS, purple, merging into orange at centre, throat dark yellow. 2*s.* 6*d.*
VIOLETTA, rich violet-purple, the lobes and throat darkly veined. 2*s.* 6*d.*

Good selections made at 6*s.*, 9*s. and* 12*s. per dozen, according to sorts.*

New and choice sorts, 18*s. and* 30*s. per dozen, according to sorts.*

ADMIRATION
ALEXANDRA
AMBROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
CARL WOLFARTH
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
DIADEM
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FIREFLY
FRANCOIS CARDINAUX
FRAU BRUNOW
GEORGIANA
GIBSONII
HENDERSONI
JAREQUIA MAXIMA
LABYRINTHICUM
LADY LYTTLETON
LEOPARD

LONGIFLORA
—— MACRANTHA
—— MAJOR

LONGIFLORA ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MARGARITÆ
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
NINA
ONDINE
PARSONSII
PURPUREA MULTIFLORA
RIVAL
ROSEA ELEGANS
—— MAGNIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆGELIOIDES DIAMANTINA
—— LILACINELLA
NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3*s.* 6*d.*

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour, 3*s.* 6*d.*

NEW AND CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

ALPHA
AMETHYST
BARON DE ROTHSCHILD
CALYPSO
CASILDA
CASINO
CHAUCER
CYGNET
DRYDEN
ELFIN
ETHEL
FANTOME
FLORE
HECLA
HYDRA
LA FRANCE
LYDIA
MALABAR
MELAS
MENTOR
MODIOLA
MOOUL
NEPTUNE
ODIN
OSCAR
PARTHENIA
PHASIS
PRINCE DE GALLES
RUBIS
STANLEY
TAMAR
TAMPICO
TEMPLAR
TENNYSON
TERANO
VELINDRA
VIRGINALIS

GLOXINIA.

Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 9s., 12s. and 18s. per dozen; 40s., 50s., and 75s. per 100.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 30s. and 42s. per dozen, according to sorts.

AYLSA
ALARM
AMARANTE ET CANNELLE
AMAZON
APOLLON
CECILIA
CLOVIS
COQUETTE
DAPHNE
ELAINE
GIGANTEA
HOTSPUR
LORENZO
MANCINUS
MARQUIS DE GUIADIARO
MINERVE
M. RICHARD LARIOS
OPHYR
PAREPA
PLUTON
PORTIA
ROBERT LE DIABLE
THALIE
UKARA



NEW AND CHOICE REGAL PELAGONIUMS.

ALBERT VICTOR, flowers very attractive, rich rosy-carmine, margined with white, light centre. 1*s.* 6*d.*

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1*s.*

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmino; lower petals clear bright fiery crimson. 1*s.*

CHAMPION, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 1*s.* 6*d.*

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1*s.*

DOROTHY, fine largo flower, full and round, of a soft shado of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 1*s.* 6*d.*

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s.*

DUCHESS OF FIFE, well-filled flowers of a clear lako shade, pure white margins and centre. 5*s.*

DUCHESS OF TECK, immense semi-double white flowers, petals undulated. 2*s.* 6*d.*

EMPEROR OF RUSSIA, petals dark maroon, surrounded with crimson-purple, margined with blush white. 1*s.*

EMPRESS FREDERICK, a most chaste variety, with pure snow-white, semi-double flowers, the petals being elegantly crisped. The individual blossoms are round and full, having much the appearance of the flowers of the well-known Azalea, *Deutsche Perle*. As a cut-flower variety it cannot be excelled, the blooms being so full and regular. 7*s.* 6*d.*

EMPRESS OF INDIA, a magnificent variety, producing splendid trusses of very large flowers, of a brilliant shade of salmon-scarlet, tho two upper petals blotched with dark crimson, light centre. It is of excellent habit, and most desirable. 3*s.* 6*d.*

FIMBRIATUM ALBUM, puro white flowers, beautifully crimped, free-flowering and of good habit. 5*s.*

JUBILEE, fine full flowers, petals blnsh pink; upper petals blotched with maroon, surrounded with fiery crimsou. 1*s.* 6*d.*

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson-maroon; largo white centre. 1*s.*

MAID OF KENT, pure white, with bright roso-coloured spots on all the petals, which are beautifully undulated and fringed. 1*s.*

MISS LILY CANNELL, crimson-scarlet petals shaded with rosy-purplo and edged with white, light centre. 1*s.*

PRINCE GEORGE, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, tho two upper petals more heavily marked than the others. 5*s.*

PRINCE HENRY, bright fiery carmiue flowers with light centre, all the petals edged with white. 2*s.* 6*d.*

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2*s.* 6*d.*

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1*s.* 6*d.*

PRINCE OF WALES, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1*s.*

PRINCESS ALEXANDRA, the beautiful snow-white flowers of this desirable variety differ from the variety *Empress Frederick* in the shape and build of the flowers, which are of irregular form, the petals being prettily crisped and undulated. It is of dwarf robust habit, throwing its spotless white flowers just above the foliage. 7*s.* 6*d.*

PRINCESS BEATRICE (Perkins), beautiful and attractive; petals blush white. 1*s.* 6*d.*

PRINCESS OF WALES, flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon. 2*s.* 6*d.*

PRINCESS MAUD, full orange carmine flowers, margined with white, white centre surrounded with violet; upper potals blotched and feathered with maroon. 1*s.* 6*d.*

PRINCESS VICTORIA, one of the most charming varieties of the Regal Section, bearing in the utmost profusion large trusses of semi-double crispy flowers, of a delicate shade of blush pink. The plant is very floriferous, and distinct in colour. 7*s.* 6*d.*

QUEEN VICTORIA, crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1*s.* 6*d.*

STARLIGHT, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimsou. 3*s.* 6*d.*

VOLONTE NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1*s.* 6*d.*

W. E. BOYES, large trusses of salmon-rose flowers, spotted and feathered with crimson, maroon blotch on upper petals. 2*s.* 6*d.*

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 2*s.* 6*d.*

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1*s.*

ARBACES, a very attractive flower of a bright rosy-purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 1*s.*

ARDENS, upper petals fiery crimson, heavily blotched and feathered maroon; edged with rosy-magenta; lower petals soft crimson; spotted maroon; light centre. 2*s.* 6*d.*

ARGUS, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 3*s.* 6*d.*

ARVON, upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1*s.*

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s.* 6*d.*

CYPRIA, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s.* 6*d.*

DACIA, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1*s.* 6*d.*

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1*s.* 6*d.*

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1*s.* 6*d.*

DINORAH, upper petals blotched with maroon, surrounded with bright rosy-purple, and edged with rose; under petals light rose, spotted with bright rosy-purple. 1*s.* 6*d.*

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2*s.* 6*d.*

EBOR, upper petals maroon margined with white; lower petals white heavily veined with violet-purple, spotted with dark crimson; light centre. 2*s.* 6*d.*

ELLA, upper petals fiery crimson margined with white, blotched with maroon; lower petals veined crimson-lake, white margin; spotted maroon. 3*s.* 6*d.*

ELVINA, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 1*s.* 6*d.*

ENSIGN, all the petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

FORWARD, upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1*s.* 6*d.*

HECLA, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

IO, upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple. 3*s.* 6*d.*

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1*s.* 6*d.*

KENNETH, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1*s.* 6*d.*

LEONIS, flower soft rosy-purple, surrounded with pale rose, the upper petals blotched with maroon. 1*s.* 6*d.*

MABEL, flower bright rose, upper petals blotched with blackish-maroon; lower petals spotted with crimson-lake. 2*s.* 6*d.*

MAGPIE, white, with distinct dark purple spots on each petal. 1*s.*

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1*s.* 6*d.*

MARSUS, upper petals white, blotched with rosy-crimson; under petals blush-white, spotted with crimson. 1*s.* 6*d.*

MEDINA, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 1*s.* 6*d.*

MINARET, upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1*s.* 6*d.*

Mrs. STANLEY, an attractive variety, with heliotrope-coloured flowers, upper petals blotched rich purple. 3*s.* 6*d.*

MYRA, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. 2*s.* 6*d.*

PERA, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson and slightly blotched maroon. The edges of all the petals prettily fringed. 3*s.* 6*d.*

PHŒNIX, deep rosy-purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. 1*s.* 6*d.*

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1*s.* 6*d.*

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1*s.* 6*d.*

PLATEAU, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1*s.* 6*d.*

RUBIS, centre of upper petals dark maroon, surrounded with fiery crimson, margined with bright rose; lower petals clear rose spotted with crimson. 3*s.* 6*d.*

RUMOUR, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1*s.* 6*d.*

SCOTS GUARD, deep orange-scarlet, dark spots, white eye; very bright. 1*s.*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

SIRIUS, upper petals fiery crimson, edged with rose and blotched maroon; lower petals rose, spotted with crimson. 2*s.* 6*d.*

SPORTSMAN, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2*s.* 6*d.*

SPOTTED BEAUTY, soft rose, bottom petals with small rosy-crimson spots. 1*s.*

TENNYSON, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. 1*s.* 6*d.*

TREASURE, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 2*s.* 6*d.*

TYRANT, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1*s.* 6*d.*

VINCENT, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1*s.* 6*d.*

ZENOBIA, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

ACHIEVEMENT, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 1*s.* 6*d.*

ADVENTURER, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 1*s.* 6*d.*

AMPHION, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. 2*s.* 6*d.*

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose. 1*s.* 6*d.*

BANQUET, upper petals crimson-maroon, edged with rose; under petals bright rose. 1*s.* 6*d.*

BLUE BEARD, very large light purple flowers with white eye; upper petals dark. 2*s.* 6*d.*

CARMINE, lower petals crimson-scarlet, upper petals darker; good habit. 2*s.* 6*d.*

CECILIA, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1*s.* 6*d.*

CHARTER, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 1*s.* 6*d.*

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 5*s.*

COMUS, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 1*s.* 6*d.*

CONSPIRATOR, upper petals dark maroon, lower petals rosy salmon; light edges and centre; free and fine. 1*s.* 6*d.*

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1*s.* 6*d.*

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. 1*s.* 6*d.*

CRUSADER, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2*s.* 6*d.*

DIANA, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 5*s.*

DUKE OF CLARENCE, scarlet with white eye; upper petals maroon; flowers very round and smooth. 2*s.* 6*d.*

EDIE, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2*s.* 6*d.*

EMBASSY, pure white, the two upper petals blotched with deep violet-maroon. 1*s.* 6*d.*

ENTERPRISE, deep rose, dark blotch, purple edge, light eye. 3*s.* 6*d.*

EXPRESS, lower petals purplish-rose, upper petals black, with wire edge of rose. 2*s.* 6*d.*

EXQUISITE, deep orange scarlet, dark top, white eye, fine shape and quality. 2*s.* 6*d.*

FRANCES, rosy-purple, white eye, large dark blotch on top petals; a fine flower. 2*s.* 6*d.*

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1*s.* 6*d.*

INDIAN YELLOW, light orange-salmon, darker top petals; light centre. 2*s.* 6*d.*

JOSEPHINE, warm rose, shaded orange; dark-top petals, light centre. 2*s.* 6*d.*

JUNIUS, upper petals very dark maroon, with a wire edge of crimson; lower petals rosy-crimson veined with deep crimson. 3*s.* 6*d.*

LEANDER, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2*s.* 6*d.*

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1*s.* 6*d.*

NEW AND CHOICE SHOW PELARGONIUMS—continued.

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1*s.* 6*d.*

MATHON, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1*s.* 6*d.*

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2*s.* 6*d.*

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1*s.* 6*d.*

ORIENT, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2*s.* 6*d.*

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2*s.* 6*d.*

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1*s.* 6*d.*

PELICAN, lower petals deep, lilac rose, very dark upper petals, rose edges large, white centre; a distinct variety. 1*s.* 6*d.*

PERIM, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s.* 6*d.*

PLATO, soft rose, white eye, dark blotch on upper petals. 2*s.* 6*d.*

RUSTIC, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre, shaded with violet. 1*s.* 6*d.*

RUTULIA, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1*s.* 6*d.*

SYMMETRY, lilac rose lower petals; upper petals maroon; pale edges, light centre. 2*s.* 6*d.*

TEMPLAR, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2*s.* 6*d.*

THEODOSIA, upper petals velvety crimson, blotched with blackish-maroon and edged with rose; under petals bright rose. 1*s.* 6*d.*

TRIUMPH, deep rich scarlet, dark top, a bright shining flower of good quality. 1*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

ALICE CROUSSE, petals of great size, violet-purple and amaranth, very floriferous; extra. 1*s.*

ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner. 1*s.* 6*d.*

ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 1*s.*

ANDRÉ THEURIET, reddish-violet flowers, of fine shape; good habit. 1*s.*

AUGUSTE VITU, large double rose flowers; a great improvement on *Galilée*. 5*s.*

BASTIEN-LEPAGE, very large semi-double flowers, rosy-mauve, top petals marked with purple. 1*s.*

BERTHELOT, large full violet-magenta flowers, of good form, very floriferous. 1*s.*

CAMILLE FLAMMARION, cup-shaped rosy-magenta flowers, centre lit up with golden-orange. 1*s.* 6*d.*

CHARLES GRAD, enormous double flowers, large imbricated petals, brilliant satiny-magenta. 1*s.* 6*d.*

CHATRIAN, very large bright carmine-scarlet flowers. 1*s.* 6*d.*

CHIMÈNE, large double flowers, of a clear amaranth colour, shaded with crimson. 5*s.*

COMUS, soft rosy-purple flower, upper petals feathered with dark maroon. 1*s.*

CRAMOISI, large trusses of rose amaranth flowers; very floriferous. 2*s.* 6*d.*

NEW & CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.—continued

CRÉPUSCULE, bright rosy-salmon flowers, very large and double. 1*s.*
CUVIER, large and full dark violet flowers; a vigorous grower. 9*d.*
DE BRAZZA, large double flowers of a reddish-crimson colour, the superior petals maculated with scarlet. 5*s.*
DE MIRIBEL, very large double flowers of good form, clear violet, very floriferous. 5*s.*
DE QUATREFAGES, very floriferous, large violet purple flowers; extra. 9*d.*
DIAMANT, large lilac-mauve double flowers; dwarf habit. 2*s.* 6*d.*
EDOUARD CHARTON, porcelain-lilac flowers, very double and of fine form; dwarf habit. 1*s.* 6*d.*
EMILE LEMOINE, fine trusses of bright scarlet flowers. 1*s.*
ERNEST BERGMAN, fine trusses of extra large flowers, large regular crimson-lake petals; extra. 1*s.* 6*d.*
ERNEST COUTANT, brilliant orange-red double flowers; large imbricated petals. 2*s.* 6*d.*
FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1*s.* 6*d.*
FORMOSISSIMA, bright purplish-rose flowers, of perfect form. 5*s.*
FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish-magenta flowers. 9*d.*
GALILÉE, deep rose feathered in the top petals with crimson. 9*d.*
GAY-LUSSAC, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 1*s.* 6*d.*
GENÉRAL BRIÈRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 1*s.*
GENERAL CHAMPIONNET, very large Camellia-shaped flowers, of an orange-red colour. 7*s.* 6*d.*
GIROFLÉE, flowers compact and very double, of fine rosette shape; purple amaranth. 1*s.*
GLADIATEUR, flowers full and round, of a violet purple colour. 2*s.* 6*d.*
GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 1*s.* 6*d.*
HENRI LITOLFF, enormous double satiny-rose flowers, with undulated petals 5*s.*
KELUNG, bright rosy-purple flowers maculated with crimson. 5*s.*
LA MAUVE, flowers bluish mauve, long petals, veined with violet. 2*s.* 6*d.*
LAPLACE, flowers cup-shaped crimson-lake; of vigorous habit and extremely floriferous. 1*s.* 6*d.*
LAVOISIER, very large full flowers of perfect form; fine trusses of orange-salmon flowers. 9*d.*
MADAME AGAR, large trusses of rosy-lilac flowers, full and double, very floriferous. 5*s.*
MADAME BOUCHARLAT, large full flower of a bright rosy-cerise shade; very floriferous. 1*s.*
MARINER, rich rosy-magenta, upper petals feathered with dark crimson; fine flower. 1*s.*
META, bright cerise flowers, upper petals faintly feathered with maroon. 1*s.* 6*d.*
MICHELET, cerise-scarlet, suffused with magenta, a pleasing colour. 1*s.*
RAPHAËL, large flowers of perfect shape, rosy-salmon, bright centres; very floriferous. 1*s.*
SABINE, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 1*s.*
SATELLITE, rosy-pink, upper petals feathered with purplish-crimson. 1*s.*
SIR RICHARD WALLACE, very double Ranunculus-shaped flowers of a vinous rose-carmine; very floriferous and of great beauty. 3*s.* 6*d.*
VETERAN, large trusses of semi-double flowers, bright orange-carmine, very floriferous. 1*s.* 6*d.*
WRANGLER, soft pink, faintly marked in upper petals with crimson. 1*s.*

CHOICE SINGLE FLOWERING IVY-LEAVED PELARGONIUMS.

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12s. and 18s. per dozen.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

ADAM MICKIEWICZ, very large trusscs of rosy-magenta flowers. 3*s*. 6*d*.
A. DE LA DEVANSAYE, flowers brilliant salmon-orange, margined with white, white eye. 1*s*. 6*d*.
ADMIRATION, large trusses of clear salmon-rose flowers; centre salmon. 1*s*. 6*d*.
ALFRED CAPUS, large trussesof rosy-magenta flowers, upper petals bright orange; light centre. 5*s*.
ALEXANDRE DUMAS, good round flowers, reddish-scarlet, brighter upper petals; white centre. 2*s*.6*d*.
ANDRÉ THEURIET, brilliant orange-salmon flowers of perfect shape; light centre. 5*s*.
ARMAND DE PONTMARTIN, immense trusses of largo and round pure white flowers. 3*s*. 6*d*.
AURELIEN SCHOLL, rose, centre shaded violet, maculated with white on the upper petals. 2*s*. 6*d*.
BARBEY D'AUZEVILLY, enormous trusses of vinous rose flowers, bright centre. 5*s*.
BENJAMIN CONSTANT, flowers bright scarlet, of immense size. 3*s*. 6*d*.
BRUTUS, large trusses of scarlet amaranth flowers, very floriferous. 1*s*. 6*d*.
CALYPSO, large trusses of medium-sized flowers, pure white. 1*s*. 6*d*.
CARBONARO, large trusses of round flowers, of a reddish shade. 1*s*. 6*d*.
CHARLES FOUCHARD, intense dark scarlet, of dwarf habit. 2*s*. 6*d*.
CARMEN SYLVA, enormous trusses of pure white flowers; extra. 5*s*.
CHERUBINI, large salmon-vermilion flowers. 1*s*. 6*d*.
CLEMENT MAROT, compact trusses of fiery scarlet flowers; white centre. 5*s*.
COPERNIC, large trusses of orange-rose flowers, shaded carmine, white centre. 1*s*.
EDMOND BLOUIN, dark salmon, edged red, dwarf habit. 3*s*. 6*d*.
EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 3*s*. 6*d*.
ETOILE DE LYON, large round flowers, crimson shaded with purple; base and centre of lower petals white, marbled with violet; upper petals rayed with white; extra. 10*s*. 6*d*.
FOURNAISE, brilliant orange-scarlet; enormous trusses. 1*s*. 6*d*.
GENERAL DE MARBOT, bright amaranth, shot with violet; large trusses. 5*s*.
GUY DE MAUPASSANT, flowers round, of perfect form, orange-salmon, rose centre. 2*s*. 6*d*.
HENRI DE PARVILLE, large trusscs of rosy-purple flowers. 2*s*. 6*d*.
JACQUES CALLOT, very bright salmon, netted with white; large trusses; extra. 1*s*.
JANUS, dark salmon, striped and spotted with rosy-white. 5*s*.
JEAN RICHEPIN, soft salmon flowers, bright centre, the upper petals marked rose. 2*s*. 6*d*.
JEANNE D'ARC, fiery-orange, maculated with white on top petals; white centre. 1*s*.
LA LORRAINE, enormous trusses of soft rose flowers; good habit. 1*s*. 6*d*.
LA VESTALE, large pure white flowers, of perfect shape. 1*s*. 6*d*.
LOUIS CHANTRIER, large clear rose flowers, of good shape. 3*s*. 6*d*.
MADAME A. PAILLET, creamy-white, shaded with rosy-violet. 3*s*. 6*d*.
MADAME LAURENT, carmine-crimson, tinted violet. 1*s*. 6*d*.
MADAME A. RIVOIRE, large truss and flowers of grand shape; the petals being round, regular and large, of a brilliant satiny white; the best of all the white-flowered varieties. 10*s*. 6*d*.
MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. 1*s*. 6*d*.
M. EIFFEL, rosy lake, upper petals maculated with red, a beautiful colour. 1*s*.
M. POIRIER, enormous trusses of round flowers, rich carmine, shaded violet, a new colour. 1*s*.
M. TUPINIER, large cerise flowers. 1*s*. 6*d*.
M. V. NOULENS, orange-salmon flower, shaded rose-vermilion, maculated blush-violet. 1*s*.
PALAIS DE L'INDUSTRIE, soft rosy-pink, white centre, surrounded with crimson-scarlet. 1*s*. 6*d*.
PAUL CRAMPEL, enormous flowers of a brilliant minium red. 5*s*.
PAUL GINISTY, large clear magenta flowers, upper petals shaded with orange. 3*s*. 6*d*.
PERLE, large trusses of well-shaped pure white flowers, very floriferous. 1*s*. 6*d*.
RENAISSANCE, rosy red, white centre, upper petals shaded reddish-orange; very free. 1*s*. 6*d*.
RENE MAIZEROY, enormous trusses of round orange-salmon flowers, netted with white; distinct white centre; dwarf habit and very floriferous. 2*s*. 6*d*.
SOLEIL COUCHANT, bright orange-scarlet, flowers large and round; dwarf and floriferous. 1*s*.
SOUVENIR DE MIRANDE, very distinct, whitish-salmon, margined rose-cerise. 1*s*.
TROPHÉE, large trusses of rose flowers, shaded lilac in centre. 1*s*. 6*d*.
VICTOR CHERBULIEZ, large trusses of soft rose flowers, upper petals nearly white. 3*s*. 6*d*.
VULCAIN, bright reddish purple, immense trusses. 2*s*. 6*d*.
VICTOR HUGO, large trusses of bright orange-scarlet flowers, dwarf, and very floriferous. 1*s*.
WHITE PERFECTION, a free-flowering white variety of good habit. 1*s*. 6*d*.

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

AEROLITHE, irregular orange-scarlet semi-double flowers. 1*s*.

ADMIRAL SEYMOUR, dark amaranth-purple colour, marked with red in the upper petals. 1*s*.

BELLE NANCEIENNE, large trusses of soft rose flowers, centre salmon-carmine. 1*s*.

BONNAT, large spherical trusses of brilliant carmine flowers. 1*s*. 6*d*.

BOUGEREAU, large trusses of beautiful rose flowers, the upper petals maculated with white. 1*s*. 6*d*.

BUFFALO BILL, cream-coloured flowers, marbled with rose. 2*s*. 6*d*.

CATULLE MENDES, rosy-purple, upper petals marked with white, very floriferous. 2*s*. 6*d*.

CENTAURE, very large round trusses of bright rose flowers, vigorous habit. 1*s*. 6*d*.

CHARLES JOLY, of good habit and very floriferous; very bright orange-red. 5*s*.

CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1*s*. 9*s*. per dozen.

COMTE DE FLANDRE, delicate rose, shaded with bright red; very floriferous. 1*s*.

COMTESSE DE FLANDRE, flowers beautiful rosy-scarlet; very neat and pretty. 1*s*.

COMTE D'HAINAULT, an exceedingly dwarf variety, with rosy-purple flowers. 1*s*.

DE LACÉPÈDE, light lilac-rose flowers. 1*s*. 6*d*.

DIRECTOR W. SCHÜLE, large reddish-madder flowers. 1*s*.

ECLAIREUR, bright red, shaded with scarlet. 1*s*. 6*d*.

ERNEST BAHLSEN, blush tinted violet. 1*s*. 6*d*.

FRANCISQUE SARCEY, fine trusses of rosy-mauve flowers, the upper petals maculated with orange. 5*s*.

GENERAL BRIERE DE L'ISLE, well-shaped rosy-salmon flowers. 1*s*.

GÉNERAL DE COURCY, brick-red in centre shading to salmon, marbled with white. 1*s*.

GEROME, large trusses of double rosy-violet flowers. 1*s*.

GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1*s*.

GLOIRE DE FRANCE, dark salmon, shading to whitish-rose; extra large trusses. 1*s*.

GRINGOIRE, fine round trusses of clear salmon flowers, bright centre. 5*s*.

HENRI DE BORNIER, large trusses of blush white flowers; dwarf habit and very floriferous. 3*s*. 6*d*.

HENRI MEILHAC, large trusses of perfectly shaped flowers, salmon tinted with apricot, centre orange, very floriferous. 1*s*. 6*d*.

JEAN BOUCHET, globular trusses of dark rosy-violet flowers. 1*s*. 6*d*.

KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 1*s*.

L'ANDALOUSE, large trusses of creamy white flowers, very free. 1*s*.

LA FAVORITE, large trusses of well-made pure white flowers. 1*s*. 6*d*.

LA FONTAINE, fine trusses of rosy-red flowers. 5*s*.

LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. 1*s*.

LE CID, fine trusses of very bright crimson flowers; vigorous habit. 1*s*. 6*d*.

LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. 1*s*.

LE PROPHÈTE, plant very vigorous; fine trusses of bright madder flowers. 1*s*. 6*d*.

LOUIS FIGUIER, large compact trusses, dark red bordered with rose. 1*s*.

LUCIFER, large trusses of a peculiar shade of red, very floriferous. 2*s*. 6*d*.

MADAME DUPONT, trusses of rosette-like flowers, fiery scarlet. 1*s*. 6*d*.

MADAME DE NAUROIS, rosy-carmine flowers, maculated with white, light centre. 1*s*.

MADAME GRILLET, soft rose flowers, good truss. 1*s*.

MADAME GUILBERT, large trusses of pure rose flowers. 1*s*.

MADAME MENOREAU, pure white, centre bright rose. 1*s*.

MADAME ROZAIN, very large pure white double flowers, exterior petals of excellent shape. The best of all the double-flowered white varieties. 10*s*. 6*d*.

MELCHIOR DE VOGUÉ, large trusses soft rose flowers, shaded lilac. 3*s*. 6*d*.

M. BAROU, reddish orange, lit up with violet. 1*s*. 6*d*.

M. DE LEYBARDIE, rosy-violet, the upper petals marked with white. 1*s*.

M. FABRE, orange-cerise, shaded violet. 1*s*.

M. J. DELAUX, rosy-purple, shaded with carmine, upper petals marked with white. 1*s*.

M. JEAN LIABAUD, large trusses of purplish-violet flowers. 1*s*.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

M. JOVIS, centre bright salmon, margins yellowish-white. 1*s.* 6*d.*
M. M. MATHIEU, magenta-cerise flower, centre orange. 1*s.* 6*d.*
M. MOISSAN, large trusses of reddish orange flowers; good habit. 1*s.* 6*d.*
MONTESQUIEU, large flowers of a roso-mauve colour, light centre. 2*s.* 6*d.*
PAUL ARÈNE, very dwarf and floriferous; well-formed milk-white flowers. 1*s.* 6*d.*
PETIT JEAN, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1*s.*
PH. GEDULDIG, reddish-carmine, shaded in tho centre with violet. 1*s.*
PIERRE LOTI, very large trusses of silvery rosy-lilac flowers; a new colour. 5*s.*
PRESIDENT CARNOT, bright vermilion, shaded cardinal. 1*s.* 6*d.*
PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 1*s.*
PROUVE, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1*s.*
RAFFAELLO MERCATELLI, reddish-salmon, semi-double flowers. 1*s.*
REINE NATHALIE, large trusses of white flowers; plant of good habit. 5*s.*
ROMULUS, dark violet, maculated with red. 1*s.*
RUBENS, rose madder, shaded orange, white reverse. 1*s.* 6*d.*
RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 1*s.* 6*d.*
SACHER-MASOCH, immense trusses of dark rose-coloured flowers. 3*s.* 6*d.*
SAINT-SAËNS, large trusses of bright red flowers, margined with salmon. 2*s.* 6*d.*
SECRETAIRE NICOLAS, orange-madder; fine trusses. 1*s.*
SERGENT BOBILLOT, beautiful rosy-purple flowers; fine trusses. 1*s.*
SOUVENIR DE LOUIS VAN HOUTTE, beautiful carmine-rose flowers; very floriferous. 1*s.*
SULLY-PRUDHOMME, large trusses of bright carmine flowers. 3*s.* 6*d.*
THEODORE DE BANVILLE, medium-sized trusses of dark cerise flowers. 3*s.* 6*d.*
TUNISIE, erect trusses of double flowers, white shaded with salmon. 1*s.* 6*d.*
VIVIAND MOREL, amaranth, centre deep red. 1*s.*
WILHELM PFITZER, orange-salmon of a new shade, plant dwarf and very floriferous. 2*s.* 6*d.*
WILLIAM KELWAY, enormous trusses of fiery scarlet flowers. 2*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen

SWEET-SCENTED LEAVED PELARGONIUMS

Selections made by Mr. W. B. at 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years. The measurements of a few of the plants are given below :—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.

No.	Height of Stem.
1	4 ft. 3 in.
2	3 ft. 4 in.
3	2 ft. 9 in.
4	2 ft. 9 in.
5	3 ft. 11 in.
6	4 ft. 6 in.
7	3 ft. 7 in.
8	3 ft. 6 in.
9	7 ft.
10	6 ft. 2 in.
11	6 ft. 4 in.
12	10 ft. 6 in.
13	13 ft.
14	3 ft. 6 in.
15	10 ft. 6 in.
16	1 ft. 10 in.

DICKSONIA ANTARCTICA.

No.	Height of Stem.
17	6 ft. 6 in.
18	7 ft.
19	2 ft. 3 in.
20	1 ft. 11 in.
21	3 ft. 1 in.
22	7 ft. 6 in.

CYATHEA DEALBATA.

No.	Height of Stem.
23	5 ft. 0 in.
24	3 ft. 6 in.
25	2 ft. 10 in.
26	6 ft.

CYATHEA BURKEI.

No.	Height of Stem.
27	6 ft. 4 in.
28	9 ft. 2 in.
29	9 ft. 2 in.
30	8 ft. 10 in.
31	8 ft.

CYATHEA DREGEI.

No.	Height of Stem.
32	6 ft. 9 in.
33	6 ft. 9 in.
34	6 ft. 1 in.
35	8 ft.
36	7 ft.
37	5 ft. 6 in.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ADIANTUM AMABILE, 1*s.* 6*d.*
ANEITENSE, 3*s.* 6*d.*
ASSIMILE CRISTATUM, *vide* page 94.
BELLUM, 3*s.* 6*d.*
CARDIOCHLÆNA, 3*s.* 6*d.*
COLLISII, 3*s.* 6*d.* and 5*s.*
CONCINNUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— LATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CURVATUM, 3*s.* 6*d.*
DOLABRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*

ADIANTUM FARLEYENSE, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
FEROUSONII, 2*s.* 6*d.*
FRAORANTISSIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FULVUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GHIESBREGHTII (SCUTUM), 2*s.* 6*d.* and 3*s.* 6*d.*
LATHOMII, 3*s.* 6*d.*
LEORANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
LUDDEMANNIANUM, 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
PENTADACTYLON, 3*s.* 6*d.*

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 7*s.* 6*d.*

ADIANTUM REGINÆ 3*s.* 6*d.*
RHODOPHYLLUM, 3*s.* 6*d.* and 5*s.*
RUBELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SANCTÆ CATHERINÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
SCUTUM, *vide* GHIESBREGHTII.
TENERUM, 2*s.* 6*d.*
TINCTUM, 3*s.* 6*d.*

ADIANTUM TRAPEZIFORME, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIGANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ALSOPHILA REBECCÆ, 3*s.* 6*d.* and 5*s.*
ANEMEDICTYON PHYLLITIDIS, 1*s.* 6*d* and 2*s.* 6*d.*
ANGIOPTERIS EVECTA.



GYMNOGRAMMA ELEGANTISSIMUM.

GYMNOGRAMMA ELEGANTISSIMUM.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnæ being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 7*s.* 6*d.* and 10*s.* 6*d.*

ANTIGRAMMA BRASILIENSIS, 7*s.* 6*d.* and 10*s.* 6*d.*
ASPIDIUM MACROPHYLLUM, 3*s.* 6*d.*
TRIFOLIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ASPLENIUM ALATUM, 3*s.* 6*d.*
BELANGERI, 2*s.* 6*d.*
CICUTARIUM, 2*s.* 6*d.*
FERNANDEZIANUM, 2*s.* 6*d.*
ASPLENIUM FÆNICULACEUM, 2*s.* 6*d.*
HOOKERIANUM, 3*s.* 6*d.*
PROLONGATUM, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 3*s.* 6*d.*
BLECHNUM BRASILIENSE, 2*s.* 6*d.* & 3*s.* 6*d.*
POLYPODIOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, tho pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5*s.* and 7*s.* 6*d.*

CHEILANTHES ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
HIETA ELLISIANA, 2*s.* 6*d.* & 3*s.* 6*d.*
CIBOTIUM SCHIEDEI, 5*s.* and 7*s.* 6*d.*
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 96.

DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has oreeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or moro in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, tho *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3*s.* 6*d.* and 5*s.*

DAVALLIA BULLATA, 2*s.* 6*d.*
CHÆROPHYLLA, 3*s.* 6*d.*
FÆNICULACEA, 3*s.* 6*d.*
FIJIENSIS, 3*s.* 6*d.* and 5*s.*
HEMIPTERA, 3*s.* 6*d.*
LORRAINII, 10*s.* 6*d.* and 15*s.*
MARIESII, 3*s.* 6*d.*
MOOREANA, 2*s.* 6*d.* and 3*s.* 6*d.*
NOVA ZEALANDIÆ, 2*s.* 6*d.*
PYXIDATA, 3*s.* 6*d.*
SOLIDA, 3*s.* 6*d.*
TENUIFOLIA, 2*s.* 6*d.*
TYERMANNI (HUMATA), 3*s.* 6*d.*
DIPLAZIUM ARNOTTII, 7*s.* 6*d.*
DORYOPTERIS PALMATA, 1*s.* 6*d.* & 2*s.* 6*d.*
SAGOITTÆFOLIA, 3*s.* 6*d.*
ELAPHOGLOSSUM GLABRATUM, 7*s.* 6*d.*
L'HERMINIERI, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
GLEICHENIAS, *vide* page 95.
GONIOPHLEBIUM FRAXINIFOLIUM, 5*s.*
GLAUCOPHYLLUM, 3*s.* 6*d.* and 5*s.*
SUBAURICULATUM, 2*s.* 6*d.*
GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 3*s.* 6*d.* and 5*s.*
DECOMPOSITUM, 3*s.* 6*d.*
ELEGANTISSIMUM, *vide* page 92.
LAUCHEANUM, 3*s.* 6*d.*
MERTENSII, 2*s.* 6*d.* and 3*s.* 6*d.*
PERUVIANUM ARGYROPHYLLUM, 2*s.* 6*d.* & 3*s.* 6*d.*
SCHIZOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GLORIOSUM, 3*s.* 6*d.*
WETENHALLIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GYMNOPTERIS QUERCIFOLIA, 3*s.* 6*d.*
GYMNOTHECA RADDIANA, 2 and 3 guineas
HEMIONITIS PALMATA, 2*s.* 6*d.* and 3*s.* 6*d.*

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The frond is about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis. *5s.*

LASTREA QUINQUANGULARIS, *3s. 6d.*
RICHARDSII MULTIFIDA, *3s. 6d.*
see also page 96.
LOMARIA GIBBA, *1s. 6d.* and *2s. 6d.*
LYGODIUM SCANDENS, *2s. 6d.*
MENISCIUM RETICULATUM, *3s. 6d.*
MICROLEPIA HIRTA CRISTATA, *3s. 6d.*
NEPHRODIUM TRUNCATUM, *7s. 6d.*
NEPHROLEPIS BAUSEI, *3s. 6d.*
DAVALLIOIDES FURCANS, *3s. 6d.*
DUFFII, *2s. 6d.* and *3s. 6d.*
ENSIFOLIA, *3s. 6d.*
RUFESCENS TRIPINNATIFIDA, *3s. 6d.*
NEPHROLEPIS PHILIPPINENSIS, *2s. 6d.*
ONYCHIUM AURATUM, *3s. 6d.*
PHLEBODIUM GLAUCUM, *3s. 6d.* and *5s.*
PLATYCERIUM GRANDE
PLEOPELTIS PICTA, *5s.*
POLYSTICHUM LENTUM, *5s.*
VIVIPARUM, *3s. 6d.* and *5s.*
POLYPODIUM PECTINATUM, *3s. 6d.*
VENOSUM, *3s. 6d.*
PTERIS ASPERICAULIS, *3s. 6d.*
TRICOLOR, *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*
see also page 96.

PTERIS VICTORIÆ.

This very remarkable and beautiful variegated Pteris has been imported from the Eastern Archipelago, and is undoubtedly one of the most striking and desirable Ferns of recent introduction. The plant is of graceful habit, throwing up a tuft of fertile pinnate fronds, each composed of a long linear end segment, and three or four distant pairs of sessile pinnæ, many of them being forked at the base. These segments are entire, about one-sixth of an inch broad, and beautifully variegated throughout, with close lanceolate white teeth, extending from the midrib nearly to the edge, forming a striking contrast to the dark green ground colour; the sterile fronds have broader and shorter segments. Extremely elegant in growth, this pretty New Fern cannot fail to become a great favourite. *2s. 6d.*, *3s. 6d.* and *5s.* A coloured illustration can be supplied post free, price *1s.*

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths. *3s. 6d.*

ADIANTUM CAPILLUS-VENERIS IMBRICATUM.

This splendid new Maiden-hair Fern is a decided acquisition, having the decorative appearance of *Adiantum Farleyense* with the hardness of *Adiantum Capillus-Veneris*, added to a grace quite its own. The fronds are rich in colour, delicate in form and arrangement, whilst the character and habit of the plant is refined and graceful. In recognition of its merit, it was awarded a First-class Certificate by the Royal Horticultural Society. *5s.* and *7s. 6d.*

ADIANTUM CAPILLUS-VENERIS, *1s. 6d.*
CAPILLUS-VENERIS GRANDE, *2s. 6d.*
—— —— MAGNIFICUM, *2s. 6d.*
—— —— MARIESII, *2s. 6d.* and *3s. 6d.*
—— —— PACOTTI, *1s. 6d.* and *2s. 6d.*
CUNEATUM, *1s. 6d.* and *2s. 6d.*
—— ELEGANS, *2s. 6d.*
—— GRANDICEPS, *2s. 6d.* and *3s. 6d.*
DECORUM, *2s. 6d.* and *3s. 6d.*
FORMOSUM, *1s. 6d.*
GRACILLIMUM, *2s. 6d.* and *3s. 6d.*
HISPIDULUM, *1s. 6d.*
MUNDULUM, *2s. 6d.* and *3s. 6d.*
ADIANTUM WILLIAMSII, *2s. 6d.* and *3s. 6d.*
see also page 91.
ALSOPHILA AUSTRALIS, *2s. 6d.* and *3s. 6d.*
ASPLENIUM BULBIFERUM, *1s. 6d.* and *2s. 6d.*
COLENSOI, *2s. 6d.*
DIMORPHUM (*biforme*), *1s. 6d.* and *2s. 6d.*
DIVARICATUM, *2s. 6d.* and *3s. 6d.*
LAXUM PUMILUM, *2s. 6d.* and *3s. 6d.*
LUCIDUM, *2s. 6d.* and *3s. 6d.*
FALCATUM, *7s. 6d.*
CHEILANTHES, *vide* page 93.
CIBOTIUM REGALE, *2s. 6d.*, *3s. 6d.* and *5s.*
SCHIEDEI, *vide* page 93.



GLEICHENIA DICARPA LONGIPINNATA.

GLEICHENIA DICARPA, 3*s*. 6*d*. and 5*s*.
DICARPA LONGIPINNATA, 7*s*. 6*d*. and 10*s*. 6*d*.
DICHOTOMA, 7*s*. 6*d*.
FLABELLATA, 5*s*. and 7*s*. 6*d*.
MENDELII, 10*s*. 6*d*. and 15*s*.

GLEICHENIA MICROPHYLLA, 5*s*. and 7*s*. 6*d*.
RUPESTRIS GLAUCESCENS, 10*s*. 6*d*.
SEMIVESTITA, 5*s*. and 7*s*. 6*d*.
SPELUNCÆ, 7*s*. 6*d*.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. For large plants, *vide* page 91.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s*. 6*d*. and 5*s*. For large plants, *vide* page 91.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s*. 6*d*.

CYATHEA MEDULLARIS, 2*s*. 6*d*. and 3*s*. 6*d*.
(CIBOTIUM) PRINCEPS, 3*s*. 6*d*. and 5*s*.
CYRTOMIUM CARYOTIDEUM, 2*s*. 6*d*. and 3*s*. 6*d*.
FALCATUM, 2*s*. 6*d*.
—— FENSOMII, this handsome new Fern is a great improvement on the old varioty. Awarded First-class Certificate. 3*s*. 6*d*.
FORTUNEI, 2*s*. 6*d*.
DAVALLIA DISSECTA, 2*s*. 6*d*. and 3*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.
DICKSONIA ANTARCTICA, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
For large plants, *vide* page 91.
SQUARROSA, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
DIDYMOCHLÆNA TRUNCATULA, 3*s*. 6*d*.
DIPLAZIUM, *vide* page 93.
DORYOPTERIS PALMATA, *vide* page 93.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3*s*. 6*d*.

GLEICHENIAS, *vide* page 95.

HYMENOPHYLLUM DEMISSUM, 5*s*. and 7*s*. 6*d*.

LASTREA CORUSCA.

An interesting greenhouse fern, introduced from Japan, with dark shining green bipinnate fronds, acutely triangular in outline, having the lower pinnæ deflexed, and the points of all the pinnæ gracefully recurved. The pinnules are narrow, elliptical or oblong, rounded at the tips and with serrated edges, the underside assuming with age a silvery-grey appearance. 5*s*.

LASTREA ARISTATA VARIEGATA, 1*s*. 6*d*. and 2*s*. 6*d*.
ERYTHROSORA, 2*s*. 6*d*.
OLABELLA, 2*s*. 6*d*. and 3*s*. 6*d*.
LEPIDA, 2*s*. 6*d*. and 3*s*. 6*d*.
PROLIFICA, 2*s*. 6*d*., 3*s*. 6*d* and 5*s*.
LEUCOSTEGIA IMMERSA, 2*s*. 6*d*.
LOMARIA CYCADÆFOLIA, 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.
GIBBA, *vide* page 94.
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
ZAMIÆFOLIA. 2*s*. 6*d*. and 3*s*. 6*d*.
NEPHRODIUM MOLLE CRISTATUM, 3*s*. 6*d*.
MOLLE RAMOSUM, 3*s*. 6*d*.
ONYCHIUM JAPONICUM, 1*s*. 6*d*.
OSMUNDA JAPONICA CORYMBIFERA, 2*s*. 6*d*. & 3*s*. 6*d*.
PALUSTRIS, 2*s*. 6*d*. and 3*s*. 6*d*.
PHLEBODIUM AUREUM, 2*s*. 6*d*.
PLATYCERIUM ALCICORNE, 3*s*. 6*d*.
ALCICORNE MAJUS, 7*s*. 6*d*.
POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
POLYSTICHUM POLYBLEPHARUM, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
SETOSUM, 2*s*. 6*d*. and 3*s*. 6*d*.
VENUSTUM, 5*s*.
PTERIS AROUTA, 2*s*. 6*d*.
AROYREIA, 1*s*. 6*d*. and 2*s*. 6*d*.
CRETICA ALBO-LINEATA, 1*s*. 6*d*.
—— MAYII, 2*s*. 6*d*. and 3*s*. 6*d*.
—— NOBILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
INTERNATA, 2*s*. 6*d*.
OUVRARDII, 1*s*. 6*d*.
REX, 3*s*. 6*d*. and 5*s*.
SERRULATA, 1*s*.
—— CRISTATA, 1*s*. 6*d*.
—— —— COMPACTA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— —— DENSA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— —— VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
TREMULA, 1*s*. 6*d*. and 2*s*. 6*d*.
—— ELEGANS, 3*s*. 6*d*.
—— FLACCIDA, 3*s*. 6*d*.
—— FOLIOSA, 2*s*. 6*d*.

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7*s*. 6*d*.

PTERIS TREMULA SMITHIANA, 3*s*. 6*d*. and 5*s*.

TODEA AFRICANA, 2*s*. 6*d*. and 3*s*. 6*d*.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 2*s.* 6*d* and 3*s.* 6*d.* Fine strong plants, 10*s.* 6*d.*, 15*s.* and 21*s.*

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

TRICHOMANES RADICANS DISSECTUM, 5*s.* and 7*s.* 6*d.*

WOODWARDIA ORIENTALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; *H*, hardy; *S*, stove.

	s.	*d.*
S **AFRICANA**	2	6
S **ALBO-SPICA**	3	6
S **AMŒNA** 2*s.* 6*d.* &	3	6
S **APUS (APODA)**	1	6
S **ATROVIRIDIS**	2	6
S **CANALICULATA**	5	0
S **CAULESCENS**	2	6
S **COGNATA**	3	6
S **CUSPIDATA**	2	6
S **EMILIANA**	3	6
S **FILICINA** (DICHROUS)	2	6
S **FLAGELLIFERA**	3	6
S **GALEOTTII** (SCHOTTII)	2	6
S **GRANDIS** 3*s.* 6*d.* &	5	0
S **INÆQUALIFOLIA** 1*s.* 6*d.* &	2	6
G **INVOLVENS** 2*s.* 6*d.* &	3	6
G **KRAUSSIANA** (DENTICULATA)	0	9
G **KRAUSSIANA AUREA** 1*s.* 6*d.* &	2	6
G —— **VARIEGATA**	1	6
S **LÆVIGATA** (CÆSIA ARBOREA)	3	6
S **LOBBII**	2	6
S **LYALLII**	2	6
S **MARTENSII**	1	6
S —— **ALBO-VARIEGATA**	1	6
S **POULTERI**	2	6
S **RUBRICAULIS**	2	6
S **SERPENS** (MUTABILIS and VARIABILIS)	1	6
S **SETOSA**	2	6
S **STOLONIFERA**	1	6
S **TASSELLATA**	5	0
S **VOGELLII VARIEGATA**	5	0
S **UNCINATA** (CÆSIA)	1	6
S **VICTORIÆ**	3	6
S **WALLICHII**	3	6
G **WILDENOVII** (PUBESCENS)	2	6

Selection of good kinds can be supplied at 18s. per dozen.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

ACANTHOPHŒNIX CRINITA (ARECA CRINITA) ..... 10*s.* 6*d.* and 15*s.*

ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 10*s.* 6*d.* and 15*s.*

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.

ARECA ALBA, *vide* DICTYOSPERMA ALBUM.
AUREA, *vide* DICTYOSPERMA AUREUM.
* BAUERI *vide* RHOPALOSTYLIS BAUERI.
CRINITA, *vide* ACANTHOPHŒNIX CRINITA.
LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS
MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
RUBRA, *vide* DICTYOSPERMA RUBRUM
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
TRIANDRA ..... 10*s.* 6*d.* and 15*s.*
VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII

***ARENGA** WIGHTII ..... 1 guinea

ASTROCARYUM MALYBO (A. ARGENTEUM)..... 1½ and 2 guineas

BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowonia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from which are developed its large and handsome leaves, which differ from the typal and only other known Bowenia in having the margins distinctly toothed or serrated .... 5*s.* and 7*s.* 6*d.*

CALAMUS AUSTRALIS .....
OCILIARIS ..... 1, 1½ and 2 guineas
MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
(DÆMONOROPS) PALEMBANICUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
ROXBURGHII ..... 10*s.* 6*d.*

CALYPTROGYNE SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII

CARLUDOVICA DRUDEI ..... 10*s.* 6*d.* and 15*s.*
PALMATA ..... 10*s.* 6*d.* and 15*s.*
PLUMIERI ..... 10*s.* 6*d.*
WALLISII ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CARYOTA URENS "Wine Palm" ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

CATAKIDOZAMIA HOPEI.....
DENISONI, *vide* LEPIDOZAMIA

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS

CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

GRAMINIFOLIA ..... 10*s.* 6*d.* and 15*s.*

* POLITA ..... 10*s.* 6*d.*

COCOS WEDDELLIANA.

***CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS

* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI

* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.* to 2, 3 and 4 guineas each.

* —— GRACILIS ..... 15*s.* and 21*s.*

* —— ROBUSTA ..... 15*s.* and 21*s.*

* —— TOMENTOSA ..... 15*s.* and 21*s.*

STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA

CHRYSALIDOCARPUS LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* to 21*s.*

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 3*s.* 6*d.* & 5*s.*

* FLEXUOSA ..... 3*s.* 6*d.* and 5*s.*

INSIGNIS (GLAZIOVA INSIGNIS), 7*s.* 6*d.* and 10*s.* 6*d.*

PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

PROCOPEANA ..... 5*s.* and 7*s.* 6*d.*

***COCOS** WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 21*s.*

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

CYCAS ARMSTRONGII .....

CIRCINALIS ..... 1½ and 2 guineas.

MEDIA, a noble Cycad. Trunks in various sizes. Prices on application.

* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 3, 4 and 5 guineas each.

RUMPHII .....

SIAMENSIS .....

CYCLANTHUS DISCOLOR ..... 1 guinea

CYPHOKENTIA GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

DÆMONOROPS, *vide* CALAMUS

DICTYOSPERMA ALBUM (ARECA ALBA) ..... 3*s.* 6*d.* and 5*s.*

AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*

RUBRUM (ARECA RUBRA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DIOON EDULE ..... 1½, 2 and 3 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS

CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

DRYMOPHLŒUS SINGAPORENSIS (PTYCHOSPERMA SINGAPORENSIS) .....

***ENCEPHALARTOS** CAFFRA .....

* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.

* HORRIDUS .....

* —— MULTIFLEXUS .....

* (ZAMIA) LEHMANNI .....

* (——) —— GLAUCUS .....

* (——) —— SPINOSUS .....

* (——) REGALIS. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. Price on application.

* (——) VILLOSUS .....

* (——) —— AMPLIATUS .....

* (——) —— DENTICULATUS .....

* (——) —— GRACILIS .....

* (——) —— VROOMII ..... 4 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA GRACILIS, 1*s.* 6*d.* and 2*s.* 6*d.*, 7*s.*6*d.*to10*s*6*d.*
INTERMEDIA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SCHOTTIANA ..... 3*s.* 6*d.* and 5*s.*
GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA
INSIGNIS, *vide* COCOS INSIGNIS
GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA
FORSTERIANA, *vide* HOWEA FORSTERIANA
***HEDYSCEPE** CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
***HOWEA** BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2*s* 6*d.*., 3*s.* 6*d.*, 5*s.* to 21*s.*
* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA) .....
HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS
INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS
(ARECA) VERSCHAFFELTII, 10*s.* 6*d.*, 15*s.* and 21*s.*
***KENTIA** AUSTRALIS .....
* BELMOREANA, *vide* HOWEA BELMOREANA
* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
ELEGANTISSIMA.....
* FORSTERIANA, *vide* HOWEA FORSTERIANA
GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII
* RUPICOLA .....
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA
***KENTIOPSIS** OLIVÆFORMIS (KENTIA GRACILIS, CYPHOKENTIA GRACILIS) .....
***LATANIA** BORBONICA, *vide* LIVISTONA CHINENSIS
* COMMERSONI (L. RUBRA). 1 & 1½ guinea.
LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA
LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI) .....
LIVISTONA ALTISSIMA. 10*s.* 6*d.* 15*s.* & 21*s.*
* AUSTRALIS (CORYPHA AUSTRALIS). 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*
* CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*, to 2, 3, 4 and 5 guineas each.
HOOGENDORPHII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, giving the leaves a bold and distinctive character. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
INERMIS, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments, each about half-an-inch in breadth. 10*s.* 6*d.*, 15*s.* & 21*s.*
* MAURITIANA, *vide* L. CHINENSIS
ROTUNDIFOLIA (SUBGLOBOSA) 3*s.* 6*d.* & 5*s.*
* SINENSIS, *vide* L. CHINENSIS
***MACROZAMIA** CYLINDRICA .....
* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA
* PLUMOSA ..... 2, 3 and 4 guineas.
MAXIMILIANA REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
OREODOXA SANCONA, *vide* EUTERPE EDULIS
PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA
***PHŒNIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis;* its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
DACTYLIFERA (THE DATE PALM) .....10*s.* 6*d.*, 15*s.* and 21*s.*

GEONOMA GRACILIS.

HOWEA (KENTIA) BELMORIANA.

RHOPALOBLASTE HEXANDRA.

For description and price, *vide* page 102.

*PHŒNIX HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 1 and 1½ guinea.

INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory *5s.*, *7s. 6d.* and *10s. 6d.*

* RECLINATA ..... *3s. 6d.*, *5s.*, *7s. 6d.* & *10s. 6d.*

* RUPICOLA, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoscs. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition. *2s. 6d.* and *3s. 6d.*; fine plants, *21s.*, *31s. 6d.* and *42s.*

* SYLVESTRIS, a Sugar-yielding Palm *1s. 6d.*, *2s. 6d.*, *3s. 6d.* & *5s.*

PINANGA KUHLEI ..... *7s. 6d.* and *10s. 6d.*

LEPIDA ..... *21s.*

MACULATA ..... *10s. 6d.* to *21s.*

PHŒNIX RUPICOLA.

SPECTABILIS ..... *21s.*

PRITCHARDIA AUREA ..... 1½, 2 and 3 guineas

PAOIFIOA ..... 1 and 1½ guinea

*PTYCHOSPERMA ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

MACARTHURII (KENTIA MACARTHURII) ..... *3s. 6d.*, *5s.* and *7s. 6d.*

SINGAPORENSIS, *vide* DRYMOPHLŒUS SINGAPORENSIS

*RHAPIS FLABELLIFORMIS ..... *5s.*, *7s. 6d.* to *21s.*

HUMILIS ..... *21s.* and *31s. 6d.*

RHOPALOBLASTE HEXANDRA, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *Vide* illustration page 101. Price on application.

*RHOPALOSTYLIS BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA) ..... *5s.*, *7s. 6d.* and *10s. 6d.*

SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) ..... *3s. 6d.*, *5s.* and *7s. 6d.*,

SABAL ADANSONI "DWARF PALMETTO" ..... *3s. 6d.* and *5s.*

GLAUCESCENS ..... *7s. 6d.* and *10s. 6d.*

UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... *3s. 6d.* and *5s.*

*SEAFORTHIA ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI

STANGERIA PARADOXA ..... *10s. 6d.*

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM) ..... 1, 1½, 2 to 5 guineas.

THRINAX CHUCO ..... *5s.* and *7s. 6d.*

ELEGANS, very handsome for exhibition purposes ..... *5s.*, *7s. 6d.* and *10s. 6d.*

ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... *15s.* and *21s.*

GRAMINEA ..... *7s. 6d.* and *10s. 6d.*

* PARVIFLORA ..... *3s. 6d.*, *5s.* and *7s. 6d.*

TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from *3s. 6d.*, *5s.*, *7s. 6d.*, *10s. 6d.* and *15s.* to 2, 3, 4 and 5 guineas each.

FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from *3s. 6d.*, *5s.*, *7s. 6d.*, *10s. 6d.* and *15s.* to 2, 3, 4 and 5 guineas each.

WALLICHIA DENSIFLORA ..... *21s.* and *31s. 6d.*

NANA .....

*ZAMIA BREVIFRONS ..... 1½ and 2 guineas

* FURFURACEA ..... 2 and 3 guineas

* INTEGRIFOLIA ..... 2 and 3 guineas

* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI

LINDENI .....

PRASINA ..... 1½ guinea

* ROEZLII .....

SKINNERI .....

* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS

* VROOMII, *vide* ENCEPHALARTOS VROOMII.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 21s, 30s. and 42s.

New and Choice Varieties, 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.

ADOLPHE ADAMS, green, densely speckled with white; rose-coloured mid-ribs. 2*s*. 6*d*. and 3*s*. 6*d*.

ADOLPHE ANDRIEN, a very attractive variety with large richly coloured foliage. 3*s*. 6*d*.

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 3*s*. 6*d*.

AÏDA, transparent ruddy rose tissue with green ribs. 5*s*.

ALBO-LUTEUM, yellowish-white with green tint, very long leaves. 5*s*.

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3*s*. 6*d*.

ALFRED BLEU, green, with white spots and flesh-coloured centre. 2*s*. 6*d*.

ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7*s*. 6*d*.

ALICE VAN GEERT, creamy-white, veined rose. 7*s*. 6*d*.

ALPHAND, green, spotted red; crimson centre. 2*s*. 6*d*. & 3*s*. 6*d*.

ALPHONSE KARR, carmine centre and red spots. 3*s*. 6*d*.

ALZIRE, 7*s*. 6*d*.

AMŒNUM, transparent rose, with red ribs, violet-rose veins green margin. 5*s*.

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 5*s*.

ANNIBAL, 3*s*. 6*d*.

ARETHUSE, 3*s*. 6*d*.

ARGYRITES, pale green with white spots. 1*s*. 6*d*. & 2*s*. 6*d*.

ARISTIDE, light green; crimson centre. 3*s*. 6*d*.

ARSINOË, 3*s*. 6*d*. and 5*s*.

ARTEMISE, silvory-white with rosy-crimson ribs. 3*s*. 6*d*.

ASSUNGUY, transparent leaves, with black green veins, entire leaf suffused with deep rose-pink. 10*s*. 6*d*.

ATALA, light rose, veins dark green, 5*s*.

AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5*s*.

AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3*s*. 6*d*.

AUGUSTE RIVIÈRE, white centre and rays, and crimson spots. 3*s*. 6*d*.

AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. 7*s*. 6*d*.

AZULAO, centre transparent, light violet with bluish tint, bright green border. 10*s*. 6*d*.

BACURY, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 10*s*. 6*d*.

BARAO DE MAMORE, white ground reticulated with green: centre and ribs marked with dark brown red; narrow green border. 10*s*. 6*d*.

BARAQUINII, crimson centre, dark green margin. 2*s*. 6*d*. and 3*s*. 6*d*.

BARAQUINII SUPERBUM, 3*s*. 6*d*. & 5*s*.

BARILLET, green, bright rosy crimson centre and ribs. 3*s*. 6*d*. and 5*s*.

BARON DE ROTHSCHILD, mottled green, with red centre and spots. 3*s*. 6*d*.

BARONNE JAMES DE ROTHSCHILD, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 3*s*. 6*d*.

BARRAL, bright green, with a fine red centre, and large spots of rose. 3*s*. 6*d*. and 5*s*.

BEETHOVEN, white, veined with green, rib delicate rose. 2*s*. 6*d*.

BELLEYMEI, white variegated leaves. 2*s*. 6*d*.

BELLONE, centre carmine-rose, shading off to reddish-maroon and metallic brown. 3*s*. 6*d*.

BICOLOR. 1*s*. 6*d*.

BICOLOR SPLENDENS. 2*s*. 6*d*.

BOIELDIEU, like *Bicolor splendens*, but superior. 3*s*. 6*d*.

BOSPHORE. 5*s*.

BOTAFOGO, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 15*s*.

BRONGNIARTII, 2*s*. 6*d*. & 3*s*. 6*d*.

BUREL, dark bluish-green veined bright rose, marked with rosy-violet. 3*s*. 6*d*.

CALYPSO, dark green margin, bright crimson centre and veins and pink spots. 3*s*. 6*d*. & 5*s*.

CANDIDUM, white ground with strongly marked ribs. 5*s*.

CANNÆRTII, leaves flushed with salmon-red, and spotted white. 2*s*. 6*d*.

CARDINALE, brilliant red, dotted with golden-yellow and greenish-yellow. 7*s*. 6*d*.

CERES, rich green with rosy-salmon centre. 5*s*.

CHANTINII, reddish ground, spotted with white. 2*s*. 6*d*.

CHANTINII FULGENS, 3*s*. 6*d*. and 5*s*.

CHARLEMAGNE, large rosy-red leaves, nerves dark red. 7*s*. 6*d*.

CHARLES VERDIER, fine green, with blush-pink centre and spots. 2*s*. 6*d*. & 3*s*. 6*d*.

CHELSONI, bright glossy green, suffused with brilliant red, and blotched crimson. 2*s*. 6*d*.

CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 5*s*.

COMTE DE GERMINY, dull-red leaves with brighter veins, maculated white. 10*s*. 6*d*.

COMTESSE DE CONDEIXA, white ground shaded rose; carmine-red veins; narrow green margin. 5*s*.

COMTESSE DE MAILLE, white ground, veined with bright rosy-red and green. 3*s*. 6*d*.

COMTESSE DU BERTHIER. 3*s*. 6*d*.

COYPEL. 3*s*. 6*d*.

CYPRIS. 3*s*. 6*d*.

DE HUMBOLDT, glossy green, spotted with scarlet. 3*s*. 6*d*.

DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s*. 6*d*.

DONIZETTI, rich red centre, green border, rose spots. 3*s*. 6*d*.

DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3*s*. 6*d*.

DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3*s*. 6*d*.

DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3*s*. 6*d*.

DUC DE MORNY, deep green leaf borders with large crimson-rayed centre. 3*s*. 6*d*.

DUC DE NASSAU, brilliant red centre and ribs, white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUC DE RATIBOR, green with red mid-ribs and white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3*s*. 6*d*.

EDOUARD ANDRE, crimson centre, rose blotches. 3*s*. 6*d*.

EDOUARD MOREAUX, mottled green ground, with lake centre. 3*s*. 6*d*. and 5*s*.

E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 2*s*. 6*d*.

ELSA, silvery rose, with red spots; fine. 5*s*.

ELVINA, bright green, blotched with red; grey centre and veins. 3*s*. 6*d*.

EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3*s*. 6*d*.

EUCHARIS, rose centre with violet reflections margined with bright green. 5*s*.

EUTERPE. 5*s*.

FAUST. 5*s*.

FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3*s*. 6*d*.

FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 5*s*.

FLORE. 5*s*.

GABRIELLE LEMOINIER, silver white translucid leaves, centre veined green. 10*s*. 6*d*.

GAZE DE PARIS, translucid leaves, green ribs. 3*s*. 6*d*. & 5*s*.

GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 5*s*.

GOLDEN QUEEN, pale golden yellow. 5*s*.

GLUCK. 5*s*.

GRATIOSUM. 3*s*. 6*d*.

GRETRY, carmine centre, with white spots. 3*s*. 6*d*.

HELEVY, white mid-ribs and crimson blotches. 3*s*. 6*d*.

HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3*s*. 6*d*.

HOULLETTI, green with white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 10*s*. 6*d*.

IMPERATRICE EUGENIE, light green with greyish-pink centre, and rose-coloured veins. 2*s*. 6*d*. and 3*s*. 6*d*.

IMPERATRIZ THEREZA, chalk-white heavily suffused with rose, black veins. 10*s*. 6*d*.

INDEPENDENCIA, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10*s*. 6*d*.

ISADORA LEROY, rich metallic green, with crimson-red centre rays. 3*s*. 6*d*.

ISIS, bright rose, veins violet-carmine. 5*s*.

JOHN R. BOX, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 5*s*.

JULES DUPLESSIS, bright rose centre, shaded with red and bordered with green. 5*s*.

JULES PUTZEYS, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s*. 6*d*.

JUPITER. 3*s*. 6*d*.

KETELEER, spotted white, upon emerald-green; large crimson centre. 3*s*. 6*d*.

LAINGII, reddish-carmine centre; the whole of the leaf sprinkled with white. 3*s*. 6*d*.

LA LORRAINE, rosy-carmine, narrow green margin; a brilliant variety. 10*s*. 6*d*. & 15*s*.

LAMARTINE, crimson centre, white and red spots. 3*s*. 6*d*.

LA PERLE DU BRESIL, white, delicately tinted with rose, mid-rib dark green. 3*s*. 6*d*.

L'ALBANE. 3*s*. 6*d*.

L'AURORE, orange-red, carmine veins, creamy-white margin. 7*s*. 6*d*.

L'AUTOMNE, creamy-white, with bluish maculations. 7*s*. 6*d*.

LEOPOLD ROBERT, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. 3*s*. 6*d*.

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. 3*s*. 6*d*.

LEPLAY, leaves marked with white, and beautifully veined with rosy-violet. 3*s*. 6*d*.

LE TITIEN, ground network of red and rich green, pure magenta ribs. 3*s*. 6*d*.

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. 3*s*. 6*d*.

LOWII, *vide* ALOCASIA LOWII.

LUDDEMANNI, deep crimson ribs; the leaf blotched with magenta and white. 3*s*. 6*d*.

LULLII. 3*s*. 6*d*. and 5*s*.

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. 3*s*. 6*d*. and 5*s*.

MADAME ALFRED MAME, light green, covered with large white spots; rosy-carmine centre 3*s*. 6*d*. & 5*s*.

MADAME D'HALLOY, silver white, suffused with rose, veinedcarmine. 7*s*.6*d*.&10*s*.6*d*.

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. 3*s*. 6*d*. and 5*s*.

MADAME DOMBRAIN, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. 3*s*. 6*d*.

MADAME FRITZ KŒCHLIN, white ground, violet-rose ribs, green veins. 3*s*. 6*d*.

MADAME HEINE, silvery-white, stained and edged with pale green; distinct. 3*s*. 6*d*.

MADAME HOULLET, large leaves, with clustering blush-white blotches. 3*s*. 6*d*.

MADAME HUNNEBELLE, leaves veined with garnet on white ground, and margined with green. 3*s*. 6*d*. & 5*s*.

MADAMEIMBERT KŒCHLIN, green with large dark red spots. 7*s*. 6*d*.

MADAME JULES MENOREAU, white centre, tinted rose, veined rich bright rose, margined green. 3*s*. 6*d*. & 5*s*.

MADAME JULES PICOT, translucid rosy-violet. 7*s*.6*d*.

MADAME LAFORGE, centre and ribs reddish-crimson, with green margin. 3*s*. 6*d*.

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy-white. 5*s*.

MADAME MARCHAND, violet-red, margin dark green. 10/6

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy-lake. 3*s*. 6*d*.

MADAME MITJANA, transparent reddish-crimson, rose centre. 7*s*. 6*d*. and 10*s*. 6*d*.

MADAME T. DE VIGIER, rosy-white, carmine nerves. 5*s*.

MADAME WILLAUME, delicate salmon-rose-coloured transparent leaves. 3*s*. 6*d*.

MARIA MITJANA, very bright rose, translucid leaves. 7*s*.6*d*.

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. 3*s*. 6*d*.

MARS, clouded crimson centre, the whole leaf spotted with crimson. 3*s*. 6*d*.

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. 3*s*. 6*d*.

MAX KOLB, light green ground with pale centre; distinct. 2*s*. 6*d*. and 3*s*. 6*d*.

MERCADANTE, pale copper-coloured centre and veins, bordered with green. 3*s*. 6*d*.

MEYERBEER, white leaf ground, green veins and red mid-ribs. 2*s*. 6*d*.

MINERVE, silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. 5*s*.

MINUS ERUBESCENS, very dwarf; leaves reddish crimson, bordered with green. 2*s*. 6*d*.

MIRACEMA, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 10*s*. 6*d*.

MITHRIDATE, crimson-lake with darker ribs, and dark bronze-green margin 3*s*. 6*d*.

MONSIEUR A. HARDY, rich reddish-carmine veins on white ground, tinted with rose and spotted with green. 3*s*. 6*d*.

MONSIEUR D'HALLOY, delicate rose, bright rose centre, red and green veins. 5*s*.

MONSIEUR J. LINDEN, fine large whitish leaf, with rose veins and green border. 3*s*.6*d*.

MOZART, rose centre and veins on green ground. 3*s*. 6*d*.

MUCURIPE, centre rose-pink, surrounded with greenish white, margined green. 10*s*.6*d*.

MRS. LAING, white ground; deep rose centre and veins; green margin. 3*s*. 6*d*.

NAPOLEON III, flamed crimson centre, with forked rays, and carmine-red spots. 3*s*. 6*d*.

ONSLOW, deep rosy-crimson centre with broad green margin, spotted with rose. 3*s*. 6*d*.

ORIFLAMME, brilliant red, margined with green. 7*s*.6*d*.

ORNATUM, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. 3*s*. 6*d*.

PAUL VERONESE, pinkish-white centre, deep scarlet ribs and green margin. 3*s*.6*d*.

PETROPOLIS, 5*s*.

PHILIPPE HERBERT, deep mottled crimson rays and clear green margin, spotted with crimson. 2*s*. 6*d*.

PHILIPPE SCHULDT, 5*s*.

PICTUM, green, blotched and spotted with white. 3*s*. 6*d*.

PRINCE ALBERT EDWARD, dark emerald-green, rich crimson radiating mid-rib, white spots. 2*s*. 6*d*. & 3*s*. 6*d*.

PRINCE OF WALES, large golden-yellow leaves. 5*s*.

PRINCESS ALEXANDRA, rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3*s*. 6*d*.

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5*s*. and 7*s*. 6*d*.

PRINCESS OF WALES, golden-yellow, spotted with crimson. 5*s*.

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5*s*.

PROSERPINE, 3*s*. 6*d*.

PYRRHUS, centre and ribs deep crimson, green margin. 3*s*.6*d*

QUADRICOLOR, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. 3*s*. 6*d*.

RAMEAU, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red 3*s*. 6*d*. & 5*s*.

RAOUL PUGNO, very transparent, pale flesh colour, margin dark green. 5*s*.

RAULINII, rich red centre and veins, finely spotted with white. 3*s*. 6*d*.

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon, zone-green border. 5*s*.

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2*s*. 6*d*. and 3*s*. 6*d*.

ROSSINI, pale centre, pink mid-ribs, red blotches. 3*s*. 6*d*.

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. 3*s*. 6*d*.

RUBENS, golden-green ground, shaded bright red and veined with dark brown. 5*s*.

RUBRUM METALLICUM, violet-red, rose centre, margin copper-red. 10*s*. 6*d*.

SALVATOR ROSA, bright red centre tinted with rosy-violet; light green margin. 3*s*. 6*d*.

SANCHONIATHON, crimson centre; deep crimson ribs and pea-green margin. 3*s*. 6*d*.

NEW AND CHOICE CALADIUMS—continued

SIEBOLDII, rich green, with fiery red crimson-rayed centre and claret-red spots. 3*s*. 6*d*.
SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5*s*. and 7*s*. 6*d*.
SIR WALTER SCOTT, 3*s*. 6*d*.
SOFIA, 5*s*.
SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 7*s*. 6*d*.
SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden-yellow, green and white. 5*s*.
SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy-crimson. 3*s*. 6*d*.
SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s*. 6*d*.
SOUVENIR DU DOCTEUR BLEU, reddish scarlet centre; pale green border shaded with rich red. 10*s*. 6*d*.
SPONTINI, pea-green, with white spots and rosy-pink ribs and veins. 5*s*.
TENIERS, carmine centre, outer portion green, with carmine veins. 7*s*. 6*d*.
TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5*s*. and 7*s*. 6*d*.
TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 2*s*. 6*d*.
URANUS, 3*s*. 6*d*.
VAN DYCK, transparent rosy-lake, pale rose centre, grey-green margin. 5*s*.
VERDI, crimson-lake centre, with small green zone and apple-green margin. 3*s*. 6*d*.
VESTA, greenish-white veins, surrounded with crimson; leaf spotted rose. 3*s*. 6*d*.
VICOMTESSE DE LA ROQUE-ORDAN, red mid-rib and rays bordered white; green margin. 3*s*. 6*d*.
VILLE DE HAMBOURG, rosy red, prettily netted with carmine. 7*s*. 6*d*.
VILLE DE MULHOUSE, greenish-white, shaded rose; rich green centre. 5*s*.
VIRGILE, 3*s*. 6*d*.
VIRGINALE, shining white, veined. 3*s* 6*d*.
VIUVA SANT ANNA NERY, creamy-white ground, finely reticulated with pale green, a trace of rose colour along the ribs. 10*s*. 6*d*.
WEBER, 5*s*. & 7*s*. 6*d*.
WIGHTII, 2*s*. 6*d*.

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 1*s*. 6*d*.
AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1*s*. 6*d*.
BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3*s*. 6*d*.
BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2*s*. 6*d*.
CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2*s*. 6*d*.
CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2*s*. 6*d*.
CAROLINE, deep rosy-pink, a very fine showy flower with broad petals. 1*s*. 6*d*.
CHELSEA GIANT, light carmine-scarlet; a huge flower. 3*s*. 6*d*.
CLEOPATRA, rosy-lake, shaded with magenta; a very large flower with fine broad petals. 2*s*. 6*d*.
CLIMAX, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. 1*s*. 6*d*.
CORONET, rich rosy-carmine; a large flower with broad petals. 2*s*. 6*d*.
CORSAIR, rosy-salmon; a most profuse blooming variety. 1*s*. 6*d*.
DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3*s*. 6*d*.
DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1*s*.
DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3*s*. 6*d*.
DELICATA, a charming variety, with beautiful blush-white flowers 1*s*. 6*d*.
DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2*s*. 6*d*.
EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1*s*. 6*d*.
ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1*s*. 6*d*.
ETHEL, a beautiful flower of a light salmon-pink colour. 3*s*. 6*d*.
FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3*s*. 6*d*.
FLAMBEAU, bright crimson, shaded with rose, fine round flower. 3*s*. 6*d*.
FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2*s*. 6*d*.
FRŒBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1*s*.
GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2*s*. 6*d*.
HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1*s*. 6*d*.
ICARUS, a very fine large flower of a bright salmon colour. 2*s*. 6*d*.
IMPERIALIS, splendid flower. dark rosy-crimson. 5*s*.
JUPITER, deep crimson, fine large flower of good shape. 5*s*.
LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2*s*. 6*d*.
MABEL, delicate salmon-pink; a fine flower of good shape. 3*s*. 6*d*.
MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 1*s*. 6*d*.
MARATHON, deep crimson; a very fine large flower. 2*s*. 6*d*.
MARTHA, soft delicate rose-pink; a beautiful flower. 3*s*. 6*d*.
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1*s*. 6*d*.
MINIATA, a fine showy variety, producing flowers of bright rosy-carmine colour. 1*s*. 6*d*.
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2*s*. 6*d*.
OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 2*s*. 6*d*.
ORESTES, deep rosy-carmine; a magnificent flower with fine large petals. 2*s*. 6*d*.
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 2*s*. 6*d*.

HANDSOME-FLOWERED BEGONIAS.

PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2*s*. 6*d*.
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1*s*. 6*d*.
PINK BEAUTY, fine large bright rosy-pink flowers, beautiful shape. 3*s*. 6*d*.
REGALIS, a beautiful salmon-rose flower, of good form and substance. 3*s*. 6*d*.
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2*s*. 6*d*.
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1*s*. 6*d*.
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 2*s*. 6*d*.
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. 2*s*. 6*d*.
SUNRISE, a magnificent variety, producing large flowers of a bright rosy-scarlet colour. 1*s*. 6*d*.
SUNSET, rich crimson; a fine large showy flower. 2*s*. 6*d*.
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 1*s*. 6*d*.
TEMPLAR, a fine flower, with broad petals of a rosy-pink colour. 2*s*. 6*d*.
TROJAN, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1*s*. 6*d*.
VERONA, bright rosy-pink; a very pretty variety. 2*s*. 6*d*.
VESTA, pure white; very large flower. 3*s*. 6*d*.
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 3*s*. 6*d*.
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1*s*. 6*d*.
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 1*s*. 6*d*.

Selections of good single-flowering Varieties can be made by Mr. W. B. at 12s., 18s. and 24s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 30s., 42s. and 60s. per dozen. Unnamed varieties, when dormant, 12s. and 18s. per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ACUMINATA SPLENDIDA, 2/6.
ADRIEN ROBINE, 2/6.
ALBERT GRISAR, 2,6.
ALEXANDRINE OLSOUFIEFF, 3/6.
ANDALOUSIE, 2/6.
ANNETTE, 2/6.
ARCTURUS, 2,6.
ARMIDE, 3/6
ARGUS, 3/6.
ARIADNE, 3/6.
ARTHUR MALET, 5/-.
COMTESSE LOUISE D'ERDODY, 2/6.
CRYSTALLINA, 2/6.
DESFONTAINES, 3/6.
DUCHESSE DE BIALA, 2/6.
DUCHESS, 1*s*.

MADAME LEBOUCQ, 3/6.
—— LOTHAR STRASSNER, 2/6.
MALETTA, 2/6.
MARGARITACEA, 2/6.
MAZEPPA, 3/6.
MENTOR, 2/6
MISTRESS DUPLESSIS, 3/6.
MONGE, 5/-.
OTTO FORSTER, 2/6.
PAVONIA, 3/6.
PEARL, 3/6.
PRESIDENT DE BOUREUILLES, 3/6.
PULCHELLA, 2/6.
PROGNE, 2/6.
RICHARD, 1/6.
SATIN BLANC, 2/6.

FREDERIC SCHNEIDER, 2/6.
HENRIETTE LUSSEAU, 3/6.
LA PERLE DE PARIS, 2/6.
LE POUSSIN, 2/6.
LE SCHAH, 2/6.
LEDA, 5/-
LOUISE CLOSON, 2/6.
MADAME ADR SCHMITT, 2/6.
—— BICHAT, 3/6.
—— DE CAUVILLE, 3/6.
MADAME EDOUARD PYNAERT, 2/6
—— EYEN, 3/6.
—— GILKINET, 3/6.
—— GRISAR, 3/6.
—— HACHETTE, 2/6.
—— HENRI GACHE, 2/6.
—— ISABELLE BELLON, 2/6.
—— JULES LECOCQ, 2/6.
SERICEA, 2/6.
SIEBOLD, 2/6.
SOPHIE OLSOUFIEFF, 2/6.
STELLATA, 2/6.
THEODORA, 3/6.
THOMAS CLARA, 3/6.
TOURNEFORT, 3/6.
VICOMTE DE CONDEIXA, 2/6.
VIRGINIA, 3/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGANTISSIMA
BEDDOMEI (Assamica)
CARRIERI
—— VILLOSA
COMPTA
DECORA
DREGEI
EGREGIA
FLORIBUNDA ROSEA, *vide* p. 3
HYBRIDA CORBEILLE DE FEU, 5/-.
—— DIADÈME, 5/-.
—— ILLUSTRATION, 5/-.
—— LA FRANCE, 5/-.
IMPERIALIS
MADAME ISABELLA BELLON
MANICATA
MARGARITÆ
METALLICA
NELUMBIÆFOLIA RUBRA
NITIDA
OLBIA
RUBELLA
SCEPTRA
SCHARFFII
SCHMIDTII HYBRIDA ROSEA
SEMPERFLORENS ELEGANS
—— GIGANTEA ROSEA
SMARAGDINA
SOCOTRANA

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

SELECT NEW CHRYSANTHEMUMS.

JAPANESE.

ADA SPAULDING, 1*s.* 6*d.*
ALBERIC LUNDEN, 1*s.* 6*d.*
AMOS PERRY, 3*s.* 6*d.*
BEAUTY OF CASTLE HILL, 2*s.* 6*d.*
CESARE COSTA, 1*s.* 6*d.*
COL. W. B. SMITH, 7*s.* 6*d.*
CORONET, 2*s.* 6*d.*
CROWN PRINCE, 2*s.* 6*d.*
EDWIN BECKETT, 6*s.*
E. G. HILL, 1*s.*
EUGENE GIAT, 1*s.* 6*d.*
EYNSFORD WHITE, 1*s.* 6*d.*
EXCELSIOR, 5*s.*
FLORENCE DAVIS, 2*s.* 6*d.*
F. W. FLIGHT, 5*s.*
GLOIRE DA ROCHER, 1*s.* 6*d.*
HARRY E. WIDENER, 2*s.* 6*d.*
HOLBORN ROSE, 3*s.* 6*d.*
J. P. KENDALL, 5*s.*
J. S. DIBBEN, 3*s.* 6*d.*
KATE MURSELL, 2*s.* 6*d.*
KIOTO, 1*s.* 6*d.*
LILIAN B. BIRD, 1*s.* 6*d.*
LIZZIE CARTELEDGE, 2*s.* 6*d.*
LORD BROOKE, 3*s.* 6*d.*
MADLLE. MARIE HOSTE, 1*s* 6*d*
MDME. LEON COLLIN, 1*s.*
MRS. NISBET, 5*s.*

JAPANESE—continued.

M. E. A. CARRIERE, 1*s.* 6*d.*
M. JULES HUMBERT, 1*s.*
MR. A. H. NEVE, 1*s.* 6*d.*
MRS. BEATRICE CARD, 1*s.* 6*d.*
MRS. E. D. ADAMS, 3*s.* 6*d.*
MRS. E. W. CLARKE, 1*s.* 6*d.*
MRS. F. A. SPAULDING, 2*s.* 6*d.*
MRS. G. C. SCHWABE, 1*s.* 6*d.*
MRS. J. S. FOGG, 2*s.* 6*d.*
MRS. LIBBIE ALLEN, 2*s.* 6*d.*
MRS. E. BECKETT, 7*s.* 6*d.*
MISS LILIAN COPE, 5*s*
PURITAN, 1*s.* 6*d.*
R. C. KINGSTON, 1*s.* 6*d.*
ROBERT CANNELL, 1*s.*
R. SMITH, 2*s.* 6*d.*
SHASTA, 1*s.* 6*d.*
SOUVR. DE M. MENIER, 1*s.*
SUNSET, 2*s.* 6*d.*
V. H. HALLOCK, 1*s.* 6*d.*
VICE-PRESIDENT DARQUIER, 1*s.* 6*d.*
VIOLET ROSE, 1*s.* 6*d.*
VIVIAND MOREL, 1*s.* 6*d.*
W. H. LINCOLN, 1*s.* 6*d.*
W. TRICKER, 2*s.* 6*d.*
W. WELLS, 3*s.* 6*d.*
W. W. COLES, 1*s.* 6*d.*
W. TUNNINGTON, 7*s.* 6*d.*

HIRSUTE OR PLUMOSE VARIETIES.

H. BALLANTINE, 5*s.*
LOUIS BOEHMER, 1*s.*
MRS. A. HARDY, 1*s.*
W. A. MANDA, 6*s.*

CHINESE.

JOHN DOUGHTY, 1*s.*
JOHN LAMBERT, 1*s.*
MRS. COLEMAN, 1*s.*
MRS. ROBINSON KING, 5*s.*
MISS BELLA WILSON, 5*s.*
M. R. BAHUANT, 2*s.* 6*d.*

ANEMONE.

DUCHESS OF WESTMINSTER, 1*s.* 6*d.*
DELAWARE, 1*s.* 6*d.*

EARLY FLOWERING.

BANQUET DE DAME, 1*s.* 6*d.*
MADAME ED. LEFORT, 1*s.*6*d.*
M. JULES PAQUET, 1*s.* 6*d.*
MISS WATSON, 5*s.*
SOUVR. DELOUISFERIE, 1*s.*6*d.*
VICOMTE CLIQUOT, 1*s.* 6*d.*

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

All 6d. each, with the exception of those priced.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER
ANASTASIO
AUREOLE
BLANC PRECOCE
BLUSHING BRIDE
CASSY
CLAIRE ALOZIO
CLARA
CLARENCE BRYANT, 1*s.*
COMTESSE F. DE CARIEL, 1*s.*
CRIMSON PRECOCITE
CURIOSITY
DELPHINE CABOCHE
EARLY FLORA
E. G. HENDERSON & SON
ELDORADO
ETE FLEURI
FIBERTA
FLAMBEAU TOULOUSAIN
FLEUR D'ETE
FREDERIC MARRONET
FREDERICK PELÈ
GOLDEN FLEECE
GOLDEN SHAH, 1*s.*
G. WERMIG (GOLDEN MADAME DESGRANGE)
G. WRIGLEY
HELOISE MIELLEZ
HENDERSONI
HERMINE
HIPPOLYTE JAMAIN
INIMITABLE
JACINTHA, 1*s.*
LA BIEN-AIMÉE
LAKME
LAVALLEE
LE LUXEMBOURG
LEONIE LASSALI
LORD MAYOR
LUCINDA
LYON
MADAME C. DESGRANGE
MADAME DUFOY
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS
MANDARIN
MARTIMAS
MISS P. BROUGHTON
M. COSSART
M. WILLIAM HOLMES

CHRYSANTHEMUM—EARLY-FLOWERING—continued.

M. DUFOY
MR. W. PIERCY
MRS. HAWKINS
MRS. J. R. PITCHER
NANUM
OCTOBER BEAUTY, 9*d.*
O. J. QUINTUS
ORANGE YELLOW
PERPETUÉL TOULOUSAIN
PETIT MIGNON
PIERRE VERFIEL
POMPONIUM
PRECOCITÉ
ROI DES PRECOCES
ROSE D'ÉTE
ST. CROUTS
ST. MARY
SALTER'S EARLY BLUSH
SOUVENIR
SOUVENIR DE M. RAMPONT
SURPRISE
TORREADOR
WHITE LADY, 9*d.*
WHITE ST. CROUTS
WILLIAM BEALBY
ZENOBIE

All 6d. each, with the exception of those priced.
Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide page 109.
Excepting those priced, all 6d. each.
Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ADVANCE
ADIRONDACH
AGREMENTS DE LA NATURE
AIDA, 1*s.* 6*d.*
ALASKA, 1*s.* 6*d.*
ALBERT DE NURIOS
ALBERT VICTOR, 1*s.*
ALEXANDRE DUFOUR
ALFRED CHANTRIER
ALICE BIRD
AMARANTINA CARMINATA
ANNA M. PAYNE
ARLEQUIN
ARTHUR WOOD, 1*s.* 6*d.*
AVALANCHE, 1*s.*
BEAUTE DE TOULOUSE
BEAUTY OF SWANLEY
BELLE GABRIELLE
BELLE PAULE
BEND OR
BERTIER RENDATLER
BICOLOR
BISMARCK
BOULE D'ARGENT
BOULE D'OR
BOUQUET FAIT
CAREW UNDERWOOD
CHARLIE SHARMAN, *see* W. M. Singerley
CHARLOTTE DE MONTCABRIER
CHISTMAS EVE, *syn* Mrs. H. Cannell
CŒUR FIDÈLE
COMTESSE DE BEAUREGARD
COQUETTE DE CASTILLE
CULLINGFORDII
DANÆ, 1*s.* 6*d.*
DAVID WINDSOR, 1*s.* 6*d.*
DAVID ALLEN, *syn* G. F. Moseman
DIAMOND
DOMINATION, *syn* Mrs. Bullock
DON DIÈGUE
DON QUICHOTTE
DOREE, 1*s.*
DR. MASTERS
DUCHESS
DUCHESS OF ALBANY (DELAUX)
DUCHESS OF CONNAUGHT
DUCHESSE DE GEROLSTEIN
DUKE OF BERWICK
EDWIN MOLYNEUX
ELAINE
ELSIE, 9*d.*
ENCHANTERESSE
ESPÉRANCE
E. S. RENWICK, 1*s.* 6*d.*
ETHEL
ETOILE DE LYON, 1*s.*
ETOILE DU MIDI
ETOILE FLEURI
ETOILE TOULOUSAINE
FAIR MAID OF GUERNSEY
FAVOURITE, 1*s.*
FERNAND FERAL
FEU DE BENGALE
FIMBRIATUM
FLEUR DES BOIS
F. L. HARRIS
FLOCON DE NEIGE
FULTON
GEORGES DANIELS, 9*d.*
GEORGE WALCOTT
G. F. MOSEMAN, *see* David Allen
GLADIATOR, *see* W. M. Singerly
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GLORIOSUM
GOLDEN GEM
GOLDEN PRINCE
GOLD THREAD
GOOD TIDINGS, 1*s.*
GORGEOUS
GOVERNOR OF GUERNSEY
GRANDIFLORUM
HAMLET, 1*s.* 6*d.*
HELVETIE
HERNANI
HIVER FLEURI
ILE JAPONAISE
ISODORE FERAL
JAMES SALTER
J. COLLINS
JESSICA
JOHN THORPE
J. R. PEARSON, 1*s.* 6*d.*
JUPITER
KÆMPFER
KATAKANA
LADY BRASSEY
LADY EMILY
LADY MATHESON
LADY SELBORNE
LADY T. LAWRENCE, *see* Robert Bottomley

CHRYSANTHEMUMS—JAPANESE—continued.

LA FRISURE
LA NYMPHE
LA TRIOMPHANTE
L'ADORABLE
L'AUBE MATINALE
LE CYGNE
LE NEGRE
LÉON FRACHE
L'EBOURIFFÉE
L'INCROYABLE
L'ISLE DES PLAISIRS
LORD BEACONSFIELD
L'OR DE FRANCE
MACAULAY
MADAME BERTIER RENDATLER
MADAME CLEMENCE AUDIGEUR
MADAME DE SEVIN
MADAME FERAL
MADAME LA MARQUISE DE MUN
MADAME MARIE CLOSES
MADLLE. ANTOINETTE BRUNEL
MADLLE. JULIETTE DORDAN
MADLLE. LACROIX
MADLLE. MELANIE FABRE
MADLLE. PAUL DUTOUR
MAGGIE MITCHELL, *syn* Miss Clara Harris
MAIDEN'S BLUSH
MARIE OUVRAY
MARQUIS OF LORNE
MARSA
MARTHA HARDING
MARY, 1*s*.
MISS CLARA HARRIS, *see* Maggie Mitchell
MISS STEVENS, 1*s*.
M. ASTORG
M. A. VILMORIN
M. BRUNET
M. CASTEL
M. CAVALIER
M. CHARLES HUBERT
M. COCHET
M. D. D. HILLIER
M. DELAUX
M. EUGENE POURQUIE
M. H. ELLIOTT
M. J. H. LAING
M. LEMOINE
M. LEON BRUNEL
M. MAXIME CORNU
M. RICHARD LARIOS
M. THOMAS S. WARE
MM. THIBAUT et KETELEER
MR. C. ORCHARD
MR. H. CANNELL
MR. H. WELLAM
MR. STEPHENSON CLARKE
MRS. A. CARNEGIE, 1*s*.
MRS. A. MAYES, 1*s*.
MRS. BEALE, *see* Robert Bottomley
MRS. BULLOCK, *see* Domination
MRS. FALCONER JAMESON, 1*s*.
MRS. FRANK THOMPSON, *syn* W. G. Drover
MRS. GOLDRING, 1*s*.
MRS. H. J. JONES, *syn* Yellow Ethel, 9*d*.
MRS. H. CANNELL, *see* Christmas Eve
MRS. J. J. HILLIER, 1*s*.
MRS. J. WRIGHT
MRS. L. CASTLE
MRS. T. H. SPAULDING, 1*s*.
MRS. WM. MENCKE
NEWPORT, 1*s*. 6*d*.
NUIT D'HIVER
ORNEMENTS
PARASOL
PAUL & SON
PÈRE DELAUX
PETER THE GREAT
PHŒBUS
PLUIE D'OR
PRESIDENT ARTHUR
—— SPAULDING, *see* W. M. Singerley
PRINCE OF ORANGE
PRINCE ZILAH
RALPH BROCKLEBANK
RED DRAGON
REINE DES BEAUTÉS
REX RUBRORUM
ROBERT BOTTOMLEY, *syn* Lady T. Lawrence and Mrs. Beale
ROBERT CRAIG
ROBERT CRAWFORD, 9*d*.
ROSA BONHEUR
ROSE SUPREME
ROSEUM SUPERBUM
ROZAIN BOUCHARLAT
R. T. BIGGS
RUBRUM STRIATUM
SALMONEUM PLENUM
SAMUEL HENSHAW
SARNIA
SIR JOSEPH, 9*d*.
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR DE HAARLEM
SOUVENIR DU JAPON
SNOWSTORM
STANSTEAD SURPRISE, 1*s*.
STANSTEAD WHITE
STRIATUM PERFECTUM
SUNFLOWER, 1*s*.
TALFOURD SALTER
TENDRESSE
THE COSSACK
THOMAS STEVENSON, 1*s*.
TOKIO
VILLE D'HYÈRES
VOLUNTEER, 1*s*. 6*d*.
W. G. DROVER, *see* Mrs. Frank Thompson
WILLIAM COBBETT
WILLIAM STEVENS
W. L. SCHEFFER
W. M. SINGERLEY, *syn* Charlie Sharman, Gladiator, President Spaulding
YELLOW ETHEL, *see* Mrs. H. J. Jones

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

For New Varieties, see page 109.

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
AGNES HAMILTON
ATARGULLE
BIJOU
CALLIOPE
DICK TURPIN
E. M. BOLAS
FAIR MARGARET
FINETTE
FLEURE DE MARIE
GEORGES SAND
GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
JAMES WESTON, 1*s.*
LADY MARGARET
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS ANNIE LOWE, 9*d.*
MISS EYRE
MISS NIGHTINGALE
M. PANKAUCKE, 1*s.*
MR. ASTIE
MRS. CHAS. PRATT, 1*s.*
MRS. M. RUSSELL, 1*s.*
MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SŒUR DOROTHÉE SOUILLE
THORPE, Jun., 9*d.*
VIRGINALE
WYOMING

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide page 109.

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED LYNE
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES PLANTES
BRONZE QUEEN OF ENGLAND
CHAS. GIBSON
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMILY DALE IMPROVED, 1*s.*6*d.*
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FRANK WILCOX
GARIBALDI
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKE NEWINGTON
H. SHOESMITH
IONA
JARDIN DES PLANTES
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LEDA
LE GRAND
L'EMIR
LORD EVERSLEY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES
MARÉCHAL DUROC
MISS M. A. HAGGIS
MISS VIOLET TOMLIN, 9*d.*
MOUNT EDGCUMBE
MOUNT ETNA
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HUFFINGTON
MRS. NORMAN DAVIS
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRESIDENT HYDE, 1*s.*
PRINCE OF WALES
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE
BOULE DE NEIGE
BRAHMA
BRUNETTE
CARMINATUM ALBUM
CHAMPS ELYSEES
CRIMSON PERFECTION
DANAE
DIAMANT
ELEGANT
ERNEST BENARY
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM
LA DESIREE
LA FAVORITE
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM
LE CID
LILACEE
LUCIEN CABOCHE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. ELISA LAYEILLON
MADLLE. ELISE DORDAN
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MAGENTA KING
MAID OF KENT
MARABOUT
MARION
MARGUERITE VINCENT
M. BONAMY AINE
M. DELEUIL
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MUSTAPHA
NEW YORK
OLIVAR
ORANGE QUILL
ORNATUM
OSIRIS
PABLO
PERFECTION
POLYCARP
POMPON ROSE
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE TREVENNA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SANS PAREIL
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETE
TOUSSAINT MAURISOT
VARIEGATUM
VICTOR HUGO
ZAIRE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

All 6d. each.

ATTRACTION
BRUNETTE
CASINO
COACHMAN
CRIMSON AND GOLD
DR. KELLOCK
GUS. HARRIS
LORD MAYOR
MAGENTA KING
MARY ANDERSON
MISS MABEL WILDE
MISS ROSE
MRS. A. LE MOULT
MRS. FRANCIS RICARDO
MRS. KELLOCK
MRS. LANGTRY
PERFECTION
PURE GOLD
QUEEN OF THE YELLOWS
SADIE MARTINOT
SIMS REEVES
TERRA COTTA
THE FRIARY BEAUTY
THE VIRGIN
TRISTAM
W. E. GLADSTONE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUM FRUTESCENS, *vide page* 118.

NEW AND CHOICE FUCHSIAS.

Those marked (*) are double-flowered varieties.

***ADAIR**, short tube and well-reflexed sepals of a bright crimson colour; double, bluish-purple corolla, often flaked rose. 1*s.* 6*d.*

***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose sepals. 1*s.*

***ADMIRAL AUBE**, dark red reflexed sepals, large double rosy-mauve corolla; very floriferous. 1*s.* 6*d.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 1*s.* 6*d.*

***ADMIRAL OLRY**, very long crimson sepals completely recurving against the tube; very long violet-red corolla. 1*s.* 6*d.*

AÉROSTAT, vinous-red recurved sepals; long trumpet-shaped bluish-violet corolla. 1*s.*

AIME MILLET, large flower with long salmon sepals; long orange-copper corolla. 1*s.* 6*d.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1*s.*

***ALPHONSE KARR**, very large rosy-red sepals. enormous metallic-violet corolla; flower of fine form and great merit. 1*s.* 6*d.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 2*s.* 6*d.*

***AUGUSTE HARDY**, large horizoutal brilliant red sepals; enormous double violet-rose corolla. 7*s.* 6*d.*

***AUGUSTIN THIERRY**, enormous semi-double bright rose corolla: sepals bright red, a good market variety. 1*s.*

***AYRSHIRE**, bright coral red tube and sepals, rich blue corolla; stout and fine. 1*s.* 6*d.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1*s.*

***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 2*s.* 6*d.*

***BUFFON**, large red reflexed sepals; enormous rosy-white corolla, very double, 1*s.*

BULGARIE, large brilliant red well-shaped sepals; large violet-plum corolla. 1*s.*

BULRUSH, light crimson tube and sepals; tube long, and sepals horizoutally refloxed; light rosy-purple corolla. 1*s.*

CAMILLE FLAMMARION, a large flowor; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1*s.*

***CELINE MONTALAND**, large slightly reflexed roso-carmine sepals, very large double corolla, expanding horizoutally, rosy-white, veined carmine. 1*s.* 6*d.*

CERVANTES, sepals rosc; corolla rosy-mauve, bordered with bluo. 1*s.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

***COMTE LEON TOLSTOI**, large dark scarlet sepals; dark blue corolla, very double and compact. 1*s.*

CONSTANCY, flesh coloured tube and sepals; the latter well-reflexod, rich carmine corolla, stout and extra fine. 1*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 2*s.* 6*d.*

COUNTESS OF ABERDEEN, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk white. 1*s.* 6*d.*

C. N. MAY, scarlet tube and sepals; corolla dark plum colour; excelleut habit. 1*s.*

CREUSA, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1*s.*

***DE QUATREFAGES**, large clear red reflexed sepals, large doublo corolla, clear violet marbled with rose. 7*s.* 6*d.*

DIADEM, blush tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 1*s.*

DORCAS, short tube and large rosy-carmine sepals, immense soft bluish-purple corolla, veined and shaded with rose. 1*s.* 6*d.*

***DR. PRILLIEUX**, large bright scarlet recurved sepals; very largo dark violet double corolla, with extended petals. 1*s.*

DR. TOPINARD, large cerise-red sepals; corolla white suffused with rose, the petals being very evenly extended. 1*s.*

***DOROTHY FRY**, short crimson tube and recurved sepals; very large semi-double white corolla. 2*s.* 6*d.*

***DUCHESS OF EDINBURGH**, a fine largo bold flower, sepals broad and completely reflexed of a bright carmine colour; full double corolla, petals white, suffused and marked with rose at base. 1*s.* 6*d.*

***EDMOND ABOUT**, large vermilion-carmine refloxed sepals; enormous double white corolla, suffused with roso. 1*s.*

***EMILE BAYARD**, rosy-red sepals, double corolla, petals rosy-white, margined with lilac. 7*s.* 6*d.*

EMILY BRIGHT, creamy-white tube and sepals; bright carminc corolla, of fine form. 1*s.*

ERNEST RENAN, short rosy tube and rcfloxed scpals; rose corolla; pyramidal habit. 1*s.*

***EUGENE DELAPLANCHE**, bright red reflexed sepals, very double corolla of a clear violet colour. 1*s.* 6*d.*

***EUGENE VERCONSIN**, short red scpals; corolla double, petals shading from rosy-white at base to lavender-bluc on the margins. 7*s.* 6*d.*

FAIR MAID, creamy white tube and sepals, tinted with blush; corolla deep carmine flushed with magenta. 1*s.* 6*d.*

***FATMA**, bright crimson tube and rcflexed scpals; bluish-purple corolla. 1*s.* 6*d.*

***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 1*s.* 6*d.*

***FRAU EMMA TOPFER**, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose. 1*s.*

NEW AND CHOICE FUCHSIAS—continued.

GANNET, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 1*s.* 6*d.*

GEORGE FEY, scarlet tube and sepals, violet corolla veined with scarlet at the base; a large fine flower. 2*s.* 6*d.*

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1*s.* 6*d.*

GERTRUDE, bright rose-carmine tube and sepals, the latter large and completely reflexed; large white corolla, veined carmine from the base. 2*s.* 6*d.*

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 1*s.* 6*d.*

***GUSTAVE NADAUD**, red sepals completely reflexed, long double coralla, of a violet plum colour. 7*s.* 6*d.*

***GUSTAVE FLAUBERT**, sepals rose-carmine, double corolla of an unusual shade of lilac-mauve; of free habit and very floriferous. 1*s.* 6*d.*

***GUY DE MAUPASSANT**, sepals dark cherry colour, enormous double creamy-white corolla. 7*s.* 6*d.*

HARLEQUIN, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish-purple corolla striped with rosy-pink. 1*s.* 6*d.*

HARMONIE, reflexed whitish-rose sepals, corolla soft lilac; of good habit. 1*s.*

***HENRI DE LA POMMERAYE**, plant very floriferous and of pyramidal habit; sepals coral red, large double rosy white corolla. 7*s.* 6*d.*

HEROINE, white tube and sepals, with lines of pink, bright carmine corolla; new in colour, and of excellent habit. 1*s.* 6*d.*

HERON, short tube, and broad rosy-carmine sepals; corolla rich bluish-purple. 1*s.*

IRMA, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corolla. 1*s.* 6*d.*

JAMES WELCH, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1*s.*

JASON, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1*s.*

***JEANNE SAMARY**, sepals red, completely reflexed, exposing a double salmon-white corolla, centre petals tubular. 1*s.* 6*d.*

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 2*s.* 6*d.*

JUNO, short tube with large and broad well-reflexed crimson sepals, corolla deep purple marked with rosy-pink at base 2*s.* 6*d.*

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla 1*s.*

***KLÉBER**, sepals horizontally reflexed, rosy-white tipped with green; double violet-blue corolla. 2*s.* 6*d.*

***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt-blue; very fine. 1*s.*

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny-purple colour. 1*s.*

L'AVENIR, short tube and recurved sepals, rosy-crimson tipped with green; fine expanded tricolor corolla, blue, rose and white 1*s.* 6*d.*

LÉO DELIBES, short tube, with long and large recurved rose-coloured sepals, long reddish violet corolla. 1*s.* 6*d.*

LE VERRIER, large dark red reflexed sepals; plum coloured corolla with bright centre; a remarkable variety suitable for planting in the open. 1*s.*

LITTRÉ, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1*s.*

LORD LYONS, coral-red reflexed sepals; enormous plum-coloured corolla. 1*s.*

***LOUIS FAUCON**, enormous double corolla, of a rich plum colour, shaded with violet. Of extra merit. 7*s.* 6*d.*

LOTTIE, creamy tube, delicate blush-pink sepals and bright carmine corolla; very pleasing; of fine shape, and good grower. 1*s.* 6*d.*

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1*s.*

***MADAME JULES CHRETIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine 1*s.*

***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 1*s.* 6*d.*

***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1*s.*

***MATHIAS DUVAL**, small tube and large scarlet sepals; long double corolla of dark violet serrated petals. 1*s.*

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1*s.*

***MOLESWORTH**, tube and sepals bright carmine, the latter well reflexed, displaying an unusually large and full pure white double corolla. 1*s.*

***M. ALPHAND**, horizontal scarlet sepals, large double violet-amaranth corolla. 7*s.* 6*d.*

***M. BROWN SEQUARD**, large well recurved scarlet sepals; perfectly shaped creamy-white double corolla. 1*s.* 6*d.*

M. DUFAURE, rosy-salmon corolla and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1*s.*

***M. DYBOWSKI**, reflexed coral-red sepals, double corolla of a pretty lilac-rose colour. 7*s.* 6*d.*

***M. E. VAUCHER**, sepals reflexed, of a dark red colour, enormous double corolla, violet-purple, shaded with blue, base of petals carmine. 7*s.* 6*d.*

NEW AND CHOICE FUCHSIAS—continued.

M. JOULE, well-formed flowers of medium size of a pretty sky-blue colour, marked with white at the base; clear red sepals. 1*s.*

***M. LOMBROSO**, sepals reddish crimson, large bluish-violet double corolla. 1*s.*

***MONUMENT**, full double corolla of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1*s.*

MR. F. GLASS, tube and sepals bright crimson; corolla purplish-maroon; distinct. 1*s.*

MRS. BRIGHT, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1*s.*

***MRS. E. G. HILL**, flower very large and double, corolla creamy-white, dark red sepals well reflexed; of good habit. 1*s.*

***MRS. SHORT**, the raiser describes this as the finest double white Fuchsia yet sent out; immense white corolla, bright rose tube and sepals. 1*s.* 6*d.*

***NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 2*s.* 6*d.*

***NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1*s.*

***OCTAVE FEUILLET**, irregular semi-double flowers, sepals bright red, corolla rose-mauve; very floriferous. 1*s.* 6*d.*

***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 2*s.* 6*d.*

PERA, short tube and bright coral-red sepals, horizontally reflexed; long bluish-purple corolla 2*s.* 6*d.*

***PHENOMENAL**, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1*s.*

***PIERRE LOTI**, enormous bluish-violet double corolla; large bright red sepals. 1*s.*

***PRESIDENT CARNOT**, rosy-crimson reflexed sepals, double violet-blue corolla. 1*s.*

***PRÉSIDENT GREVY**, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1*s.*

***RAOUL TOCHE**, long dark red sepals, enormous double pure white corolla. 7*s.* 6*d.*

***RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 1*s.*

***REAPER**, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1*s.*

***REDWING**, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 2*s.* 6*d.*

***SCHLIEMANN**, broad coral-red sepals, horizontally reflexed; large serrated corolla, very double and of a rosy-red colour. 1*s.* 6*d.*

***SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1*s.*

***SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 2*s.* 6*d.*

THOMAS KING, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1*s.* 6*d.*

TULIP, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1*s.*

***ULYSSE TRELAT**, large bright red sepals, large double corolla, white suffused with rose. 1*s.*

UTERPE, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy-crimson at the base. 1*s.* 6*d.*

VENUS VICTRIX IMPROVED, white tube and sepals; dark purple corolla. 1*s.*

***VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1*s.*

WALTER LONG, bright coral-red tube and sepals; clear violet corolla. 1*s.*

***WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1*s.*

WINIFRED GLASS, blush tube and sepals; corolla rich carmine shaded with magenta; very free and pleasing. 1*s.*

***WYVERN**, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 1*s.* 6*d.*

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

AMPLIATA, a handsome large scarlet-flowered species, introduced from the Andes. 3*s.* 6*d.*

DEPENDENS, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1*s.* 6*d.*

PROCUMBENS, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1*s.*

SPLENDENS, rich crimson flowers with the ends of the sepals light green. 1*s.*

THYMIFOLIA, a very pretty neat-growing species; flowers rosy-crimson, the petals or corolla completely recurving on the sepals. 2*s.* 6*d.*

TRIPHYLLA, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 2*s.* 6*d.*

NEW AND CHOICE COLEUS.

AVENIR, a distinct variety, with long golden leaves, punctulated with brownish chocolate, 3*s*. 6*d*.

DIADEME, very pretty bright rose leaves, with white veins, margined dark green, 3*s*. 6*d*.

FLAMBEAU, long dark green leaves, nerves bright reddish-violet, 3*s*. 6*d*.

GLOIRE DE BAYONNE, light golden leaves, the extremities red, margins denticulate, with edges of maroon, 3*s*. 6*d*.

LE RÈVE, a handsome variety, with bizarre leaves, variegated yellow and red, 3*s*. 6*d*.

MADAME LEBÈQUE, beautiful velvety leaves, dark maroon, centre white, surrounded with dark red, 3*s*. 6*d*.

MADAME ODIER, centre white, surrounded with very bright red, 3*s*. 6*d*.

MADLLE. B. DE MAIH, large creamy yellow leaves, striated with red, white and chocolate, 3*s*. 6*d*.

MDLLE. JEANNE DE COURCY, handsome denticulate leaves, irregularly marked with rose, purple, yellow, green, carmine, etc., 3*s*. 6*d*.

MADLLE. LOUISE MARIE, golden leaves, much toothed, with red nerves, 3*s*. 6*d*.

MDLLE. M. DE LA ROCHETTE, centre maculated white and green, broad margins of purple and rose, 3*s*. 6*d*.

MADLLE. MARTHE PHILIPPON, creamy white, mixed with rose, ornamented with dark green, 3*s*. 6*d*.

MARQUIS DE COURCY, leaves bullate and prettily crisped and toothed, colour rose, red, gold and dark green, 3*s*. 6*d*.

M. BOUTARD, enormous leaves, variegated with gold, green, rose, red, and dark purple, elegantly dentioulated, 3*s*. 6*d*.

M. MAYOR, blackish-green markings on a reddish-violet ground, bordered green and white, 3*s*. 6*d*.

M. TRAVANILLON, red and velvety-purple leaves, much toothed, with nerves and zone of dark violet, 3*s*. 6*d*.

PIERRE GIFFARD, dark violet leaves, margined with dark green, 3*s*. 6*d*.

PIERRE GUERRAUD, magnificent variety, with red leaves, centre white, 3*s*. 6*d*.

ROBERT SALLIER, white and green zones, traversed by numerous blackish-purple nerves, 3*s*. 6*d*.

SOUVENIR DU GENERAL COMTE DE PAJOL, velvety-red, centre white, surrounded with green, 3*s*. 6*d*.

TRIOMPHE DES PYRENEES, centre white, speckled with maroon, shaded with red between the nerves, 3*s*. 6*d*.

CHOICE COLEUS.

AILSA, 2*s*. 6*d*.
ALPHONSE BERNOUD, 1*s*. 6*d*.
ANACREON, 1*s*. 6*d*.
BEAUMARCHAIS, 1*s*. 6*d*.
CEDRUS, 1*s*. 6*d*.
COUNTESS OF DUDLEY, 1*s*.
EDITH, 1*s*. 6*d*.
ESPERANCE, 2*s*. 6*d*.
JAMES BARNSHAW, 1*s*.
LA ROQUE, 2*s*. 6*d*.
LOUIS CHRETIEN, 1*s*.
LOUIS PAILLET, 2*s*. 6*d*.
MADEMOISELLE DE LA ROCHETTERIE, 1*s*.
MAGGIE, 1*s*.
MARQUIS DE LŒVIS, 2*s*. 6*d*.
MISS LOVELL, 2*s*. 6*d*.
MOSAIQUE, 2*s*. 6*d*.
M. THIBAUT, 1*s*.
MRS. H. M. STANLEY, 2*s*. 6*d*.
PLATON, 1*s*. 6*d*.
POMPADOUR, 1*s*.
RECAMIER, 1*s*. 6*d*.
TINTORET, 1*s*. 6*d*.
UTOPIA, 2*s*. 6*d*.

New and choice Bedding and Soft-Wooded Plants.

ABUTILON, of sorts, *vide* page 38.
AGERATUM, of sorts, 6*s*. per dozen.
ALTERNANTHERA, of sorts, 6*s*. per dozen.
BOUVARDIA, ALBA ODORATA, 2*s*. 6*d*.
ALFRED NEUNER, 1*s*. and 1*s*. 6*d*.
CANDIDISSIMA, 1*s*. 6*d*.
CONSPICUA, 2*s*. 6*d*.
DAVIDSONI, 1*s*. 6*d*. and 2*s*. 6*d*.
DAZZLER, 1*s*.
ELEGANS, 1*s*.
ETNA, 1*s*. 6*d*.
FLAVESCENS, 1*s*. 6*d*.
HOGARTHI FL. PL., 1*s*.
HUMBOLDTII CORYMBIFLORA, 1*s*. 6*d*.
BOUVARDIA, LUTEOLA PLENA, 3*s*. 6*d*.
MAIDEN'S BLUSH, 1*s*. 6*d*.
MRS. GREEN, 2*s*. 6*d*.
PRESIDENT CLEVELAND, 1*s*. 6*d*.
—— GARFIELD, 1*s*. and 1*s*. 6*d*.
PRIORY BEAUTY, 1*s*. 6*d*.
QUEEN OF ROSES, 1*s*.
SANG LORRAINE, 1*s*.
UMBELLATA ALBA, 1*s*. 6*d*.
—— CARNEA, 1*s*. 6*d*.
UNIQUE, 2*s*. 6*d*.
V. LEMOINE, 1*s*.
VIVIOANS, 2*s*. 6*d*.
VREELANDII, 1*s*.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s*. 6*d*. and 3*s*. 6*d*.

CANNAS.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes, 9*s*., 12*s*. and 18*s*. per dozen.

ADMIRAL COURBET, citron-yellow, splashed carmine, 1*s*. 6*d*.
ANTOINE CHANTIN, salmon-cerise, 1*s*. 6*d*.
ANTONIA CROZY, carmine-red, 1*s*.
CESAR BERTHOLON, bright amaranth, 2*s*. 6*d*.
FRANCISQUE MOREL, purple-cerise, 1*s*.
GEOFFROY ST. HILAIRE, bright cardinal flowers, 1*s*. 6*d*.
GRANDIFLORA PICTA, 1*s*. 6*d*.
GUILLAUME COUSTON, a handsome variety, 1*s*. 6*d*.
IRIDIFLORA EHEMANNI, 1*s*. 6*d*.
J. CORDIOUX, brilliant red, 1*s*.
JULES CHRETIEN, rich cerise-purple, 1*s*. 6*d*.
LOUIS CHRETIEN, canary-yellow, margined carmine, 1*s*.
LOUIS THIBAUD, carmine-red, 1*s*. 6*d*.
MADAME JUST, red, shading to saffron-yellow, 1*s*. 6*d*.
PRESIDENT FAIVRE, foliage chocolate-purple, with red midribs, 1*s*.
REVAL-MASSOT, marbled reddish flowers, 1*s*.
SENATEUR MILLAUD, flowers bright orange, splendid dark foliage, 1*s*. 6*d*.
SOUVENIR DE MADAME LIABAUD, reddish cerise, shaded vermilion, 1*s*.
ULRICH BRUNNER, bright scarlet-cerise, 1/6
VICTOR HUGO, reddish-scarlet, 1*s*. 6*d*.

CARNATIONS, Tree of sorts, 30*s*. and 42*s*. per doz.
CHRYSANTHEMUM FRUTESCENS, 1*s*.
FRUTESCENS ALICE CROUSSE, 1*s*. 6*d*.
CHRYSANTHEMUM FRUTESCENS COMTE DE CHAMBORD, 1*s*. 6*d*.
FRUTESCENS ETOILE D'OR, 1*s*. 6*d*.

DAHLIAS.

Bouquet or Pompon Varieties, 9*s*. & 12*s*. per doz.
Cactus-Flowered Varieties, 9*s*., 12*s*. & 18*s*. per doz.
Choice Exhibition Varieties, 9*s*., 12*s*., 18*s*. and 24*s*. per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s*., 12*s*., 18*s*. and 24*s*. per dozen.
Dwarf Bedding Varieties, 9*s*. & 12*s*. per dozen.
Single-Flowered Dahlias, 9*s*., 12*s*. & 18*s*. per doz.

ECHEVERIAS.

ECHEVERIA GRANDISEPALA, 2*s.* 6*d.*
IMBRICATA, 2*s.* 6*d.*
PRUINOSA. 2*s.* 6*d.*
RETUSA GLAUCA, 1*s.* 6*d.* and 2*s.* 6*d.*

ECHEVERIA SCAPHYLLA, 2*s.* 6*d.*
SCHEIDECKERI, 1*s.* 6*d.*
SECUNDA, 9*d.* each; 6*s.* per dozen.
—— GLAUCA, 9*d.* each; 6*s.* per dozen.

HELIOTROPE, ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is marbled with golden-yellow. 1*s.*

HELIOTROPE, PRESIDENT GARFIELD, 1*s.*
WHITE LADY, 1*s.*

IBERIS SEMPERVIRENS FLORE-PLENO.
This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d.* each.

LANTANAS, of sorts, 18*s.* per dozen.

MIMULUS MOSCHATUS FLORE-PLENO.
A beautiful double-flowering variety of the popular and well-known common Musk, having the same habit of growth, and retaining all the agreeable fragrance which has brought the original type into such universal favour. 1*s.* each.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

PENTSTEMONS.

The modern varieties of Pentstomons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3*s.* 6*d.*

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* & 18*s.* per doz.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6*s.*, 9*s.* and 12*s.* per dozen.

SALVIA BETHELII, 1*s.*
BOLIVIENSIS. 1*s.*
CÆLESTINA, 1*s.*
GESNERÆFLORA, 1*s.*
INGÉNIEUR CLAVENAD, 2*s.* 6*d.*

SALVIA M. ISSANCHOU, 1*s.*
PATENS, 9*d.*
—— ALBA, 1*s.*
PITCHERI, 1*s.*

SALVIA RUTILANS, 1*s.*
SPLENDENS, 1*s.*
—— BRUANTII, 1*s.*

SEMPERVIVUM HAWORTHII, 1*s.*

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots, or planted in the open air.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a large teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Boxes, containing about 1½ lbs., price. 1s. each. Larger Size, containing about 5 lbs., price, 2s. 6d. each.
Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

TESTIMONIALS

THE GARDENS, NEWBATTLE ABBEY, DALKEITH, N.B., *11th February*, 1892.

Dear Sir,—I wish to tell you that your Food for Plants is a capital Manure. I grew my Chrysanthemums with it last season, and won the Edinburgh Cup with them. Kindly send me on the same quantity as last, and oblige,
Yours truly, J. W. McHATTIE, Gardener to the Most Hon. THE MARQUIS OF LOTHIAN.

LEIGHTON GARDENS, WELSHPOOL, *7th January*, 1892.

Now that I have used Mr. William Bull's Food for Plants over twelve months, I have very great pleasure in stating that I believe it to be the best Plant Manure in the market. It produces fine foliage, large flowers, and gives a good healthy appearance to Stove and Greenhouse Plants in general. I have also used it on Melons, Cucumbers, Tomatoes and Vines with good results, and it is excellent for Chrysanthemums.
WILLIAM ROTHWELL, Gardener to Mrs. NAYLOR.

STALLINGTON HALL GARDENS, STOKE-ON-TRENT, *February 19th*, 1892.

DEAR SIR,—Your Plant Food is excellent. I cannot speak too highly of it.
Yours truly, THOMAS HAWKINS, Gardener to Sir SMITH CHILD, Bart.

HAREWOOD GLEN, SELKIRK, N.B., *February 23rd*, 1892.

DEAR SIR.—Please send me another cwt. of your Food for Plants. I find it an excellent Manure for Chrysanthemums, Ferns, Azaleas, Primulas, Gloxinias, in fact, for everything I applied it to. I shall never be without it. It has great advantages over any other manure I have used, having no unpleasant odour, and causing no fungus.
ROBERT FAICHNEY, Gardener to J. W. DENISTOUN, Esq.

GOLDEN GROVE, CARMARTHEN, *July 14th*, 1891.

Sir,—Please send, on account of Viscount Emlyn, a supply of Plant Manure, same as last sent me. I am glad to say it is the best artificial manure I have ever used.
Yours respectfully, JOHN HILL,
Gardener to the Rt. Hon. Viscount EMLYN.

THE GROVE, TEIGNMOUTH.

Dear Sir,—Amongst the many artificial manures I have tried, your Plant Food in my estimation takes first rank. I have tried it on various plants to my entire satisfaction, and its effect on Chrysanthemums is simply marvellous, apart from which, it is easy to apply and has no unpleasant smell. I shall certainly recommend it strongly to my friends.
I am, dear Sir, yours truly, JOHN STILES.

STRATTON PARK, MICHELDEVER, *19th December*, 1891.

Dear Sir,—I am much pleased with your Plant Food; I have tried it on a great variety of plants with the most gratifying results.
E. GANDY, Gardener to the Rt. Hon. Earl of NORTHBROOK.

MALSHANGER, BASINGSTOKE.

Dear Sir,—I have tried your Plant Food on Vines, Cucumbers, Melons, Tomatoes, &c., and the effect was quite phenomenal; it pleases me much.
I am yours truly, N. KNELLER, Gardener to W. S. PORTAL, Esq.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,

ESTABLISHMENT FOR NEW AND RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

CHOICE GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers are useful for decorating vases and epergnes.

Their flower buds expand and last a long time when cut and placed in water.

They are charming when introduced into borders among Evergreens.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders for the above are booked throughout the year at the following prices, and the bulbs supplied in January, February or March.

100	in 12	Choice named varieties		..	..	40s.
100	,, 25	ditto	ditto	..	..	80s.
50	,, 12	ditto	ditto	..	..	30s.
50	,, 12	ditto	ditto	..	..	20s.
24	,, 12	ditto	ditto	..	..	15s.
12	,, 12	ditto	ditto	..	..	7/6
12	,, 12	ditto	ditto	..	..	5s.

GLADIOLUS, SNOW-WHITE.

A magnificent White Gladiolus, with large and elegantly formed flowers of great substance slightly shaded with cream, a faint line of purple extending half-way through the lower petal. 18*s.* per doz.; each 2*s.*

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 12*s.* 6*d.* per 100; 1*s.* 9*d.* per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders.

Selected bulbs can be supplied by the 1,000 at 5*s.* per 100.

GLADIOLUS, HARDY HYBRIDS.

COLVILLI.—Purplish lilac. 3*s.* 6*d.* per 100.

—— **ALBUS** (The Bride). Produces charming spikes of pure white flowers, specially useful for cutting, easily grown in pots or borders. 5*s.* per 100.

LEMOINEI.—A handsome hybrid early flowering variety. 3*s.* 6*d.* per dozen.

MARY LEMOINE.—Very beautiful. 3*s.* 6*d.* per dozen.

LEMOINE'S HYBRIDS.—Named varieties. 5*s.* and 7*s.* 6*d.* per dozen.

LEMOINE'S HYBRIDS.—Large blotched, choice mixed. 3*s.* per dozen; 20*s.* per 100.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ABUTILON, new varieties, extra choice ..	1	0
Ageratum, Tom Thumb, WHITE GEM (New)	1	0
Auricula, Alpine, very fine strain.. 1*s.* &	1	6
BEGONIA HYBRIDA GIGANTEA, the flowers, which are produced in great abundance, are of gigantic size, measuring 4 to 5 inches, and of various and attractive colours, 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Begonia, Ornamental Foliaged varieties..	2	6
—— Double, finest mixed	2	6
CALCEOLARIA, HERBACEOUS, Prize Strain .. .. 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Candytuft, dark crimson	0	3
—— **Tom Thumb**, white	0	6
CARNATION (Dodwell's), Bizarre 2*s.* 6*d.* &	3	6
—— (Dodwell's), Flaked .. 2*s.* 6*d.* &	3	6
—— —— Self .. .. 2*s.* 6*d.* &	3	6
—— —— yellow ground flowers, 2*s.* 6*d.* &	3	6
—— New Double Margaret	1	0
CELOSIA JAPONICA AUREA (New) ..	1	0
CHRYSANTHEMUM JAPONICUM ..	1	0
—— large flowering, extra choice ..	1	0
—— **pompon** varieties	1	0
CINERARIA, extra choice mixed 1*s.* 6*d.* &	2	6
—— **hybrida grandiflora nana** 1*s.* 6*d.* &	2	6
—— Double	2	6
Cockscomb, Glasgow Prize	1	0
COLEUS, choice hybridised 1 0 &	1	6
CYCLAMEN PERSICUM, finest, mixed colours .. .. .. 1*s.* 6*d.* &	2	6
—— —— **giganteum**	2	6
—— —— —— **compactum**, pure white, purple base	2	6
—— —— —— **roseum**, rose, dark crimson eye	2	6
—— —— **Charming Bride**, pure white ..	2	6
—— —— **Duke of Connaught**, rich purplish-crimson .. .. 1*s.* 6*d.* &	2	6
—— —— **Rosy Morn**, delicate rose, 1*s.* 6*d.* &	2	6
—— —— **Picturata**, claret-purple base, 1*s.* 6*d.* &	2	6
DAHLIA, single, choice mixed	1	0
Eschscholtzia Mandarin, orange	0	6
GLOXINIA, extra choice hybridised, 1*s.* 6*d.* &	2	6
—— Finest Spotted..	2	6
—— **grandiflora erecta**	2	6
—— —— **pendula**	2	6
Godetia, Lady Albemarle..	0	6
—— WHITE PEARL (New)..	1	0
Hollyhock, extra choice mixed	1	0
Lobelia Cardinalis	1	0
—— **erinus speciosa**	0	6
—— **Royal Purple**	0	6
Mignonette, Golden Queen	1	0
—— **Mammoth** (New)	1	0
Myosotis dissitiflora	1	0
Nasturtium, Empress of India	0	6

	Per pkt.—s.	d.
PANSY, ASHBURNHAM STRAIN ..	2	6
—— **Peacock**, (New) .. .. 1*s.* &	1	6
Papaver album, pure white	1	0
—— **glaucum** (New), The Tulip Poppy ..	1	6
—— **miniatum**, orange-scarlet	1	0
—— **nudicaule**, yellow	0	9
PEAS, SWEET, Apple Blossom	1	0
—— —— Boreatton	0	9
—— —— Captain of the Blues	1	0
—— —— CARDINAL	0	6
—— —— Duchess of Edinburgh.. ..	0	9
—— —— Isa Eckford	0	9
—— —— INDIGO KING	0	9
—— —— Miss Blanche Ferry	0	9
—— —— Miss Hunt	1	0
—— —— Monarch	1	0
—— —— Orange Prince	1	6
—— —— Primrose	1	0
—— —— PRINCESS OF WALES	0	6
—— —— Queen of England	1	0
—— —— Eckford's mixed	0	6
PELARGONIUM, Gold and Bronze 1*s.* 6*d.* &	2	6
Ivy-leaved, from named varieties ..	2	6
PETUNIA, choice hybridised	1	0
Phlox Drummondi cuspidata	0	6
—— —— **fimbriata**..	0	6
Picotee, Dodwell's Prize Strain 2*s.* 6*d.* &	3	6
Pink, finest laced varieties.. 2*s.* 6*d.* &	3	6
Polyanthus, choice mixed	0	6
—— **gold laced**	1	0
POPPY, Cardinal (New)	1	0
—— "The Bride" (New)	1	0
—— "White Swan" (New)	1	6
Primrose, Hardy Hybrids, choice mixed	1	0
Primula OBCONICA	1	0
—— SINENSIS FIMBRIATA, "Comet" (New)	2	6
—— —— FULGENS	2	6
—— —— ALBA MAGNIFICA	2	6
—— —— MONT BLANC	2	6
—— —— PINK BEAUTY (New)	2	6
—— —— SPLENDIDA	2	6
—— —— CHISWICK RED	2	6
—— —— AVALANCHE	2	6
—— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* &	2	6
—— —— ALBA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— RUBRA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— KERMESINA SPLENDENS FL. PL., 2/6 &	3	6
PYRETHRUM AUREUM	0	6
Stock, East-Lothian, crimson .. 6*d.* &	1	0
—— —— purple .. .. .. 6*d.* &	1	0
—— —— scarlet .. .. .. 6*d.* &	1	0
—— —— white .. .. .. 6*d.* &	1	0
Tagetes patula nana grandiflora flore pleno (New)	1	0
Torenia, "White Wings" (New), pure white	1	0
Verbena, finest mixed	1	0
Wallflower Harbinger, fine dark red ..	0	6
—— **Primrose Dame** (New)	1	0
—— Double German, finest mixed ..	1	0

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

CALCEOLARIA, HERBACEOUS (Prize Strain.) *Vide* page 122.

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

"I have had some flowers 2¾ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 122.

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2¾ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

CINERARIA, extra choice mixed. *Vide* page 122.

NEW PLANTS

Introduced and sent out for the first time in 1886.

ANTHURIUM CHELSEIENSE
ARISTOLOCHIA ELEGANS
BEGONIA COMPTA
—— DECORA
CLERODENDRON MINAHASSÆ
DENDROBIUM PARTHENIUM
ERANTHEMUM MACROPHYLLUM
ERANTHEMUM VELUTINUM
EUCHARIS MATTERSII
GYMNADENIA MACRANTHA
IMPATIENS HAWKERII
IXORA CONSPICUA
—— SPECIOSA
PALICOUREA JUGOSA
PINANGA SPECTABILIS
SELAGINELLA FLAGELLIFERA
SMILAX DISCOLOR
TECOMA AMBOINENSIS
THUNIA MARSHALLIANA
IONOPHLEBIA
ZALACCA NITIDA

NEW PLANTS

Introduced and sent out for the first time in 1887.

ADIANTUM ASSIMILE CRISTATUM
ALOCCASIA GRANDIS
APHELANDRA CHRYSOPS
ARISTOLOCHIA RIDICULA
BEGONIA EOREGIA
BOUGAINVILLEA REFULGENS
CLERODENDRON RUMPHIANUM
COSTUS MOSAICUS
CROTON BEAUTY
CROTON NESTOR
—— SUNBEAM
CYPRIPEDIUM AMANDUM
—— CONOINNUM
—— REGALE
HÆMANTHUS ABYSSINICUS
HELICONIA BREVISPATHA
LASTREA JENMANI
MARANTA ICONIFERA
NEPHTHYTIS PICTURATA
PANORATIUM GUIANENSIS
POTHOS ARGENTEUS
—— NITENS
PTERIS TREMULA GRANDICEPS
RHODODENDRON ALBESCENS
—— GRAVEOLENS
SELAGINELLA TASSELLATA
THUNIA MARSHALLIAN TRICOLOR

NEW PLANTS

Introduced and sent out for the first time in 1888.

AGLAONEMA PICTA COMPACTA
ALOCASIA MARCINATA
—— PRINCEPS
APHELANDRA AMŒNA
ARDISIA POLYCEPHALA
CROTON DELIGHT
—— JUNIUS
—— MAGNIFICENT
CROTON MONARCH
—— VICTORY
CYPRIPEDIUM SAUNDERSIANUM
DRACENA ARGENTEO-STRIATA
EOMICON CHIONANTHA
ESMERALDA BELLA
MUSSÆNDA ERYTHROPHYLLA
NIDULARIUM STRIATUM
PANAX ORISPATUM
—— LEPIDUM
—— NITIDUM
—— ORNATUM
PAVETTA NATALENSIS
PINANGA LEPIDA
RHODODENDRON DIANA
—— FAIR ROSAMOND

NEW PLANTS

Introduced and sent out for the first time in 1889.

CAVENDISHIA SPECTABILIS
CROTON FLAMINGO
—— MEMPHIS
—— MIRABILE
—— PRINCE OF ORANGE
CROTON REIDII
CYPRIPEDIUM TAUTZIANUM
LEPIDUM
DIPLARRHENA MOREÆ
ENCEPHALARTOS REGALIS
GYMNOGRAMMA ELEGANTISSIMA
HIBISCUS ROSA SINENSIS
INTERMEDIUS
IMANTOPHYLLUM BLANDFORDIÆ
FORUM STRIATUM
TECOMA SMITHII

NEW PLANTS

Introduced and sent out for the first time in 1890.

EUCHARIS BAKERIANA
GLORIOSA SUPERBA GRANDIFLORA
LASTREA CORUSCA
RHOPALOBLASTE HEXANDRA
NEW SONERILAS
STREPTOCARPUS REXII PURPUREUS
GREENHOUSE RHODODENDRON
MYRA

NEW PLANTS

Introduced and sent out for the first time in 1891.

ALBERTA MAGNA
ANSELLIA HUMILIS
—— —— PALLIDA
BULBOPHYLLUM PECHEI
CIRRHOPETALUM MUNDULUM
DIPLADENIA ILLUSTRIS OLABRA
PTERIS VICTORIÆ
GREENHOUSE RHODODENDRON
CLARINDA
GREENHOUSE RHODODENDRON
DIADEM
—— —— JUNO
—— —— PLATO

NEW PLANTS

Introduced and sent out for the first time in 1892.

BEGONIA FLORIBUNDA ROSEA
BOWKERIA TRIPHYLLA
IXORA SALMONEA
LÆLIA PRÆSTANS ALBA
PRIMULA IMPERIALIS
TRADESCANTIA DECORA

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS,

sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent conditions in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.
Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

INDEX.

	PAGE
Abroma	5
Abyssinian Banana 31 &	47
Abutilon	38
Acacia	24
Acalypha	5
Achimenes	81
Acineta	49
Acmena ovata	24
Acropera	49
Ada	49
Adansonia	5
Adiantum .. .. 91 &	94
—— assimile cristatum ..	94
Æchmea	5
Aërides .. .. 49 &	50
Agapanthus	24
Agave	24
Aglaonema ..	5
Alberta magna	24
Allamanda	5
Alocasia	5
—— marginata	5
—— princeps	5
Alpinia	5
Alsophila .. 91 &	94
Althæa, *vide* Hibiscus ..	40
Amaryllis .. ..5, 7 &	39
Amasonia	7
Amomum	7
Amorphophallus .. 7 &	24
Ananassa	7
Anchomanes	7
Anemidictyon	91
Angræcum	50
Anguloa	50
Angectochilus	50
Ansellia humilis .. 50 &	51
Anthurium .. 6, 7 &	8
—— insigne	7
—— Scherzerianum 6 &	7
Antigonon	8
Aphelandra	8
Aralia .. 8, 24 &	51
Araucaria	24
Ardisia	8
Areca	98
Arenga	98
Aristolochia	8
—— elegans	8
—— saccata	8
Arpophyllum	51
Artanthe	8
Artocarpus	8
Asparagus .. .. 24 &	25
—— plumosus nanus ..	25
Asplenium .. .. 93 &	94
Astrocaryum	98
Ataccia	8
Aucuba	39
Azalea .. .. 25 &	39
—— balsaminæflora ..	25
—— Hybrid	25
Bambusa	25
Barkeria	51
Barleria	8
Batatas	8
Bauhinia	8
Beaumontia	8
Bedding Plants .. 118 &	119
Begonia .. 3, 106 to	108
Begonia floribunda rosea	3
—— Handsome-Flowered 106 to	108
—— Variegated Foliaged	108
—— Winter-Blooming ..	108
Belopersone	8
Berberis	39
Bertolonia	8
Bignonia .. 8, 25 &	39
Billbergia	8
Blandfordia 25, 26 &	27
Bletia	51
Bomarea	27
Boronia	27
Bougainvillea	8
—— refulgens	8
Bouvardia	118
Bowenia	98
Bowkeria triphylla ..	3
Brasavola	51
Brassia	51
Bredia	27
Broughtonia	51
Brownea	8
Brugmansia	27
Brunsvigia	27
Bulbophyllum	51
Burchellia	8
Burlingtonia	51
Caladium .. .. 103 to	106
Calamus	98
Calanthe .. .. 51 &	52
Calliphruria	10
Calodendron	27
Calpioarpum	10
Camellia	27
Camoënsia maxima ..	9
Canna	118
Capparis	10
Carludovica	98
Catasetum	52
Cattleyá .. .. 52 to	56
Cavendishia	27
Ceratozamia	99
Cestrum	27
Chamæcladon	10
Chamædorea	99
Chamærops	99
Chevalliera	10
Chirita	10
Chrysanthemum, Chinese or Large-flowered . 109 &	112
—— New	109
—— frutescens	118
—— Japanese .. 109 to	111
—— Pompon	113
Chysis	56
Cibotium .. .. 93 &	94
Cienkowskia	10
Cinnamomum 10, 39 &	47
Cirrhopetalum	56
Cissus .. .. 10 &	27
Clematis .. .. 27 &	39
Clerodendron	10
—— macrosiphon	10
—— nutans	10
Cleyera	27
Climbing Plants for Stove	34
—— —— for Greenhouse	34
Cocos Weddelliana ..	99
Cœlogyne	56
—— cristata hololeuca (alba)	56
Coffea .. .. 10 &	47
Colax	57
Coleus	117
Comparettia	57
Coryanthes	57
Corypha, *vide* Livistona ..	100
Costus	10
Crinum .. 10, 27 &	40
Crossandra	10
Croton .. .. 10 to	12
—— Beauty	10
—— Delight	11
—— elegantissimus ..	11
—— Flamingo	11
—— insignis	11
—— Junius	11
—— Magnificent ..	11
—— Memphis	11
—— mirabile	11
—— Nestor	12
—— ornatus	12
—— Prince of Orange ..	12
—— Reidii	12
—— Sunbeam	12
—— Victory	12
Cryptanthus	12
Cryptochilus	57
Cupania	12
Curculigo	12
Curcuma	12
Curmeria	12
Cyanophyllum	12
Cyathea .. .. 91 &	96
—— dealbata .. 91 &	96
—— Dregei .. 91 &	96
Cycas .. .. 27 &	99
Cyclamen .. .. 27 &	40
Cycnoches	57
Cymbidium	57
Cyperus	13
Cypripedium 57 to	60
—— hardy varieties ..	40
Cyrtodeira	13
Cyrtopodium	60
Cyrtosperma	13
Dæmonorops, *vide* Calamus	
Dahlia .. .. 29 &	118
Dais	29
Dalechampia	13
Davallia .. .. 93 &	96
—— fijiensis plumosa ..	93
Davidsonia .. 13 &	40
Dendrobium .. 60 to	62
Dendrochilum	62
Deyeuxia	29
Dichæa	62
Dicksonia .. .. 91 &	96
—— antarctica .. 91 &	96
Dieffenbachia	13
—— triumphans	13
Dionæa muscipula ..	29
Dioon edule	99
Dioscorea	13
Dipladenia .. 13 &	14

INDEX—*continued.*

PAGE

Dipladenia Brearleyana 13
—— illustris glabra .. 13
Diplarrhena Moreæ .. 29
Diptrrix 14
Disa 62
Doodia aspera multifida 96
Dorstenia .. .. 14 & 47
Doryanthes 29
Double-flowered Epacris 28
—— —— Ivy-leaved Pelargoniums .. 86
—— —— Zonal Pelargoniums .. 89
Dracæna .. .. 14 & 29
—— argenteo-striata .. 14
—— fragrans variegata 14
—— Goldieana 14
—— Lindeni 14
Dracontium 14
Drosera 29
Drymonia 14
Drymophlœus 99
Echeveria 119
Echites 14
Elæocarpus .. 15 & 29
Encephalartos 99
—— regalis 99
Encholirion 15
Epacris .. .. 28 & 29
—— double 28
Epidendrum .. 62 & 63
Epipremnum mirabile .. 15
Eranthemum 15
Erythrina .. .. 15 & 29
Erythroxylon Coca 15 & 47
Esmeralda 63
Euadenia 15
Eucalyptus 29
Euoharis 15
—— Bakeriana 15
—— Stevensii 15
Eucodonia 81
Eugenia 15
Eulalia 40
Eulophia 63
Euphorbia 15
Euryoles 15
Exostemma 15
Ferns .. .. 91 to 97
Ficus .. 15, 29, 47 & 48
Fittonia 15
Flax, New Zealand .. 32
Food for Plants 120
Francisoea 15
Fraxinus 40
Freesias 30
Fuchsia .. .. 114 to 116
Galactodendron .. 15 & 48
Galeandra 63
Garcinia .. .. 15 & 48
Gardenia 15
Geonoma 100
Geranium, *vide* Pelargoniums .. 83
Gesnera .. .. 15 & 81
Gladiolus 121
Gleichenia 95
Glonera 16
Gloriosa 16
Gloxinia 82

PAGE

Godwinia gigas 16
Gongora 63
Goniophlebium 93
Goodyera 63
Grammatophyllum .. 63
Greenhouse Plants 24 to 38
Grevillea 30
Griffinia 16
Gymnogramma 93
—— elegantissima .. 92
Habrothamnus 30
Hæmanthus .. 16 & 39
Hardy Plants .. 39 to 46
Hartwegia 63
Hedychium .. 16 & 30
Heliconia 16
Heliotrope 119
Hemigraphis 16
Hibiscus .. 16, 30 & 40
—— Rosa Sinensis .. 16
—— syriacus 40
Hippeastrum, *vide* Amaryllis .. 5 & 7
Hoffmannia 16
Houlletia 63
Howea 100
Hoya 16
Hydrangea .. 30 & 40
Hymenocallis 16
Hymenosporum 16
Imantophyllum 30
Impatiens 16
—— Hawkerii 16
Ionopsis 63
Ipomœa 16
Ipsea 63
Iris .. .. 30, 40 & 41
—— German 41
—— Kæmpferi 41
Isoloma 16
Ivy-leaved Pelargoniums 86
Ixora .. 3, 16 & 17
—— conspicua 16
—— salmonea 3
—— speciosa 17
Jacaranda 17
Jasminum .. .. 17 & 30
Jatropha 17
Juncus zebrinus, *vide* Scirpus
Justicia 17
Kentia 100
Kæmpferia 17
Kniphofia 41
Lælia .. .. 63 to 65
—— præstans alba .. 3
Lamprococcus 17
Landolphia 17
Lapageria .. .. 30 & 31
—— alba 30
—— rosea 31
Laportea 17
Lasiandra 31
Lastrea .. 94 & 96
Latania 100
Leptotes 65
Libertia .. .. 31 & 41
Lilacs, new double 45 & 46

PAGE

Lilium .. .. 41 to 43
—— auratum 41
—— longiflorum Harrisii 42
Limatodis 65
Livistona 100
Lomaria .. .. 94 & 96
Lycaste .. .. 65 & 66
—— Skinneri 66
Lycopodium, *vide* Selaginella .. 97
Mackaya bella 31
Macrozamia 100
Magnolia .. 17, 31 & 43
Manettia 17
Maranta 17
Marcgravia 17
Masdevallia .. 66 to 69
—— Harryana acanthifolia .. 67
—— —— conchiflora .. 67
—— —— regalis .. 67
Maxillaria 69
Medicinal and Officinal Plants .. 47 & 48
Medinilla 17
Mesospinidium 69
Microstylis 69
Miltonia 69
Monstera 17
Montbretias 43
Mormodes 70
Musa .. 17, 31, 47 & 48
Mussænda 18
—— erythrophylla .. 18
Myrtus 31
Nægelia, *vide* Gesnera .. 81
Napoleona 18
Nanodes 70
Nepenthes 18
Nephrodium .. 94 & 96
Nephrolepis 94
Nephthytis 18
Nerine .. .. 31 & 32
Nerium 32
New Plants 124
—— —— announced for the first time 3
New Greenhouse Plants 24 to 38
—— Hardy Plants 39 to 46
—— Stove Plants 4 to 23
Nidularium .. 4 & 18
—— striatum 4
Nosegay Pelargoniums .. 87
Odontoglossum .. 70 to 74
—— crispum (Alexandræ) 70
—— vexillarium .. 73 & 74
—— —— insigne 74
Officinal and Medicinal Plants .. 47 & 48
Oncidium .. .. 74 to 76
—— macranthum 75
Ophiopogon 32
Oplismenus 18
Orchids .. .. 49 to 80
Oxalis 18
Palisota 18
Palms, Cycads, &c. 98 to 102

INDEX—*continued.*

	PAGE
Palumbina	76
Panax	18
Pancratium	18, 19 & 43
Pandanus	18
Panicum, *vide* Oplismenus	18
Paphinia	76
Passiflora	18, 32, 43, 47 & 48
Paullinia	18
Pavetta	18
Pavonia	18
Pelargonium Bronze and Gold	90
—— Cape Hybrids	86
—— Chelsea Gem	89
—— Double-flowered Zonal	89 & 90
—— —— Ivy-leaved	86
—— Fancy	86
—— Hybrid Perpetual, &c.	86
—— Ivy-leaved	87
—— —— with double flowers	86
—— Nosegay	87
—— Regal	83
—— Show	85
—— Spotted	84
—— Tricolor	90
—— Variegated	90
—— Zonal	88
Pellionia	18
Pentas	18
Pentstemon	119
Peperomia	18
Peristeria elata	76
Pescatoria	76
Petunia	119
Phaius	76 & 77
Phalænopsis	77
Philodendron	18
—— nobile	20
Phlox	44 & 119
Phœnix	100 & 102
—— rupicola	102
Pholidota	77
Phormium	32
Phyllagathis	20
Phyllanthus	20
Phyllocactus	32
Phyllotænium	20
Pieris	44
Pilea	20
Pilumna	77
Pinanga	102
Piper	20, 44 & 48
Pitcairnia	20
Pittosporum	32
Plant Food	120
Platycodon	77
Pleione	77
Pleopeltis	94
Pleurothallis	77
Plumbago	20 & 32
Pogostemon	20
Poinciana	20
Polygonum	44
Polystichum	94 & 96
Portlandia	20
Pothos	20
—— argenteus	20
Pothos flexuosus	20
—— nitens	20
Primula	3, 32 & 44
—— imperialis	3
Promenæa	77
Prunus	44
Psidium	20 & 48
Pteris	94 & 96
—— tremula grandiceps	96
—— Victoriæ	94
Ptychosperma	102
Punica	32
Puya	20
Ravenala	20
Regal Pelargoniums	83
Reidia	20
Reinwardtia	32
Renanthera	77
Restrepia	77
Rhapis	102
Rheum	44
Rhodea	32
Rhododendron	35 to 37 & 44
—— albescens	35
—— Clarinda	35
—— Diadem	35
—— Juno	37
—— Pink Beauty	36
—— Plato	37
Rhopaloblaste hexandra	101 & 102
Rhopalostylis	102
Rhus	44
Richardia	32
Rodriguezia	77
Rogeira	20 & 32
Rondeletia	20
Rosa	44
Rubus	32 & 44
Rudgea	20
Ruellia	20
Sabal	102
Saccharum	20
Saocolabium	77 & 78
Salvia	119
Sanchezia	20
Sanseveira	20
Sarcochilus	78
Sarcopodium	78
Sarracenia	33
Saxifraga	44
Schismatoglottis	20
Schomburgkia	78
Schubertia	20
Scindapsus	20
Scirpus	44
Scuticaria	78
Seaforthia	102
Seeds	122 & 123
Selaginella	97
—— cognata	97
—— flagellifera	97
—— tassellata	97
Sempervivum	119
Senecio	33 & 44
Show Pelargoniums	85
Shrubs, *vide* Hardy Plants	39
Skimmia	44
Smilax	23
Sobralia	78
Sonerila	21 & 23
Sophronitis	78
Sparmannia	33
Spathiphyllum	23
Spathoglottis	78
Spiræa	44 & 45
—— astilboides	44 & 45
Stadmannia	23
Stangeria	102
Stanhopea	78 & 79
Stephanotis	23
Stevensonia	102
Stove Plants	4 to 23
Strelitzia	23
Streptocarpus	23
Styrax	45
Syngonium	23
Syringa	45 & 46
Tacsonia	23 & 33
Tecoma	23 & 33
—— amboinensis	23
—— Smithii	33
Terminalia	23
The Dove Flower	76
—— Irish Fern	97
Thrinax	102
Thunbergia	22 & 23
Thrixspermum	79
Thunia	79
Tillandsia	23
—— Lindeniana vera	23
Todea	96 & 97
Tonga	15 & 48
Trachycarpus	102
Tradescantea decora	3
Tree Ferns	91
Trichocentrum	79
Trichopilia	79
Trichosma	79
Trigonidium	79
Tritoma, *see* Kniphofia	41
Tritonia	46
Tropæolum	46
Tropical Fruits	47 & 48
Tuberoses	33
Tydæa	82
Uropedium	79
Utricularia	23
Vallota	33
Vanda	79
Vanilla	23 & 80
Veronica	34
Viburnum	46
Vitis	23, 33 & 46
Vriesia	23
Wallichia	102
Warrea	80
Warscewiczella	80
Weigela	46
Wistaria	46
Xanthoceras	46
Xylobium	80
Xylophylla	22
Yucca	33 & 46
Zalacca nitida	102
Zamia	102
Zingiber	23 & 48
Zygopetalum	80

ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL BE OPEN

TO

PATRONS OF THE ESTABLISHMENT

AND

THOSE RECEIVING CARDS OF INVITATION,

Throughout MAY, JUNE and JULY.

The following are a few short extracts from the Press respecting Mr. W. Bull's Exhibition :—

"The Times."

"Orchid Exhibition.—The annual exhibition of rare and choice Orchids by William Bull is now on view at his Nursery, 536, King's Road, Chelsea. Many glasshouses are occupied with Orchids in different stages of development, but the plants in full blossom are grouped in one large conservatory, forming a study for connoisseurs of this very beautiful flower, drawn from the greater portion of the countries of the globe. The plants are arranged with artistic skill and good taste, due regard being paid to the size, form, and endless variety of tint and colour of the many thousand heads of bloom on show. The enormous number of different forms, the mass of luxurious blossom, and the sweet perfumes of some of the plants make the exhibition in every way attractive."

"The Gardeners' Chronicle."

"Again the season for the Orchid Exhibition at Mr. William Bull's Establishment in the King's Road, Chelsea, has returned, and again a marvellous display of beautiful and rare Orchids in flower has been arranged with elegant Palms and Maiden Hair Ferns in the Show House, the rare plants exceeding in number and excellence of quality, those present in any of the former exhibitions, while a glance over the whole reveals a pleasing and effective arrangement."

"The Morning Post."

"The annual exhibition of Orchids, at William Bull's Establishment, King's Road, Chelsea, was opened last week, and the attendance of visitors has been very large. Of the exhibition, as a whole, it need only be said that it is arranged with the same artistic taste that has characterised its predecessors. Those who are familiar with Orchidaceous plants know how readily they lend themselves to decorative art; the whole scene is a dream of fairy-land; it may be imagined, but it cannot be described; and as, week by week, new varieties come into bloom and are added to the collection, it is a sight that should be seen again and again during the two months the exhibition remains open."

"The Garden."

"Orchid Exhibition at Mr. Bull's, Chelsea.—For some years past we have had the pleasure to visit this show more than once in the season, and must say that the display this year far excels that of any former season, and well deserves a visit from every lover of plants, be they Orchid growers or not. The plants are arranged with exquisite taste and in the highest form of excellence, every foot of space is replete with interest and elegance. The thousands of flowers now in their beauty are truly marvellous, making one of the grandest shows of Orchid blooms ever seen."

"Standard."

"Orchid Show.—Lovers of flowers always look forward to the opening of the show of Orchids at Mr. Bull's Establishment, in King's Road, Chelsea, as one of the most interesting features of the season, and considerable numbers were present yesterday to obtain the first sight of the floral treasures gathered from all parts of the world lying within the tropical zone. Here the last importations are to be seen and commented upon by the *cognoscenti*, while the public in general, who care but little whether a flower is unique or common, go to admire the lovely sheets of delicate and often quaint blossoms. Both classes will be well satisfied with the exhibition opened yesterday, a display that is in its way unrivalled."

"The Daily Chronicle."

"The annual show of Orchids at Mr. William Bull's, 536, King's Road, Chelsea, commenced yesterday, eclipses everything of the kind previously held, for whilst, even at the Royal Botanic Society's summer Orchid shows, a number of fine specimens in limited variety are shown, at Mr. Bull's Establishment a perfect wealth of innumerable genera and their species are arranged. This exhibition, which continues in perfection for several weeks, really represents several grand exhibitions in panoramic form, for towards the end of the month early May blooming forms will have to make way for June flowering ones, whilst the early days of July will have produced equal change or transition. Orchid growers find here a perfect school for the study and comparison of the numerous new varieties."



Price 1/-

1892

A Catalogue of

NEW, RARE AND Beautiful Plants AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S. F.Z.S. F.R.H.S. M.A.I. F.R.B.S. & M.S.A. Socc Hort Be l
Bruxell. St Petersburgh et Paris et Soc. Agric. et Bot Gandav. Socius.

NEW PLANT MERCHANT,

536, KING'S ROAD, CHELSEA,

(and Ashburnham Park.) LONDON, S.W.